

SAFETY DATA SHEET

Version #: 02 Issue date: 02-February-2023 Revision date: 24-April-2023 Supersedes date: 02-February-2023

SECTION 1: Identification	of the substance/mixture and of the company/undertaking
1.1. Product identifier Trade name or designation of the mixture	HI COSY UP VOTIVE 1559265E
Registration number	_
Synonyms	None.
Product code	1559265E
1.2. Relevant identified uses of Identified uses	the substance or mixture and uses advised against General Public Use
Uses advised against	None known.
1.3. Details of the supplier of the	e safety data sheet
Company name	Yankee Candle Company (Europe) Limited
Company Address	Poplar Way East, Cabot Park
	Avonmouth
	Bristol
	United Kingdom
	BS11 0YH
1.4. Emergency telephone numb	Der
General in EU	112 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Austria National Poisons Information Centre	+431 406 4343 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Belgium National Poisons Control Centre	070 245 245 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Bulgaria National Toxicological Information Centre	+359 2 9154233 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Czech Republic National Poisons Information Centre	+420 224 919 293, or +420 224 915 402 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)
Denmark National Poisons Control Centre	+45 82 12 12 12 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Estonia National Poisons Information Centre	16662 or abroad: (+372) 626 9390 (Monday 9:00AM to Saturday 9:00AM (closed on Sundays and on national holidays). SDS/Product information may not be available for the Emergency Service.)
Finland National Poison Information Centre	(09) 471 977 (direct) or (09) 4711 (exchange) (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
France National Poisons Control Centre	ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Hungary National Emergency Phone Number	36 80 20 11 99 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Lithuania Neatidėliotina informacija apsinuodijus	+370 5 236 20 52 or +37068753378 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)
Malta Accident and Emergency Department	2545 4030 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)
Netherlands National Poisons Information Centre (NVIC)	030-274 88 88 (Only for the purpose of informing medical personnel in cases of acute intoxications)

1.	4.	Emergency	tele	phone	number
		Linergency	LEIE	phone	number

Norway Norwegian Poison Information Centre	22 59 13 00 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Portugal Poison Centre	800 250 250 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Romania Biroul RSI si Informare Toxicologica	021.318.36.06 (Available 8:00AM-3:00PM. SDS/Product information may not be available for the Emergency Service.)
Slovakia National Toxicological Information Centre	+421 2 5477 4166 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Sweden National Poison Information Centre	112 - and ask for Poison Information (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Switzerland Tox Info Suisse	145 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Easer according to Regulation (E	
Hazard pictograms	None.
Signal word	None.
Hazard statements	The mixture does not meet the criteria for classification.
Precautionary statements	
Prevention	Not applicable.
Response	Not applicable.
Storage	Not applicable.
Disposal	Not applicable.
Supplemental label information	EUH208 - Contains Hexyl Cinnamal, Butyl cyclohexyl acetate, Acetylcedrene, Linalool. May produce an allergic reaction.
2.3. Other hazards	This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII. The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2.	Mixtures	
------	----------	--

General information

Chemical name		%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Butyl cyclohexyl aceta	ite	≤ 0,3	32210-23-4 250-954-9	-	-	
	Classification:	Skin Sens.	1B;H317			
Hexyl Cinnamal		≤ 0,3	101-86-0 202-983-3	-	-	
	Classification:	Skin Sens.	1B;H317, Aquatic A	cute 1;H400, Aquatic Chron	ic 2;H411	
Acetylcedrene		≤ 0,2	32388-55-9 251-020-3	-	-	
	Classification:	Skin Sens.	1B;H317, Aquatic A	cute 1;H400, Aquatic Chroni	c 1;H410	
Linalool		≤ 0,2	78-70-6 201-134-4	-	603-235-00-2	
	Classification:	Skin Irrit. 2	;H315, Eye Irrit. 2;H3	319, Skin Sens. 1B;H317		
Other components be	low reportable	99.23				

levels

List of abbreviations and symbols that may be used above

ATE: Acute toxicity estimate.

M: M-factor

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume. #: This substance has been assigned Union workplace exposure limit(s).

Composition comments

The full text for all H-statements is displayed in section 16.

SECTION 4: First aid measures

General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.
4.1. Description of first aid meas	sures
Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists.
Eye contact	Rinse with water. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
4.2. Most important symptoms and effects, both acute and delayed	Nausea.
4.3. Indication of any immediate medical attention and special treatment needed	Treat symptomatically.
SECTION 5: Firefighting m	neasures
General fire hazards	No unusual fire or explosion hazards noted.
5.1. Extinguishing media	

5.1. Extinguishing media	
Suitable extinguishing media	Foam. Dry powder. Dry sand. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
5.2. Special hazards arising from the substance or mixture	During fire, gases hazardous to health may be formed.
5.3. Advice for firefighters Special protective equipment for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Special fire fighting procedures	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.

SECTION 6: Accidental release measures

6.1. Personal precautions, protection	ctive equipment and emergency procedures
For non-emergency personnel	Wear appropriate personal protective equipment.
For emergency responders	Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.
6.2. Environmental precautions	Avoid discharge into drains, water courses or onto the ground.
6.3. Methods and material for containment and cleaning up	Stop the flow of material, if this is without risk. Following product recovery, flush area with water.
6.4. Reference to other sections	For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.
SECTION 7: Handling and	storage
7.1. Precautions for safe	Avoid prolonged exposure. Observe good industrial hygiene practices.

handling	· · · · · · · · · · · · · · · · · · ·
7.2. Conditions for safe storage, including any incompatibilities	Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).
7.3. Specific end use(s)	Not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Austria. MAK List, OEL Ordinance (GwV), BGBI. II, no. 184/2001

Components	Туре	Value	Form
Dils, soybean (CAS 001-22-7)	МАК	5 mg/m3	Respirable fraction.
		10 mg/m3	Inhalable fraction.
	STEL	20 mg/m3	Inhalable fraction.
		10 mg/m3	Respirable fraction.
Belgium. Exposure Limit	t Values		
components	Туре	Value	Form
Paraffin waxes and lydrocarbon waxes (CAS 002-74-2)	TWA	2 mg/m3	Fume.
croatia. Dangerous Subs components	stance Exposure Limit Values in the Wo Type	orkplace (ELVs), Annexes 1 a Value	nd 2, Narodne Novine, 13/0 Form
Paraffin waxes and lydrocarbon waxes (CAS 6002-74-2)	MAC	2 mg/m3	Fume.
/	STEL	6 mg/m3	Fume.
vorus OFLs Control o	f factory atmosphere and dangerous su	Ū.	tion, PI 311/73, as amended
components	Type	Value	Form
)ils, soybean (CAS 001-22-7)	TWA	2 mg/m3	Dust.
zech Republic. OELs. G	Sovernment Decree 361		
components	Туре	Value	Form
ils, soybean (CAS 001-22-7)	TWA	2 mg/m3	Dust.
) Denmark. Exposure Limi	it Values		
omponents	Туре	Value	Form
)ils, soybean (CAS 001-22-7)	TLV	3 mg/m3	Total dust.
Paraffin waxes and lydrocarbon waxes (CAS 002-74-2)	TLV	2 mg/m3	Fume.
stonia. OELs. Occupati	onal Exposure Limits of Hazardous Sul	bstances (Regulation No. 10	5/2001, Annex), as amende
-	onal Exposure Limits of Hazardous Sul Type	bstances (Regulation No. 105 Value	5/2001, Annex), as amende Form
Components Paraffin waxes and Hydrocarbon waxes (CAS	Type TWA		
Components Paraffin waxes and Hydrocarbon waxes (CAS 1002-74-2) Finland. Workplace Expo	Type TWA	Value	Form
Components Paraffin waxes and Hydrocarbon waxes (CAS 2002-74-2) Finland. Workplace Expo Components Paraffin waxes and Hydrocarbon waxes (CAS	Type TWA osure Limits Type TWA	2 mg/m3	Form Vapour.
Components Paraffin waxes and Aydrocarbon waxes (CAS 002-74-2) Components Paraffin waxes and Aydrocarbon waxes (CAS 002-74-2) France. Threshold Limit	Type TWA osure Limits Type TWA Values (VLEP) for Occupational Expose	Value 2 mg/m3 Value 1 mg/m3	Form Vapour. Form Fume.
components Varaffin waxes and lydrocarbon waxes (CAS 002-74-2) inland. Workplace Expo components Varaffin waxes and lydrocarbon waxes (CAS 002-74-2) rance. Threshold Limit components	Type TWA Desure Limits Type TWA Values (VLEP) for Occupational Expose Type	Value 2 mg/m3 Value 1 mg/m3 ure to Chemicals in France, I Value	Form Vapour. Form Fume. NRS ED 984 Form
Components Paraffin waxes and Hydrocarbon waxes (CAS 002-74-2) Components Paraffin waxes and Hydrocarbon waxes (CAS 002-74-2) Components Compon	Type TWA osure Limits Type TWA Values (VLEP) for Occupational Expose Type VME	Value 2 mg/m3 Value 1 mg/m3 ure to Chemicals in France, I	Form Vapour. Form Fume. NRS ED 984
Components Paraffin waxes and Aydrocarbon waxes (CAS 002-74-2) Components Paraffin waxes and Aydrocarbon waxes (CAS 002-74-2) Crance. Threshold Limit Components Dils, soybean (CAS	Type TWA Desure Limits Type TWA Values (VLEP) for Occupational Expose Type	Value 2 mg/m3 Value 1 mg/m3 ure to Chemicals in France, I Value 4 mg/m3	Form Vapour. Form Fume. NRS ED 984 Form Total dust.
Components Paraffin waxes and Hydrocarbon waxes (CAS 2002-74-2) Components Paraffin waxes and Hydrocarbon waxes (CAS 2002-74-2) Crance. Threshold Limit Components Dils, soybean (CAS 2001-22-7) Regulatory status:	Type TWA Desure Limits Type TWA Values (VLEP) for Occupational Expose Type VME Regulatory binding (VRC)	Value 2 mg/m3 Value 1 mg/m3 ure to Chemicals in France, I Value	Form Vapour. Form Fume. NRS ED 984 Form
Components Paraffin waxes and Hydrocarbon waxes (CAS 3002-74-2) Finland. Workplace Expo Components Paraffin waxes and Hydrocarbon waxes (CAS 3002-74-2) France. Threshold Limit Components Dils, soybean (CAS 3001-22-7)	Type TWA osure Limits Type TWA Values (VLEP) for Occupational Expose Type VME Regulatory binding (VRC) VME	Value 2 mg/m3 Value 1 mg/m3 ure to Chemicals in France, I Value 4 mg/m3	Form Vapour. Form Fume. NRS ED 984 Form Total dust.

Components	Туре	Value	Form
Dils, soybean (CAS 3001-22-7)	TWA	4 mg/m3	Inhalable dust.
Germany. TRGS 900, Limit Values Components	in the Ambient Air at the Workplace Type	Value	Form
Dils, soybean (CAS 3001-22-7)	AGW	10 mg/m3	Inhalable fraction.
		1,25 mg/m3	Respirable fraction.
Greece. OELs (Decree No. 90/1999		Value	Form
Components	Туре		
Paraffin waxes and Iydrocarbon waxes (CAS 002-74-2)	STEL	6 mg/m3	Fume.
	TWA	2 mg/m3	Fume.
celand. OELs. Regulation 154/199	9 on occupational exposure limits		
Components	Туре	Value	Form
Paraffin waxes and Hydrocarbon waxes (CAS 3002-74-2)	TWA	2 mg/m3	Fume.
reland. Occupational Exposure Li	mits		
Components	Туре	Value	Form
Dils, soybean (CAS 8001-22-7)	TWA	4 mg/m3	Respirable dust.
		10 mg/m3	Total inhalable dust
Paraffin waxes and Hydrocarbon waxes (CAS 3002-74-2)	STEL	6 mg/m3	Fume.
,	TWA	2 mg/m3	Fume.
taly. Occupational Exposure Limi	ts		
Components	Туре	Value	Form
Paraffin waxes and Hydrocarbon waxes (CAS 3002-74-2)	TWA	2 mg/m3	Fume.
Lithuania. OELs. Limit Values for Components	Chemical Substances, General Require Type	ements Value	Form
Oils, soybean (CAS	STEL	3 mg/m3	Fume and mist.
3001-22-7)		U -	
Norway. Administrative Norms for	-		Form
Components	Туре	Value	
Dils, soybean (CAS 8001-22-7)	TLV	5 mg/m3	Total dust.
Paraffin waxes and Hydrocarbon waxes (CAS 3002-74-2)	TLV	2 mg/m3	Fume.
Poland. Ordinance of the Minister	of Labour and Social Policy on 6 June 2		
concentrations and intensities of Components	harmful health factors in the work envir Type	onment, Journal of Value	Laws 2014, item 817 Form
Oils, soybean (CAS	TWA	4 mg/m3	Inhalable dust.
3001-22-7)	LWA	- mg/mo	ແມນເຊັນເຊັ ແມ່ຈີເ.
		2 mg/m3	Respirable fraction.
Paraffin waxes and Hydrocarbon waxes (CAS	TWA	2 mg/m3	Inhalable fraction.

Components	occupational exposure to chemical ag Type	Value	Form
Paraffin waxes and Hydrocarbon waxes (CAS 8002-74-2)	TWA	2 mg/m3	Fume.
Romania. OELs. Protection Components	n of workers from exposure to chemi Type	cal agents at the workplace Value	Form
Paraffin waxes and Hydrocarbon waxes (CAS 8002-74-2)	STEL	6 mg/m3	Fume.
0002 7 7 2)	TWA	2 mg/m3	Fume.
Slovakia. OELs. Regulation Components	n No. 300/2007 concerning protection Type	of health in work with chemi Value	cal agents Form
Oils, soybean (CAS 8001-22-7)	TWA	10 mg/m3	Dust.
Paraffin waxes and Hydrocarbon waxes (CAS 8002-74-2)	STEL	6 mg/m3	Fume.
,	TWA	2 mg/m3	Fume.
	ns concerning protection of workers	against risks due to exposure	e to chemicals while work
(Official Gazette of the Rep Components	oublic of Slovenia) Type	Value	Form
Oils, soybean (CAS	TWA	10 mg/m3	Inhalable fraction.
8001-22-7)		1,25 mg/m3	Respirable fraction.
Spain. Occupational Expos Components	sure Limits Type	Value	Form
Oils, soybean (CAS 8001-22-7)	TWA	3 mg/m3	Respirable fraction.
		10 mg/m3	Inhalable fraction.
Paraffin waxes and Hydrocarbon waxes (CAS 8002-74-2)	TWA	2 mg/m3	Fume.
Switzerland. SUVA Grenzw Components	verte am Arbeitsplatz Type	Value	Form
Oils, soybean (CAS 8001-22-7)	TWA	3 mg/m3	Respirable dust.
0001-22-7)		10 mg/m3	Inhalable dust.
Paraffin waxes and Hydrocarbon waxes (CAS 8002-74-2)	TWA	2 mg/m3	Respirable fume.
	sure Limits (WELs)		_
UK. EH40 Workplace Expo	. ,		Form
Components	Туре	Value	
Components Oils, soybean (CAS	. ,	4 mg/m3	Respirable dust.
Components	Туре		
Components Oils, soybean (CAS 8001-22-7) Paraffin waxes and Hydrocarbon waxes (CAS	Туре	4 mg/m3	Respirable dust.
Components Oils, soybean (CAS 8001-22-7) Paraffin waxes and Hydrocarbon waxes (CAS	Type TWA	4 mg/m3 10 mg/m3	Respirable dust. Inhalable dust.
Components Oils, soybean (CAS 8001-22-7) Paraffin waxes and Hydrocarbon waxes (CAS 8002-74-2) ogical limit values ommended monitoring	Type TWA STEL	4 mg/m3 10 mg/m3 6 mg/m3 2 mg/m3 for the ingredient(s).	Respirable dust. Inhalable dust. Fume.
Components Oils, soybean (CAS 8001-22-7) Paraffin waxes and Hydrocarbon waxes (CAS 8002-74-2) ogical limit values ommended monitoring cedures ived no effect levels	Type TWA STEL TWA No biological exposure limits noted f	4 mg/m3 10 mg/m3 6 mg/m3 2 mg/m3 for the ingredient(s).	Respirable dust. Inhalable dust. Fume.
Components Oils, soybean (CAS 8001-22-7) Paraffin waxes and Hydrocarbon waxes (CAS 8002-74-2) ogical limit values ommended monitoring cedures	Type TWA STEL TWA No biological exposure limits noted f Follow standard monitoring procedu	4 mg/m3 10 mg/m3 6 mg/m3 2 mg/m3 for the ingredient(s).	Respirable dust. Inhalable dust. Fume.

Appropriate engineering controls	Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.
Individual protection measures, s	such as personal protective equipment
General information	Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.
Eye/face protection	Wear safety glasses with side shields (or goggles).
Skin protection	
- Hand protection	Wear appropriate chemical resistant gloves.
- Other	Wear suitable protective clothing.
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
Hygiene measures	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.
Environmental exposure controls	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	Solid.
Form	Solid.
Colour	Dark grey
Odour	Not available.
Melting point/freezing point	Not available.
Boiling point or initial boiling point and boiling range	Not available.
Flammability	Not available.
Flash point	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
рН	Not available.
Kinematic viscosity	Not available.
Solubility	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water) (log value)	Not available.
Vapour pressure	Not available.
Density and/or relative density	
Density	0,959 g/cm3 estimated
Vapour density	Not available.
Particle characteristics	Not available.
9.2. Other information	
9.2.1. Information with regard to physical hazard classes	No relevant additional information available.
9.2.2. Other safety characteristic	S
Specific gravity	0,95881 estimated
SECTION 10: Stability and	reactivity
10.1. Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
10.2. Chemical stability	Material is stable under normal conditions.
10.3. Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
10.4. Conditions to avoid	Contact with incompatible materials.
AC E the second still be reacted at a	Change existing agents

SECTION 11: Toxicological information

General information	Occupational exposure to the substance or mixture may cause adverse effects.
Information on likely routes of e	xposure
Inhalation	May cause allergy or asthma symptoms or breathing difficulties if inhaled. Prolonged inhalation may be harmful.
Skin contact	May cause an allergic skin reaction.
Eye contact	Direct contact with eyes may cause temporary irritation.
Ingestion	May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of occupational exposure.
Symptoms	Nausea.
11.1. Information on hazard clas	ses as defined in Regulation (EC) No 1272/2008
Acute toxicity	No data available.
Skin corrosion/irritation	Due to partial or complete lack of data the classification is not possible.
Serious eye damage/eye irritation	Due to partial or complete lack of data the classification is not possible.
Respiratory sensitisation	Due to partial or complete lack of data the classification is not possible.
Skin sensitisation	Due to partial or complete lack of data the classification is not possible.
Germ cell mutagenicity	Due to partial or complete lack of data the classification is not possible.
Carcinogenicity	Due to partial or complete lack of data the classification is not possible.
Hungary. 26/2000 EüM Ordii (as amended) Not listed.	nance on protection against and preventing risk relating to exposure to carcinogens at work
Reproductive toxicity	Due to partial or complete lack of data the classification is not possible.
Specific target organ toxicity - single exposure	Due to partial or complete lack of data the classification is not possible.
Specific target organ toxicity - repeated exposure	Due to partial or complete lack of data the classification is not possible.
Aspiration hazard	Due to partial or complete lack of data the classification is not possible.
Mixture versus substance information	No information available.
11.2. Information on other hazar	ds
Endocrine disrupting properties	The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
Other information	May cause allergic respiratory and skin reactions.
SECTION 12: Ecological ir	nformation
12.1. Toxicity	Based on available data, the classification criteria are not met for hazardous to the aquatic environment.
12.2. Persistence and degradability	No data is available on the degradability of any ingredients in the mixture.
12.3. Bioaccumulative potential Partition coefficient n-octanol/water (log Kow)	
Acetylcedrene	5,9
Butyl cyclohexyl acetate Hexyl Cinnamal	4,8 4,686
Linalool	2,97
Bioconcentration factor (BCF)	Not available.
12.4. Mobility in soil	No data available.
12.5. Results of PBT and vPvB assessment	This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII.
12.6. Endocrine disrupting properties	The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
12.7. Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.
EU waste code	The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Disposal methods/information	Collect and reclaim or dispose in sealed containers at licensed waste disposal site.
Special precautions	Dispose in accordance with all applicable regulations.

SECTION 14: Transport information

ADR	
14.1. UN number	Not regulated as dangerous goods.
14.2. UN proper shipping	Not regulated as dangerous goods.
name	5 5 5
14.3. Transport hazard class	(es)
Class	Not assigned.
Subsidiary risk	-
Hazard No. (ADR)	Not assigned.
Tunnel restriction code	Not assigned.
14.4. Packing group	Not assigned.
14.5. Environmental hazards	No.
14.6. Special precautions	Not assigned.
for user	
RID	
14.1. UN number	Not regulated as dangerous goods.
14.2. UN proper shipping	Not regulated as dangerous goods.
name 14.3. Transport hazard class	
Class	. ,
Subsidiary risk	Not assigned.
14.4. Packing group	Not assigned.
14.5. Environmental hazards	-
14.6. Special precautions	Not assigned.
for user	not dooignou.
ADN	
14.1. UN number	Not regulated as dangerous goods.
14.2. UN proper shipping	Not regulated as dangerous goods.
name	
14.3. Transport hazard class	(es)
Class	Not assigned.
Subsidiary risk	-
14.4. Packing group	Not assigned.
14.5. Environmental hazards	
14.6. Special precautions for user	Not assigned.
IATA	
14.1. UN number	Not regulated as dangerous goods.
14.2. UN proper shipping	Not regulated as dangerous goods.
name	Not regulated as daligerous goods.
14.3. Transport hazard class	(es)
Class	Not assigned.
Subsidiary risk	-
14.4. Packing group	Not assigned.
14.5. Environmental hazards	No.
14.6. Special precautions	Not assigned.
for user	
IMDG	
14.1. UN number	Not regulated as dangerous goods.
14.2. UN proper shipping	Not regulated as dangerous goods.
name	

14.3.	Transport	hazard	class(es)
-------	-----------	--------	-----------

Class	Not assigned.
Subsidiary risk	-
14.4. Packing group	Not assigned.
14.5. Environmental hazards	
Marine pollutant	No.
EmS	Not assigned.
14.6. Special precautions	Not assigned.
for user	
14.7. Maritime transport in bulk according to IMO instruments	Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2 Not listed.	009 on substances that deplete the ozone layer, Annex I and II, as amended
• • •	On persistent organic pollutants (recast), as amended
Not listed. Regulation (EU) No. 649/20 Not listed.	12 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended
	12 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended
Regulation (EU) No. 649/20 Not listed.	12 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended
	12 concerning the export and import of dangerous chemicals, Annex V as amended
	06 Annex II Pollutant Release and Transfer Registry, as amended
	006, REACH Article 59(10) Candidate List as currently published by ECHA
Authorisations	
	006, REACH Annex XIV Substances subject to authorization, as amended
Restrictions on use	
Regulation (EC) No. 1907/2	006, REACH Annex XVII Substances subject to restriction on marketing and use as amended
Linalool (CAS 78-70-6) Directive 2004/37/EC: on th work, as amended.	e protection of workers from the risks related to exposure to carcinogens and mutagens at
Not listed.	
Other EU regulations	
	ajor accident hazards involving dangerous substances, as amended
Not listed.	
Other regulations	The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006, as amended.
National regulations	Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as amended.
15.2. Chemical safety assessment	No Chemical Safety Assessment has been carried out.
SECTION 16: Other inform	nation
List of abbreviations	
	ADN: European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways.

Li d ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road. AGW: Occupational threshold limit value (Arbeitsplatzgrenzwert - Germany). CAS: Chemical Abstract Service. CEN: European Committee for Standardization. IATA: International Air Transport Association. IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk.

	IMDG: International Maritime Dangerous Goods. MAC: Maximum Allowed Concentration. MARPOL: International Convention for the Prevention of Pollution from Ships. PBT: Persistent, bioaccumulative and toxic. RID: Regulations concerning the International Carriage of Dangerous Goods by Rail. STEL: Short term exposure limit. TLV: Threshold Limit Value. TWA: Time Weighted Average. VLE: Exposure Limit Value. VME: Exposure Average Value. vPvB: Very persistent and very bioaccumulative.
References	Not available.
Information on evaluation method leading to the classification of mixture	The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.
Full text of any statements, which are not written out in full	
under sections 2 to 15	H315 Causes skin irritation.
	H317 May cause an allergic skin reaction.
	H319 Causes serious eye irritation.
	H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects.
	H411 Toxic to aquatic life with long lasting effects.
Revision information	None.
Training information	Follow training instructions when handling this material.
Disclaimer	Yankee Candle s.r.o. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.