# SAFETY DATA SHEET



Version #: 02

Issue date: 02-February-2023 Revision date: 10-February-2023 Supersedes date: 02-February-2023

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation

of the mixture

HI CHERRY VANILLA VOTIVE 1570546E

Registration number

**Synonyms** None. 1570546E **Product code** 

1.2. Relevant identified uses of the substance or mixture and uses advised against

General Public Use Identified uses None known. Uses advised against 1.3. Details of the supplier of the safety data sheet

Company name Yankee Candle Company (Europe) Limited

**Company Address** Poplar Way East, Cabot Park

> Avonmouth **Bristol**

United Kingdom **BS11 0YH** 

1.4. Emergency telephone number

Centre

Center (NVIC)

General in EU 112 (Available 24 hours a day. SDS/Product information may not be available for

the Emergency Service.)

**Austria National Poisons** +431 406 4343 (Available 24 hours a day. SDS/Product information may not be Information Centre

available for the Emergency Service.)

070 245 245 (Available 24 hours a day. SDS/Product information may not be **Belgium National Poisons Control Center** 

available for the Emergency Service.)

+359 2 9154233 (Available 24 hours a day. SDS/Product information may not be **Bulgaria National** available for the Emergency Service.)

**Toxicological Information** Centre

**Czech Republic National** +420 224 919 293, or +420 224 915 402 (Hours of operation not provided. Poisons Information SDS/Product information may not be available for the Emergency Service.)

**Denmark National Poisons** +45 82 12 12 12 (Available 24 hours a day. SDS/Product information may not be

**Control Center** available for the Emergency Service.)

16662 or abroad: (+372) 626 9390 (Monday 9:00AM to Saturday 9:00AM (closed **Estonia National Poisons Information Centre** on Sundays and on national holidays). SDS/Product information may not be

available for the Emergency Service.)

(09) 471 977 (direct) or (09) 4711 (exchange) (Available 24 hours a day. **Finland National Poison** SDS/Product information may not be available for the Emergency Service.) Information Center

**France National Poisons** ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.) **Control Center** 

36 80 20 11 99 (Available 24 hours a day. SDS/Product information may not be **Hungary National Emergency Phone Number** available for the Emergency Service.)

+370 5 236 20 52 or +37068753378 (Hours of operation not provided. Lithuania Neatidėliotina

SDS/Product information may not be available for the Emergency Service.) informacija apsinuodijus 2545 4030 (Hours of operation not provided, SDS/Product information may not be Malta Accident and

available for the Emergency Service.) **Emergency Department** 

**Netherlands National** 030-274 88 88 (Only for the purpose of informing medical personnel in cases of acute intoxications) **Poisons Information** 

**Norway Norwegian Poison** 22 59 13 00 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.) **Information Center** 

Material name: HI CHERRY VANILLA VOTIVE 1570546E

1.4. Emergency telephone number

**Portugal Poison Centre** 800 250 250 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Romania Biroul RSI si

Informare Toxicologica

available for the Emergency Service.)

Slovakia National

**Toxicological Information** 

Centre

+421 2 5477 4166 (Available 24 hours a day, SDS/Product information may not

021.318.36.06 (Available 8:00AM-3:00PM. SDS/Product information may not be

be available for the Emergency Service.)

**Sweden National Poison** Information Center

112 - and ask for Poison Information (Available 24 hours a day. SDS/Product

information may not be available for the Emergency Service.)

**Switzerland Tox Info** Suisse

145 (Available 24 hours a day. SDS/Product information may not be available for

the Emergency Service.)

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

#### Classification according to Regulation (EC) No 1272/2008 as amended

**Health hazards** 

Skin sensitisation Category 1A H317 - May cause an allergic skin

reaction.

#### 2.2. Label elements

## Label according to Regulation (EC) No. 1272/2008 as amended

UFI:

Austria: 789T-7SM8-A0HN-NHPV Belgium: 789T-7SM8-A0HN-NHPV Bulgaria: 789T-7SM8-A0HN-NHPV Croatia: 789T-7SM8-A0HN-NHPV Cyprus: 789T-7SM8-A0HN-NHPV

Czech Republic: 789T-7SM8-A0HN-NHPV Denmark: 789T-7SM8-A0HN-NHPV Estonia: 789T-7SM8-A0HN-NHPV EU: 789T-7SM8-A0HN-NHPV Finland: 789T-7SM8-A0HN-NHPV France: 789T-7SM8-A0HN-NHPV Germany: 789T-7SM8-A0HN-NHPV Great Britain: 789T-7SM8-A0HN-NHPV Greece: 789T-7SM8-A0HN-NHPV Hungary: 789T-7SM8-A0HN-NHPV Iceland: 789T-7SM8-A0HN-NHPV Ireland: 789T-7SM8-A0HN-NHPV Italy: 789T-7SM8-A0HN-NHPV Latvia: 789T-7SM8-A0HN-NHPV Lithuania: 789T-7SM8-A0HN-NHPV Luxembourg: 789T-7SM8-A0HN-NHPV

Netherlands: 789T-7SM8-A0HN-NHPV Norway: 789T-7SM8-A0HN-NHPV Poland: 789T-7SM8-A0HN-NHPV Portugal: 789T-7SM8-A0HN-NHPV Romania: 789T-7SM8-A0HN-NHPV Slovakia: 789T-7SM8-A0HN-NHPV Slovenia: 789T-7SM8-A0HN-NHPV Spain: 789T-7SM8-A0HN-NHPV . Sweden: 789T-7SM8-A0HN-NHPV

Malta: 789T-7SM8-A0HN-NHPV

Isoeugenol Contains:

Hazard pictograms



Signal word Warning

**Hazard statements** 

May cause an allergic skin reaction. H317

**Precautionary statements** 

Prevention Not applicable. Not applicable. Response

Not applicable. **Storage** Not applicable. **Disposal** 

Supplemental label information

None.

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation 2.3. Other hazards

(EC) No 1907/2006, Annex XIII. The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or

Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

#### General information

Chemical name		%	CAS-No. / EC N	o. REACH Registration No.	Index No.	Notes
Benzyl benzoate		1 - 3	120-51-4 204-402-9	-	607-085-00-9	
	Classification:	Acute Tox. Chronic 2;		mg/kg), Aquatic Acute 1;H40	0, Aquatic	
Galaxolide		≤ 1	1222-05-5 214-946-9	-	603-212-00-7	
	Classification:	Aquatic Ac	ute 1;H400, Aquat	ic Chronic 1;H410		
Isoeugenol		≤ 0,1	97-54-1 202-590-7	-	604-094-00-X	
	Classification:		in Irrit. 2;H315, Ey	) mg/kg), Acute Tox. 4;H312;(, e Irrit. 2;H319, Skin Sens. 1A;		
Specific Conce	ntration Limits:	Skin Sens.	1A;H317: C >= 0.	01 %		
Other components be	low reportable	97.98				

### List of abbreviations and symbols that may be used above

ATE: Acute toxicity estimate.

M: M-factor

levels

PBT: persistent, bioaccumulative and toxic substance. vPvB: very persistent and very bioaccumulative substance.

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume. #: This

substance has been assigned Union workplace exposure limit(s).

The full text for all H-statements is displayed in section 16. **Composition comments** 

# **SECTION 4: First aid measures**

Ensure that medical personnel are aware of the material(s) involved, and take precautions to **General information** 

protect themselves. Wash contaminated clothing before reuse.

4.1. Description of first aid measures

Move to fresh air. Call a physician if symptoms develop or persist. Inhalation

Remove contaminated clothing immediately and wash skin with soap and water. In case of Skin contact

eczema or other skin disorders. Seek medical attention and take along these instructions.

Eye contact Rinse with water. Get medical attention if irritation develops and persists.

Rinse mouth. Get medical attention if symptoms occur. Ingestion

4.2. Most important symptoms and effects, both acute and

delayed

Nausea. May cause an allergic skin reaction. Dermatitis. Rash.

4.3. Indication of any immediate medical attention and special treatment needed Provide general supportive measures and treat symptomatically. Keep victim under observation.

Symptoms may be delayed.

## **SECTION 5: Firefighting measures**

General fire hazards No unusual fire or explosion hazards noted.

5.1. Extinguishing media

Suitable extinguishing

Foam. Dry powder. Dry sand. Carbon dioxide (CO2).

Unsuitable extinguishing

media

media

Do not use water jet as an extinguisher, as this will spread the fire.

from the substance or mixture

5.2. Special hazards arising During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Special protective equipment for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Special fire fighting procedures

Move containers from fire area if you can do so without risk.

Use standard firefighting procedures and consider the hazards of other involved materials. Specific methods

#### **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency

Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.

personnel

Keep unnecessary personnel away. Ensure adequate ventilation. Local authorities should be For emergency responders advised if significant spillages cannot be contained. For personal protection, see section 8 of the

SDS.

6.2. Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up Stop the flow of material, if this is without risk, Following product recovery, flush area with water.

6.4. Reference to other

For personal protection, see section 8 of the SDS, For waste disposal, see section 13 of the SDS.

sections

## **SECTION 7: Handling and storage**

7.1. Precautions for safe handling

Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed container. Store away from incompatible materials (see Section 10 of the

SDS).

Not available.

7.3. Specific end use(s)

## **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

## Occupational exposure limits

Components	Туре	Value	Form	
Paraffin waxes and	TWA	2 mg/m3	Fume.	
Hydrocarbon waxes (CAS				
8002-74-2)				

Croatia. Dangerous Substance Exposure	Limit Values in the Workplace (ELV	's), Annexes 1 and :	2, Narodne Novine, 13/09
Components	Туре	Value	Form
Paraffin waxes and	MAC	2 mg/m3	Fume.

Hvdrocarbon waxes (CAS 8002-74-2)

> STEL 6 mg/m3

Denmark. Exposure Limit Values

**Form** Components Value Type TLV Paraffin waxes and 2 mg/m3 Fume.

Hvdrocarbon waxes (CAS

8002-74-2)

#### Estonia. OELs. Occupational Exposure Limits of Hazardous Substances (Regulation No. 105/2001, Annex), as amended Form Components Value **Type**

Paraffin waxes and TWA 2 mg/m3 Vapour. Hydrocarbon waxes (CAS

8002-74-2)

Finland. Workplace Exposure Limits Components **Form Type** Value

TWA

Paraffin waxes and Hydrocarbon waxes (CAS

8002-74-2)

#### France. Threshold Limit Values (VLEP) for Occupational Exposure to Chemicals in France, INRS ED 984 Value **Form** Components **Type**

Paraffin waxes and VME 2 mg/m3 Fume.

Hydrocarbon waxes (CAS

8002-74-2)

Indicative limit (VL) Regulatory status:

Material name: HI CHERRY VANILLA VOTIVE 1570546E

SDS EU

1 mg/m3

Fume.

Fume.

Components	Туре	Value	Form
Paraffin waxes and Hydrocarbon waxes (CAS 8002-74-2)	STEL	6 mg/m3	Fume.
,	TWA	2 mg/m3	Fume.
celand. OELs. Regulation 154/1999 on Components	occupational exposure I Type	imits Value	Form
Paraffin waxes and Hydrocarbon waxes (CAS 8002-74-2)	TWA	2 mg/m3	Fume.
lreland. Occupational Exposure Limits Components	Туре	Value	Form
Paraffin waxes and Hydrocarbon waxes (CAS 8002-74-2)	STEL	6 mg/m3	Fume.
	TWA	2 mg/m3	Fume.
Italy. Occupational Exposure Limits Components	Туре	Value	Form
Paraffin waxes and Hydrocarbon waxes (CAS 8002-74-2)	TWA	2 mg/m3	Fume.
Norway. Administrative Norms for Con Components	taminants in the Workpla Type	ice Value	Form
Paraffin waxes and Hydrocarbon waxes (CAS	TLV	2 mg/m3	Fume.
8002-74-2)			
Poland. Ordinance of the Minister of Laconcentrations and intensities of harm	ful health factors in the v	vork environment, Journal of	f Laws 2014, item 817
Poland. Ordinance of the Minister of Laconcentrations and intensities of harm Components	ful health factors in the v Type	vork environment, Journal of Value	
Poland. Ordinance of the Minister of Laconcentrations and intensities of harm Components  Paraffin waxes and Hydrocarbon waxes (CAS)	ful health factors in the v	vork environment, Journal of Value 2 mg/m3	F Laws 2014, item 817 Form Inhalable fraction.
Poland. Ordinance of the Minister of Laconcentrations and intensities of harm Components  Paraffin waxes and Hydrocarbon waxes (CAS 8002-74-2)	ful health factors in the v Type TWA	vork environment, Journal of Value 2 mg/m3 0 ppm	f Laws 2014, item 817 Form
Poland. Ordinance of the Minister of Laconcentrations and intensities of harm Components  Paraffin waxes and Hydrocarbon waxes (CAS 8002-74-2)  Portugal. VLEs. Norm on occupational	ful health factors in the v Type TWA	vork environment, Journal of Value 2 mg/m3 0 ppm	F Laws 2014, item 817 Form Inhalable fraction.
Poland. Ordinance of the Minister of Laconcentrations and intensities of harm Components  Paraffin waxes and Hydrocarbon waxes (CAS 8002-74-2)  Portugal. VLEs. Norm on occupational Components  Paraffin waxes and Hydrocarbon waxes (CAS 8002-74-2)	ful health factors in the v Type  TWA  exposure to chemical ag	vork environment, Journal of Value 2 mg/m3 0 ppm Jents (NP 1796)	f Laws 2014, item 817 Form  Inhalable fraction.  Inhalable fraction.
Poland. Ordinance of the Minister of Laconcentrations and intensities of harm Components  Paraffin waxes and Hydrocarbon waxes (CAS 8002-74-2)  Portugal. VLEs. Norm on occupational Components  Paraffin waxes and Hydrocarbon waxes (CAS 8002-74-2)  Romania. OELs. Protection of workers	ful health factors in the v Type  TWA  exposure to chemical ag Type  TWA  from exposure to chemic	vork environment, Journal of Value  2 mg/m3  0 ppm  Jents (NP 1796)  Value  2 mg/m3	f Laws 2014, item 817 Form  Inhalable fraction.  Inhalable fraction.  Form
Poland. Ordinance of the Minister of Laconcentrations and intensities of harm Components  Paraffin waxes and Hydrocarbon waxes (CAS 8002-74-2)  Portugal. VLEs. Norm on occupational Components  Paraffin waxes and Hydrocarbon waxes (CAS 8002-74-2)  Romania. OELs. Protection of workers Components  Paraffin waxes and Hydrocarbon waxes and Hydrocarbon waxes (CAS 8002-74-2)	ful health factors in the variety Type  TWA  exposure to chemical again Type  TWA	vork environment, Journal of Value  2 mg/m3  0 ppm  gents (NP 1796) Value  2 mg/m3  cal agents at the workplace	f Laws 2014, item 817 Form  Inhalable fraction.  Inhalable fraction.  Form  Fume.
Poland. Ordinance of the Minister of Laconcentrations and intensities of harm Components  Paraffin waxes and Hydrocarbon waxes (CAS 8002-74-2)  Portugal. VLEs. Norm on occupational Components  Paraffin waxes and Hydrocarbon waxes (CAS 8002-74-2)  Romania. OELs. Protection of workers Components  Paraffin waxes and Hydrocarbon waxes and Hydrocarbon waxes (CAS 8002-74-2)	ful health factors in the varype  TWA  exposure to chemical again trype  TWA  from exposure to chemical trype	vork environment, Journal of Value  2 mg/m3  0 ppm  Jents (NP 1796)  Value  2 mg/m3  cal agents at the workplace Value	f Laws 2014, item 817 Form  Inhalable fraction.  Inhalable fraction.  Form  Fume.  Form
Poland. Ordinance of the Minister of Laconcentrations and intensities of harm Components  Paraffin waxes and Hydrocarbon waxes (CAS 8002-74-2)  Portugal. VLEs. Norm on occupational Components  Paraffin waxes and Hydrocarbon waxes (CAS 8002-74-2)  Romania. OELs. Protection of workers Components  Paraffin waxes and Hydrocarbon waxes (CAS 8002-74-2)  Romania. OELs. Protection of workers Components  Paraffin waxes and Hydrocarbon waxes (CAS 8002-74-2)  Slovakia. OELs. Regulation No. 300/20	ful health factors in the varype  TWA  exposure to chemical again type  TWA  from exposure to chemical type  STEL  TWA	vork environment, Journal of Value  2 mg/m3  0 ppm  Jents (NP 1796) Value 2 mg/m3  cal agents at the workplace Value 6 mg/m3	f Laws 2014, item 817 Form  Inhalable fraction.  Inhalable fraction.  Form  Fume.  Fume.  Fume.
Poland. Ordinance of the Minister of Laconcentrations and intensities of harm Components  Paraffin waxes and Hydrocarbon waxes (CAS 8002-74-2)  Portugal. VLEs. Norm on occupational Components  Paraffin waxes and Hydrocarbon waxes (CAS 8002-74-2)  Romania. OELs. Protection of workers Components  Paraffin waxes and Hydrocarbon waxes (CAS 8002-74-2)  Slovakia. OELs. Regulation No. 300/20 Components  Paraffin waxes and Hydrocarbon waxes and Hydrocarbon waxes (CAS 8002-74-2)	ful health factors in the varype  TWA  exposure to chemical agatype  TWA  from exposure to chemical agatype  STEL  TWA  TWA  07 concerning protection	vork environment, Journal of Value  2 mg/m3  0 ppm  Jents (NP 1796) Value  2 mg/m3  cal agents at the workplace Value  6 mg/m3  2 mg/m3  of health in work with chem	f Laws 2014, item 817 Form  Inhalable fraction.  Inhalable fraction.  Form  Fume.  Fume.  Fume.  Fume.  ical agents
Poland. Ordinance of the Minister of Laconcentrations and intensities of harm Components  Paraffin waxes and Hydrocarbon waxes (CAS 8002-74-2)  Portugal. VLEs. Norm on occupational Components  Paraffin waxes and Hydrocarbon waxes (CAS	ful health factors in the very Type  TWA  exposure to chemical age Type  TWA  from exposure to chemical Type  STEL  TWA  7 Concerning protection Type	vork environment, Journal of Value  2 mg/m3  0 ppm  Jents (NP 1796) Value 2 mg/m3  cal agents at the workplace Value 6 mg/m3  2 mg/m3  of health in work with chem Value	f Laws 2014, item 817 Form  Inhalable fraction.  Inhalable fraction.  Form  Fume.  Fume.  Fume.  ical agents Form
Poland. Ordinance of the Minister of Laconcentrations and intensities of harm Components  Paraffin waxes and Hydrocarbon waxes (CAS 8002-74-2)  Portugal. VLEs. Norm on occupational Components  Paraffin waxes and Hydrocarbon waxes (CAS 8002-74-2)  Romania. OELs. Protection of workers Components  Paraffin waxes and Hydrocarbon waxes (CAS 8002-74-2)  Slovakia. OELs. Regulation No. 300/20 Components  Paraffin waxes and Hydrocarbon waxes (CAS 8002-74-2)	ful health factors in the v Type  TWA  exposure to chemical ag Type  TWA  from exposure to chemic Type  STEL  TWA  07 concerning protection Type  STEL	vork environment, Journal of Value  2 mg/m3  0 ppm  Jents (NP 1796) Value  2 mg/m3  cal agents at the workplace Value  6 mg/m3  2 mg/m3  of health in work with chem Value  6 mg/m3	f Laws 2014, item 817 Form  Inhalable fraction.  Inhalable fraction.  Form  Fume.  Fume.  Fume.  ical agents Form  Fume.  Fume.

Switzerland. SUVA Grenzwerte am Arbeitsplatz Components Type Value **Form** Paraffin waxes and TWA 2 mg/m3 Respirable fume. Hvdrocarbon waxes (CAS 8002-74-2) **UK. EH40 Workplace Exposure Limits (WELs) Form** Components Type Value

Paraffin waxes and STEL 6 mg/m3 Fume.
Hydrocarbon waxes (CAS 8002-74-2)
TWA 2 mg/m3 Fume.

**Biological limit values**No biological exposure limits noted for the ingredient(s).

Recommended monitoring procedures

Follow standard monitoring procedures.

Derived no effect levels

(DNELs)

Not available.

Predicted no effect concentrations (PNECs)

Not available.

8.2. Exposure controls

Appropriate engineering controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

General information Personal protection equipment should be chosen according to the CEN standards and in

discussion with the supplier of the personal protective equipment.

Eye/face protection Wear safety glasses with side shields (or goggles). Face shield is recommended.

Skin protection

- Hand protection Wear appropriate chemical resistant gloves.

- Other Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

**Respiratory protection** In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

Hygiene measures Always observe good personal hygiene measures, such as washing after handling the material

and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the

workplace.

**Environmental exposure** 

controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to

acceptable levels.

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical stateSolid.FormSolid.ColourRed

Odour Not available.

Melting point/freezing point Not available.

Boiling point or initial boiling point and boiling range

Flammability (solid, gas)

Flash point

Auto-ignition temperature

Decomposition temperature

pH

Not available.

Not available.

Not available.

Not available.

Not available.

Solubility(ies)

(n-octanol/water)

Solubility (water)

Partition coefficient

Not available.

Not available.

Vapour pressure Not available.

Vapour density Not available. Not available. Relative density Not available. Particle characteristics

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No relevant additional information available.

9.2.2. Other safety characteristics

1,056 g/cm3 estimated **Density** 

**Explosive properties** Not explosive. Oxidising properties Not oxidising. 1,0565 estimated Specific gravity

**SECTION 10: Stability and reactivity** 

The product is stable and non-reactive under normal conditions of use, storage and transport. 10.1. Reactivity

10.2. Chemical stability Material is stable under normal conditions.

10.3. Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

10.4. Conditions to avoid Contact with incompatible materials.

10.5. Incompatible materials Strong oxidising agents.

decomposition products

10.6. Hazardous

No hazardous decomposition products are known.

## **SECTION 11: Toxicological information**

General information Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful. Skin contact May cause an allergic skin reaction.

**Eve contact** Direct contact with eyes may cause temporary irritation.

Ingestion May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of

occupational exposure.

Nausea. May cause an allergic skin reaction. Dermatitis. Rash. **Symptoms** 

11.1. Information on toxicological effects

Acute toxicity No data available

Due to partial or complete lack of data the classification is not possible. Skin corrosion/irritation Due to partial or complete lack of data the classification is not possible. Serious eye damage/eye

irritation

Due to partial or complete lack of data the classification is not possible.

Skin sensitisation May cause an allergic skin reaction.

Germ cell mutagenicity Due to partial or complete lack of data the classification is not possible. Carcinogenicity Due to partial or complete lack of data the classification is not possible.

Hungary. 26/2000 EüM Ordinance on protection against and preventing risk relating to exposure to carcinogens at work (as amended)

Not listed

Respiratory sensitisation

Due to partial or complete lack of data the classification is not possible. Reproductive toxicity

Specific target organ toxicity -

Specific target organ toxicity -

single exposure

Aspiration hazard

Due to partial or complete lack of data the classification is not possible.

Due to partial or complete lack of data the classification is not possible.

repeated exposure

Due to partial or complete lack of data the classification is not possible.

Mixture versus substance No information available.

information

11.2. Information on other hazards

**Endocrine disrupting** 

properties

The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU)

2018/605 at levels of 0.1% or higher.

Other information Not available.

## **SECTION 12: Ecological information**

Based on available data, the classification criteria are not met for hazardous to the aquatic 12.1. Toxicity

environment.

12.2. Persistence and

degradability

No data is available on the degradability of any ingredients in the mixture.

12.3. Bioaccumulative potential

Partition coefficient n-octanol/water (log Kow)

> Benzyl benzoate 3.97 Galaxolide 5,3 Isoeugenol 3,04

**Bioconcentration factor (BCF)** Not available. 12.4. Mobility in soil No data available.

12.5. Results of PBT and vPvB

assessment

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation

(EC) No 1907/2006, Annex XIII.

12.6. Endocrine disrupting

properties

The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation 12.7. Other adverse effects

potential, endocrine disruption, global warming potential) are expected from this component.

12.8. Additional information

Estonia Dangerous substances in soil Data

Benzyl benzoate (CAS 120-51-4) Chemical pesticides (As the total sum of the active substances)

0.5 ma/ka

Chemical pesticides (As the total sum of the active substances) 20

mg/kg

Chemical pesticides (As the total sum of the active substances) 5

mg/kg

## **SECTION 13: Disposal considerations**

13.1. Waste treatment methods

Residual waste Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Since emptied containers may retain product residue, follow label warnings even after container is Contaminated packaging

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

The Waste code should be assigned in discussion between the user, the producer and the waste EU waste code

disposal company.

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of Disposal methods/information

contents/container in accordance with local/regional/national/international regulations.

Dispose in accordance with all applicable regulations. Special precautions

## **SECTION 14: Transport information**

14.1. - 14.6.: Not regulated as dangerous goods.

RID

14.1. - 14.6.: Not regulated as dangerous goods.

**ADN** 

14.1. - 14.6.: Not regulated as dangerous goods.

IATA

14.1. - 14.6.: Not regulated as dangerous goods.

**IMDG** 

14.1. - 14.6.: Not regulated as dangerous goods.

14.7. Maritime transport in bulk Not applicable. according to IMO instruments

### **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Not listed

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Not listed.

Material name: HI CHERRY VANILLA VOTIVE 1570546E

1570546E Version #: 02 Revision date: 10-February-2023 Issue date: 02-February-2023

- Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed.
- Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

  Not listed
- Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.
- Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.
- Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended Not listed.
- Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

UFI:

Austria: 789T-7SM8-A0HN-NHPV Belgium: 789T-7SM8-A0HN-NHPV Bulgaria: 789T-7SM8-A0HN-NHPV Croatia: 789T-7SM8-A0HN-NHPV Cyprus: 789T-7SM8-A0HN-NHPV

Czech Republic: 789T-7SM8-A0HN-NHPV Denmark: 789T-7SM8-A0HN-NHPV Estonia: 789T-7SM8-A0HN-NHPV EU: 789T-7SM8-A0HN-NHPV Finland: 789T-7SM8-A0HN-NHPV France: 789T-7SM8-A0HN-NHPV Germany: 789T-7SM8-A0HN-NHPV Great Britain: 789T-7SM8-A0HN-NHPV Greece: 789T-7SM8-A0HN-NHPV Hungary: 789T-7SM8-A0HN-NHPV Iceland: 789T-7SM8-A0HN-NHPV Ireland: 789T-7SM8-A0HN-NHPV Italy: 789T-7SM8-A0HN-NHPV Latvia: 789T-7SM8-A0HN-NHPV Lithuania: 789T-7SM8-A0HN-NHPV Luxemboura: 789T-7SM8-A0HN-NHPV Malta: 789T-7SM8-A0HN-NHPV Netherlands: 789T-7SM8-A0HN-NHPV Norway: 789T-7SM8-A0HN-NHPV Poland: 789T-7SM8-A0HN-NHPV Portugal: 789T-7SM8-A0HN-NHPV Romania: 789T-7SM8-A0HN-NHPV Slovakia: 789T-7SM8-A0HN-NHPV Slovenia: 789T-7SM8-A0HN-NHPV Spain: 789T-7SM8-A0HN-NHPV

## **Authorisations**

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

Sweden: 789T-7SM8-A0HN-NHPV

#### Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended Isoeugenol (CAS 97-54-1)

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed.

#### Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Benzyl benzoate (CAS 120-51-4) Galaxolide (CAS 1222-05-5)

Other regulations The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP

Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation

(EC) No 1907/2006, as amended.

National regulations Young people under 18 years old are not allowed to work with this product according to EU

Directive 94/33/EC on the protection of young people at work, as amended Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as amended.

15.2. Chemical safety

assessment

No Chemical Safety Assessment has been carried out.

#### **SECTION 16: Other information**

## List of abbreviations

ADN: European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways.

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

AGW: Occupational threshold limit value (Arbeitsplatzgrenzwert – Germany).

CAS: Chemical Abstract Service.

CEN: European Committee for Standardization.

IATA: International Air Transport Association.

IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk.

IMDG: International Maritime Dangerous Goods.

MAC: Maximum Allowed Concentration.

MARPOL: International Convention for the Prevention of Pollution from Ships.

PBT: Persistent, bioaccumulative and toxic.

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.

STEL: Short term exposure limit. TLV: Threshold Limit Value. TWA: Time Weighted Average. VLE: Exposure Limit Value.

VME: Exposure Average Value.

vPvB: Very persistent and very bioaccumulative.

#### References

Information on evaluation method leading to the classification of mixture

Full text of any H-statements not written out in full under Sections 2 to 15 Not available.

None

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation. H335 May cause respiratory irritation.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects.

#### **Revision information**

# **Training information**

## Disclaimer

Follow training instructions when handling this material.

Yankee Candle s.r.o. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.

Material name: HI CHERRY VANILLA VOTIVE 1570546E

1570546E Version #: 02 Revision date: 10-February-2023 Issue date: 02-February-2023