

深圳市璐琥实业发展有限公司  
Lulus Import and Export Co,Ltd

**SAFETY DATA SHEET**  
**FLAVORS & FRAGRANCES**

Product LH208807

Print Date 2024/09/02

Page 1 (6)

**1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**


Product name : LH208807  
KD Code : LH208807  
SDS Number : 2024090219  
  
Use of the Substance/Mixture : Fragrance for consumer product  
  
Company : ROOM #301, NO.17, SHENGXIN ROAD, SHENGPING,  
LONGCHENG DISTRICT, LONGGANG, SHENZHEN, CHINA  
51817  
LULUS IMPORT AND EXPORT CO LTD  
  
Telephone : + 86-755-83720787  
Emergency telephone number : + 86-755-83720787

**2. HAZARDS IDENTIFICATION**

**GHS-Classification**

Flammable liquids, Category 4  
Skin corrosion/irritation, Category 2  
Serious eye damage/eye irritation, Category 2A  
Skin sensitisation, Category 1  
Acute aquatic toxicity, Category 2  
Chronic aquatic toxicity, Category 2

**GHS-Labeling**

Symbol(s) : 

Signal word : Warning

Hazard statements : H227: Combustible liquid.  
H315: Causes skin irritation.  
H317: May cause an allergic skin reaction.  
H319: Causes serious eye irritation.  
H411: Toxic to aquatic life with long lasting effects.

Precautionary statements : P210: Keep away from heat/sparks/open flames/hot surfaces. No smoking.  
P261: Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.  
P264: Wash skin thoroughly after handling.  
P272: Contaminated work clothing should not be allowed out of the workplace.  
P273: Avoid release to the environment.

Version : 1  
Revision Date : 2024.09.02

深圳市璐琥实业发展有限公司

---

Lulus Import and Export Co,Ltd

**SAFETY DATA SHEET**  
**FLAVORS & FRAGRANCES**

Product LH208807

Print Date 2024/09/02

Page 2 (6)

P280: Wear protective gloves/ eye protection/ face protection.  
P302 + P352: IF ON SKIN: Wash with plenty of water.  
P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P333 + P313: If skin irritation or rash occurs: Get medical advice/ attention.  
P337 + P313: If eye irritation persists: Get medical advice/ attention.  
P362 + P364: Take off contaminated clothing and wash it before reuse.  
P370 + P378: In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.  
P391: Collect spillage.  
P403 + P235: Store in a well-ventilated place. Keep cool.  
P501: Dispose of contents/ container to an approved waste disposal plant.

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

Pure substance/mixture : Mixture

Chemical nature : Fragrance for consumer product

**Components**

Chemical name	CAS-No.	Concentration
JASMINE OIL;	8022-96-6	15-25%
3,7-Dimethylocta-1,6-dien-3-ol;	78-70-6	10-25%
2-Ben-zyli den eoctanal.EUH208	106-24-1	2.5-10%
Contains(3,7-Dimethylocta2,6-dien-1-ol;		
2E-3,7-Dimethylocta-2,6-dien-1-ol;	106-25-2	1-2.5%
Hexy salicylate;		
4-Allyl-2-methoxyphenol;	6259-76-3	1-2.5%
3,7-Dimethylocta-2,6-dien-1-yl acetate;	97-53-0	< 1.0 %
1,5-Dimethyl-1-vinylhex-4-en-1-yl acetate;	105-87-3	< 1.0 %
lH-Indole;	115-95-7	< 1.0 %
1-(2,3,8,8-Tetramethyl-1,2,3,4,5,6,7,8-		
octahydronaphthalen-2-yl)et-hanone;	54464-57-2	< 1.0 %
1-Cedr-8-en-9-ylethanone)		
TRIETHYL CITRATE;	32388-55-9	< 1.0 %
GLYCOL ETHER DPM	77-93-0	10-25%
	34590-94-8	25-50%

Version : 1  
Revision Date : 2024.09.02

深圳市璐琥实业发展有限公司

---

Lulus Import and Export Co,Ltd

**SAFETY DATA SHEET**  
**FLAVORS & FRAGRANCES**

Product LH208807

Print Date 2024/09/02

Page 3 (6)

---

**4. FIRST AID MEASURES**

- |              |   |
|--------------|---|
| Inhalation   | : Remove from exposure site to fresh air and keep at rest. If victim is unconscious, remove foreign bodies from the mouth. If victim has stopped breathing, give artificial respiration. Obtain medical advice. |
| Skin contact | : Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.  |
| Eye contact  | : Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.  |
| Ingestion    | : Rinse mouth with water and obtain medical advice.   |

---

**5. FIREFIGHTING MEASURES**

- |                              |                                      |
|------------------------------|--------------------------------------|
| Suitable extinguishing media | : Carbondioxide, dry chemical, foam. |
|------------------------------|--------------------------------------|

---

**6. ACCIDENTAL RELEASE MEASURES**

- |                           |  |
|---------------------------|--|
| Personal precautions      | : Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.   |
| Environmental precautions | : Keep away from drains, surface- and groundwater and soil.  |
| Methods for cleaning up   | : Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations. |

---

**7. HANDLING AND STORAGE**

**Handling**

- |                         |   |
|-------------------------|---|
| Advice on safe handling | : Avoid excessive inhalation of concentrated vapors. Follow good manufacturing practices for housekeeping and personal hygiene. Wash any exposed skin immediately after any chemical contact, before breaks and meals, and at the end of each work period.<br>Contaminated clothing and shoes should be thoroughly cleaned before re-use.<br><br>If appropriate, procedures used during the handling of this material should also be used when cleaning equipment or removing residual chemicals from tanks or other containers, especially when steam or hot water is used, as this may increase vapor concentrations in the workplace air. Where chemicals are openly handled, access should be restricted to properly trained employees.<br>Keep all heated processes at the lowest necessary temperature in order to minimize emissions of volatile chemicals into the air. |
|-------------------------|---|

- |                                       |  |
|---------------------------------------|--|
| Advice on protection against fire and | : Keep away from ignition sources and naked flame. |
|---------------------------------------|--|

---

Version	: 1
Revision Date	: 2024.09.02

深圳市璐琥实业发展有限公司

---

Lulus Import and Export Co,Ltd

**SAFETY DATA SHEET**  
**FLAVORS & FRAGRANCES**

Product LH208807

Print Date 2024/09/02

Page 4 (6)

explosion

**Storage**

Requirements for storage areas and containers : Store in a cool, dry, ventilated area away from heat sources.  
Keep containers upright and tightly closed when not in use.

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

Verify if the substances declared in section 3 have relevant national exposure limits.

**Personal protective equipment**

Respiratory protection : Use local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or reduce possible worker exposures.  
No respiratory protection is required during normal operations in a workplace where engineering controls such as adequate ventilation, etc. are sufficient.

If engineering controls and safe work practices are not sufficient, an approved, properly fitted respirator with organic vapor cartridges or canisters and particulate filters should be used:

- a)while engineering controls and appropriate safe work practices and/or procedures are being implemented; or
- b)during short term maintenance procedures when engineering controls are not in normal operation or are not sufficient; or
- c)if normal operational workplace vapor concentration in the air is increased due to heat ;
- d)during emergencies; or
- e)if engineering controls and operational practices are not sufficient to reduce airborne concentrations below an established occupational exposure limit.

Hygiene measures : To the extent deemed appropriate, implement pre-placement and regularly scheduled ascertainment of symptoms and spirometry testing of lung function for workers who are regularly exposed to this material.  
To the extent deemed appropriate, use an experienced air sampling expert to identify and measure volatile chemicals that could be present in the workplace air to determine potential exposures and to ensure the continuing effectiveness of engineering controls and operational practices to minimize exposure.

Protective measures : In December 2003, the National Institute for Occupational Safety and Health ("NIOSH") published an Alert on preventing lung disease in workers who use or make flavorings [NIOSH Publication

---

Version : 1  
Revision Date : 2024.09.02

深圳市璐琥实业发展有限公司

---

Lulus Import and Export Co,Ltd

**SAFETY DATA SHEET**  
**FLAVORS & FRAGRANCES**

Product LH208807

Print Date 2024/09/02

Page 5 (6)

Number 2004-110].

In August 2004, the United States Flavor and Extract Manufacturers Association (FEMA) issued a report entitled "Respiratory Safety in the Flavor Manufacturing Workplace".

Both of these reports provide recommendations for reducing employee exposure and for medical surveillance in the workplace. The recommendations in these reports are generally applicable to the use of any chemical in the workplace and you are strongly urged to review both of these reports.

The report published by FEMA also contains a list of "high priority" chemicals. If any of these chemicals are present in this product at a concentration  $\geq 1.0\%$  due to an intentional addition by K.D, the chemical(s) will be identified in this safety data sheet.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

##### Appearance

Physical state : liquid  
Colour : Pale yellow  
  
Odour : conforms to standard

##### Safety data

Flash point :  $\geq 85^{\circ}\text{C}$   
  
Vapour pressure : 0.13 hPa  
Note: Calculated

#### 10. STABILITY AND REACTIVITY

Conditions to avoid : Remarks: Direct sources of heat.  
  
Hazardous decomposition products : Note: Carbon monoxide and unidentified organic compounds may be formed during combustion.  
  
Hazardous reactions : Presents no significant reactivity hazard, by itself or in contact with water. Avoid contact with strong acids, alkali or oxidizing agents.

#### 11. TOXICOLOGICAL INFORMATION

There is no data available for this product. The health hazards are assessed based on the ingredients in this preparation and their concentrations.

#### 12. ECOLOGICAL INFORMATION

Avoid contamination of soil, ground and surface water.

#### 13. DISPOSAL CONSIDERATIONS

Product : Disposal together with normal waste is not allowed. Special disposal

Version : 1  
Revision Date : 2024.09.02

深圳市璐琥实业发展有限公司

---

Lulus Import and Export Co,Ltd

**SAFETY DATA SHEET**  
**FLAVORS & FRAGRANCES**

Product LH208807

Print Date 2024/09/02

Page 6 (6)

required according to local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.

**14. TRANSPORT INFORMATION**

**IATA**

UN number : 3082  
Description of the goods : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,  
N.O.S.  
(DIPENTENE)  
Labels : 9  
Packing group : III

**IMDG**

UN number : 3082  
Description of the goods : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,  
N.O.S.  
(DIPENTENE)  
Labels : 9  
Packing group : III  
Marine pollutant : yes (DIPENTENE)

**15. REGULATORY INFORMATION**

**HMIS Classification** : Health hazard: 2  
Chronic Health Hazard: /  
Flammability: 2  
Physical and chemical hazards: 0

**16. OTHER INFORMATION**

**Further information**

The information in this safety data sheet is based on the properties of the material known to KD at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances under which it is packaged, stored or applied in the workplace. For such a safety assessment K.D Flavors & Fragrances holds no responsibility. This document is not intended for quality assurance purposes.

---

Version : 1  
Revision Date : 2024.09.02