

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation YANKEE CANDLE SCENT PLUG REFILL RED RASPBERRY 1629324E

of the mixture

Registration number -

Synonyms None.

Product code 1629324E

Issue date 19-November-2023

Version number 02

Revision date 20-December-2023 Supersedes date 29-November-2023

1.2. Relevant identified uses of the substance or mixture and uses advised against

Uses advised against

None known.

1.3. Details of the supplier of the safety data sheet

Company name Yankee Candle Company (Europe) Limited

Company Address Poplar Way East, Cabot Park

Avonmouth Bristol

United Kingdom BS11 0YH

1.4. Emergency telephone number

Newell - UK (Emergency 0800 234 6169

Health Response)

Europe - Newell

008 008 658 8466

NHS 111

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

Health hazards

Serious eye damage/eye irritation Category 2 H319 - Causes serious eye

irritation.

Skin sensitisation Category 1 H317 - May cause an allergic skin

reaction.

Environmental hazards

Hazardous to the aquatic environment, Category 2 H411 - Toxic to aquatic life with

long-term aguatic hazard long lasting effects.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Contains: 2,4-Dimethyl-3-cyclohexene carboxaldehyde, Benzene, 1,2-dimethoxy-4-(1-propen-1-yl)-,

Carbonic acid, (3Z)-3-hexen-1-yl methyl ester, Citronellol, delta-Damascone, ethyl

2,6,6-trimethylcyclohexa-2,4-diene-1-carboxylate, Ethyl methylphenylglycidate, Geraniol, Linalool,

Methoxyhydratropaldehyde

Hazard pictograms



Signal word Warning

Hazard statements

H317 May cause an allergic skin reaction.

Material name: YANKEE CANDLE SCENT PLUG REFILL RED RASPBERRY 1629324E

1629324E Version #: 02 Revision date: 20-December-2023 Issue date: 19-November-2023

Causes serious eye irritation. H319

Toxic to aquatic life with long lasting effects. H411

Precautionary statements

Prevention

Keep out of reach of children. P102

Response

IF ON SKIN: Wash with plenty of water. P302 + P352

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present P305 + P351 + P338

and easy to do. Continue rinsing.

If skin irritation or rash occurs: Get medical advice/attention. P333 + P313 If eve irritation persists: Get medical advice/attention. P337 + P313

Not applicable. Storage

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations. P501

None. Supplemental label information

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation 2.3. Other hazards

(EC) No 1907/2006, Annex XIII. The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. The mixture does not contain any substances included in the list established in accordance with REACH Article 59(1) for having endocrine disrupting properties at a concentration equal to or greater than 0.1% by weight.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Propanol, 1(or 2)-(2-methoxymethylethoxy)-	10 - 20	34590-94-8 252-104-2	-	-	#
Classification	n: -				
Benzaldehyde	3 - 5	100-52-7 202-860-4	-	605-012-00-5	
Classification	1: Acute Tox	. 4;H302, Eye Irrit. 2;H	H319, STOT SE 3;H335		
Cyclohexanol, 2-(1,1-dimethylethyl)-1-acetate	, 3-5	88-41-5 201-828-7	-	-	
Classification	า։ Aquatic Cl	hronic 2;H411			
lonone	3 - 5	8013-90-9 232-396-8	-	-	
Classification	า։ Aquatic Cl	hronic 2;H411			
Linalool	3 - 5	78-70-6 201-134-4	01-2119474016-42	603-235-00-2	
Classification	n: Skin Irrit. 2	2;H315, Eye Irrit. 2;H3	319, Skin Sens. 1B;H317		
Vanillin	3 - 5	121-33-5 204-465-2	-	-	
Classification	n: Eye Irrit. 2	;H319			
Benzene, 1,2-dimethoxy-4-(1-propen-1-yl)-	≤ 1	93-16-3 202-224-6	-	-	
Classification	ո: Skin Sens	. 1B;H317			
Citronellol	≤ 1	106-22-9 203-375-0	-	-	
Classification	n: Skin Irrit. 2	2;H315, Eye Irrit. 2;H3	319, Skin Sens. 1B;H317		
delta-Damascone	≤ 1	57378-68-4 260-709-8	-	-	
Classification		. 4;H302, Skin Irrit. 2; quatic Chronic 1;H41	H315, Skin Sens. 1A;H317, 0	Aquatic Acute	
Ethyl methylphenylglycidate	≤ 1	77-83-8 201-061-8	-	-	

Classification: Skin Sens. 1B;H317, Aquatic Chronic 2;H411

emical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
raniol	≤ 1	106-24-1 203-377-1	01-2119552430-49	603-241-00-5	
	Skin Irrit. 2 Chronic 2		H318, Skin Sens. 1;H317, A	quatic	
thoxyhydratropaldehyde	≤ 1	5462-06-6 226-749-5	-	-	
Classification:	Skin Sens	. 1B;H317			
-Dimethyl-3-cyclohexene boxaldehyde	≤ 0.2	68039-49-6 268-264-1	-	-	
	Skin Irrit. 2 Chronic 2		319, Skin Sens. 1B;H317, A	quatic	
bonic acid, (3Z)-3-hexen-1-yl thyl ester	≤ 0.2	67633-96-9 266-797-4	-	-	
Classification:	Skin Sens	. 1B;H317			
anone, 3-methyl-2-benzofuranyl)-	≤ 0.2	23911-56-0	-	-	
		. 4;H302, Aquatic Acւ H410(M=10)	ite 1;H400(M=10), Aquatic		
yl ,6-trimethylcyclohexa-2,4-diene-1- boxylate	≤ 0.2	35044-57-6 252-333-8	-	-	
Classification:	Skin Sens	. 1B;H317, Aquatic C	hronic 3;H412		
er components below reportable	Skin Sens 48.72	i. 1B;H317, Aquatic C	hronic 3;H412		

List of abbreviations and symbols that may be used above

ATE: Acute toxicity estimate.

M: M-factor

levels

vPvB: very persistent and very bioaccumulative substance. PBT: persistent, bioaccumulative and toxic substance.

#: This substance has been assigned Union workplace exposure limit(s).

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

The full text for all H-statements is displayed in section 16. **Composition comments**

SECTION 4: First aid measures

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves. Wash contaminated clothing before reuse.

4.1. Description of first aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Remove contaminated clothing immediately and wash skin with soap and water. In case of Skin contact

eczema or other skin disorders: Seek medical attention and take along these instructions.

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if Eye contact

present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. Get medical attention if symptoms occur.

4.2. Most important symptoms and effects, both acute and

delayed

Severe eve irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

vision. May cause an allergic skin reaction. Dermatitis. Rash.

4.3. Indication of any immediate medical attention and special treatment needed Provide general supportive measures and treat symptomatically. Keep victim under observation.

Symptoms may be delayed.

SECTION 5: Firefighting measures

General fire hazards No unusual fire or explosion hazards noted.

5.1. Extinguishing media

Suitable extinguishing

Alcohol resistant foam. Powder. Carbon dioxide (CO2).

media

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising

from the substance or mixture

During fire, gases hazardous to health may be formed.

Material name: YANKEE CANDLE SCENT PLUG REFILL RED RASPBERRY 1629324E 1629324E Version #: 02 Revision date: 20-December-2023 Issue date: 19-November-2023 5.3. Advice for firefighters

Special protective equipment for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Special fire fighting procedures

Move containers from fire area if you can do so without risk.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Avoid breathing mist/vapours. Do not touch damaged containers or spilled material unless wearing

appropriate protective clothing.

For emergency responders

Keep unnecessary personnel away. Ensure adequate ventilation. Avoid breathing mist/vapours. Local authorities should be advised if significant spillages cannot be contained. Use personal

protection recommended in Section 8 of the SDS.

6.2. Environmental precautions

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into

drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up

Prevent entry into waterways, sewer, basements or confined areas.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product

recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to

remove residual contamination.

Never return spills to original containers for re-use.

6.4. Reference to other sections

For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

SECTION 7: Handling and storage

7.1. Precautions for safe

handling

Avoid breathing mist/vapours. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Avoid

release to the environment. Observe good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

ANNEX 1, PART 1 Categories of dangerous substances

Hazard categories in accordance with Regulation (EC) No 1272/2008

- E2 Hazardous to the Aquatic Environment Chronic (Lower-tier requirements = 200 tonnes;

Upper-tier requirements = 500 tonnes)

7.3. Specific end use(s)

Observe industrial sector guidance on best practices.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

UK. OELs. Workplace Exposure Limits (WELs) (EH40/2005 (Fourth Edition 2020)), Table 1 Components Type Value

Propanol, 1(or TWA 2)-(2-methoxymethylethoxy)

308 mg/m3

2)-(2-methoxymethylethoxy) - (CAS 34590-94-8)

50 ppm

Biological limit values
Recommended monitoring

No biological exposure limits noted for the ingredient(s).

Recommended monitoring procedures

.

Follow standard monitoring procedures.

Derived no effect levels (DNELs)

Not available.

Predicted no effect concentrations (PNECs)

Not available.

Exposure guidelines

UK EH40 WEL: Skin designation

Propanol, 1(or 2)-(2-methoxymethylethoxy)-

Can be absorbed through the skin.

(CAS 34590-94-8)

8.2. Exposure controls

4 / 10

Appropriate engineering

controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.

Individual protection measures, such as personal protective equipment

Use personal protective equipment as required. Personal protection equipment should be chosen **General information**

according to the CEN standards and in discussion with the supplier of the personal protective

equipment.

Eye/face protection Wear safety glasses with side shields (or goggles). Face shield is recommended.

Skin protection

- Hand protection Wear appropriate chemical resistant gloves.

- Other Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

In case of insufficient ventilation, wear suitable respiratory equipment. Respiratory protection

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

Hygiene measures Always observe good personal hygiene measures, such as washing after handling the material

and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the

workplace.

Environmental exposure

controls

Inform appropriate managerial or supervisory personnel of all environmental releases. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Liquid. Physical state **Form** Liquid.

Colour Not available. Not available. Odour **Odour threshold** Not available. рΗ Not available.

Melting point/freezing point Initial boiling point and boiling

range

-80 °C (-112 °F) estimated 190 °C (374 °F) estimated

Flash point 88 °C (190.4 °F) estimated

Evaporation rate Not available. Flammability (solid, gas) Not applicable. Upper/lower flammability or explosive limits

Explosive limit - lower (%)

Not available. Explosive limit - upper

(%)

Not available.

0.154001 hPa estimated Vapour pressure

Not available. Vapour density Not available. Relative density

Solubility(ies)

Solubility (water) Not available. Not available. Partition coefficient

(n-octanol/water)

Auto-ignition temperature 236 °C (456.8 °F) estimated

Decomposition temperature Not available. Not available. Viscosity **Explosive properties** Not explosive. **Oxidising properties** Not oxidising.

9.2. Other information

Density 0.988 g/cm3 estimated 5.19 % estimated Percent volatile 0.98837 estimated Specific gravity

VOC 5.19 % estimated

SECTION 10: Stability and reactivity

10.1. ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stabilityMaterial is stable under normal conditions.

10.3. Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

10.4. Conditions to avoidAvoid temperatures exceeding the flash point. Contact with incompatible materials.

10.5. Incompatible materials Strong oxidising agents.

10.6. Hazardous No hazardous decomposition products are known.

decomposition products

SECTION 11: Toxicological information

General information Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

InhalationProlonged inhalation may be harmful.Skin contactMay cause an allergic skin reaction.Eye contactCauses serious eye irritation.

Ingestion May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of

occupational exposure.

Symptoms Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

vision. May cause an allergic skin reaction. Dermatitis. Rash.

11.1. Information on toxicological effects

Acute toxicity Not known.

Skin corrosion/irritationDue to partial or complete lack of data the classification is not possible.

Serious eye damage/eye

irritation

Causes serious eye irritation.

Respiratory sensitisation Due to partial or complete lack of data the classification is not possible.

Skin sensitisation May cause an allergic skin reaction.

Germ cell mutagenicity

Due to partial or complete lack of data the classification is not possible.

Due to partial or complete lack of data the classification is not possible.

Due to partial or complete lack of data the classification is not possible.

Due to partial or complete lack of data the classification is not possible.

Due to partial or complete lack of data the classification is not possible.

Due to partial or complete lack of data the classification is not possible.

single expenses

single exposure

Specific target organ toxicity -

repeated exposure

12.2. Persistence and

degradability

Due to partial or complete lack of data the classification is not possible.

Aspiration hazard Due to partial or complete lack of data the classification is not possible.

Mixture versus substance

information

No information available.

SECTION 12: Ecological information

12.1. Toxicity Toxic to aquatic life with long lasting effects.

Components		Species	Test Results
Benzaldehyde (CAS 100-	52-7)		
Aquatic			
Acute			
Fish	LC50	Bluegill (Lepomis macrochirus)	0.8 - 1.44 mg/l, 96 hours
Geraniol (CAS 106-24-1)			
Aquatic			
Acute			
Fish	LC50	Brown trout (Salmo trutta)	2.3 - 3 mg/l, 96 hours
Vanillin (CAS 121-33-5)			
Aquatic			
Acute			
Fish	LC50	Fathead minnow (Pimephales prom	elas) 53 - 61.3 mg/l, 96 hours

No data is available on the degradability of any ingredients in the mixture.

Material name: YANKEE CANDLE SCENT PLUG REFILL RED RASPBERRY 1629324E

SDS GREAT BRITAIN

1629324E Version #: 02 Revision date: 20-December-2023 Issue date: 19-November-2023

12.3. Bioaccumulative potential

Partition coefficient

n-octanol/water	(log	Kow)
-----------------	------	------

1.48
3
3.41
4.23
3.4
4.2
3.1
2.8
3.56
4.1
2.97
2.3
1.37

Not available. **Bioconcentration factor (BCF)** 12.4. Mobility in soil No data available.

12.5. Results of PBT and vPvB

assessment

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII.

12.6. Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

EU waste code The Waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow Disposal methods/information

this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches

with chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Dispose in accordance with all applicable regulations. Special precautions

SECTION 14: Transport information

ADR

UN3082 14.1. UN number

14.2. UN proper shipping

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzaldehyde, Ionone)

name

14.3. Transport hazard class(es)

9 Class Subsidiary hazard 9 Label(s) Hazard No. (ADR) 90 **Tunnel restriction code** Ш 14.4. Packing group 14.5. Environmental hazards Yes

14.6. Special precautions

Read safety instructions, SDS and emergency procedures before handling.

for user

RID

14.1. UN number

14.2. UN proper shipping ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzaldehyde, Ionone)

name

14.3. Transport hazard class(es)

9 Class Subsidiary hazard 9 Label(s) Ш 14.4. Packing group 14.5. Environmental hazards Yes

14.6. Special precautions

Read safety instructions, SDS and emergency procedures before handling.

for user

ADN

14.1. UN number UN3082

14.2. UN proper shipping ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzaldehyde, Ionone)

name

14.3. Transport hazard class(es)

Class 9
Subsidiary hazard Label(s) 9
14.4. Packing group III
14.5. Environmental hazards Yes

14.6. Special precautions

14.6. Special precautio

Read safety instructions, SDS and emergency procedures before handling.

for user

IATA

14.1. UN number UN3082

14.2. UN proper shipping Environmentally hazardous substance, liquid, n.o.s. (Benzaldehyde, Cyclohexanol,

name 2-(1,1-dimethylethyl)-, 1-acetate)

14.3. Transport hazard class(es)

Class 9
Subsidiary hazard 14.4. Packing group III
14.5. Environmental hazards Yes
ERG Code 9L

14.6. Special precautions

for user

Read safety instructions, SDS and emergency procedures before handling.

Other information

Passenger and cargo

aircraft

Allowed with restrictions.

Not established.

Cargo aircraft only Allowed with restrictions.

IMDG

14.1. UN number UN3082

14.2. UN proper shipping ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzaldehyde,

name Cyclohexanol, 2-(1,1-dimethylethyl)-, 1-acetate), MARINE POLLUTANT

14.3. Transport hazard class(es)

Class 9
Subsidiary hazard 14.4. Packing group III
14.5. Environmental hazards
Marine pollutant Yes

EmS F14.6. Special precautions Re

for user

Read safety instructions, SDS and emergency procedures before handling.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC

Code

ADN; ADR; IATA; IMDG; RID



Marine pollutant



General information

IMDG Regulated Marine Pollutant.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Retained direct EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended Not listed.

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use, as amended - Conditions of restriction given for the associated entry number should be considered

Benzaldehyde (CAS 100-52-7)

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

ANNEX 1, PART 1 Categories of dangerous substances

Hazard categories in accordance with Regulation (EC) No 1272/2008

- E2 Hazardous to the Aquatic Environment Chronic

Other regulations

This product is classified and labelled in accordance with the retained CLP Regulation (EC) No 1272/2008, as amended for Great Britain. This Safety Data Sheet is compiled in accordance with REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758.

Follow the requirements of the Control of Substances Hazardous to Health Regulations 2002 [SI 2002/2677], as amended, when using this material.

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

List of abbreviations

ADN: European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways.

ADR: Agreement concerning the International Carriage of Dangerous Goods by Road.

CAS: Chemical Abstract Service.

CEN: European Committee for Standardization. IATA: International Air Transport Association.

IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk.

IMDG: International Maritime Dangerous Goods.

MARPOL: International Convention for the Prevention of Pollution from Ships.

Material name: YANKEE CANDLE SCENT PLUG REFILL RED RASPBERRY 1629324E

PBT: Persistent, bioaccumulative and toxic.

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.

STEL: Short term exposure limit. TWA: Time Weighted Average.

vPvB: Very persistent and very bioaccumulative.

References

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available,

Not available.

Full text of any statements, which are not written out in full under sections 2 to 15

H302 Harmful if swallowed. H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H335 May cause respiratory irritation.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. Product and Company Identification: EU Poison Centre Follow training instructions when handling this material.

Revision information Training information

Yankee Candle s.r.o. cannot anticipate all conditions under which this information and its product. or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.

Disclaimer

Material name: YANKEE CANDLE SCENT PLUG REFILL RED RASPBERRY 1629324E