深圳市璐琥实业发展有限公司 Lulus Import and Export Co,Ltd

## SAFETY DATA SHEET **FLAVORS & FRAGRANCES**

Product	

LH208769

Print Date

2024/09/02

Page 1 (6)

Product name	: LH208769
KD Code	: LH208769
SDS Number	: 2024090213
Use of the Substance/Mixture	: Fragrance for consumer product
Company	ROOM #301, NO.17, SHENGXIN ROAD, SHENGPING, LONGCHENG DISTRICT, LONGGANG, SHENZHEN, CHIN 51817 LULUS IMPORT AND EXPORT CO LTD
Telephone	: +86-755-83720787
Emergency telephone number	: +86-755-83720787
2. HAZARDS IDENTIFICATI	9N
GHS-Classification	
Skin corrosion/irritation, Categor Serious eye damage/eye irritation Skin sensitisation, Category 1 Acute aquatic toxicity, Category Chronic aquatic toxicity, Categor GHS-Labelling	n, Category 2A 2
Symbol(s)	
Symbol(s)	a se
Signal word	: Warning
-	<ul> <li>Warning</li> <li>H227: Combustible liquid. H315: Causes skin irritation.</li> </ul>
-	<ul> <li>H227: Combustible liquid.</li> <li>H315: Causes skin irritation.</li> <li>H317: May cause an allergic skin reaction.</li> </ul>
-	<ul> <li>H227: Combustible liquid.</li> <li>H315: Causes skin irritation.</li> <li>H317: May cause an allergic skin reaction.</li> <li>H319: Causes serious eye irritation.</li> </ul>
-	<ul> <li>H227: Combustible liquid.</li> <li>H315: Causes skin irritation.</li> <li>H317: May cause an allergic skin reaction.</li> </ul>
Hazard statements	<ul> <li>H227: Combustible liquid.</li> <li>H315: Causes skin irritation.</li> <li>H317: May cause an allergic skin reaction.</li> <li>H319: Causes serious eye irritation.</li> </ul>
	<ul> <li>H227: Combustible liquid. H315: Causes skin irritation. H317: May cause an allergic skin reaction. H319: Causes serious eye irritation. H411: Toxic to aquatic life with long lasting effects.</li> <li>P210: Keep away from heat/sparks/open flames/hot surfaces. No</li> </ul>
Signal word Hazard statements Precautionary statements	<ul> <li>H227: Combustible liquid. H315: Causes skin irritation. H317: May cause an allergic skin reaction. H319: Causes serious eye irritation. H411: Toxic to aquatic life with long lasting effects.</li> <li>P210: Keep away from heat/sparks/open flames/hot surfaces. No smoking. P261: Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.</li> </ul>

: 1 : 2024.09.02

Lulus Import and Export Co, Ltd

### **SAFETY DATA SHEET** FLAVORS & FRAGRANCES

Product	LH208769
Print Date	2024/09/02 Page 2 (6)
	<ul> <li>P280: Wear protective gloves/ eye protection/ face protection.</li> <li>P302 + P352: IF ON SKIN: Wash with plenty of water.</li> <li>P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>P333 + P313: If skin irritation or rash occurs: Get medical advice/ attention.</li> <li>P337 + P313: If eye irritation persists: Get medical advice/ attention.</li> <li>P362 + P364: Take off contaminated clothing and wash it before reuse.</li> <li>P370 + P378: In case of fire: Use dry sand, dry chemical or alcoholresistant foam to extinguish.</li> <li>P391: Collect spillage.</li> <li>P403 + P235: Store in a well-ventilated place. Keep cool.</li> <li>P501: Dispose of contents/ container to an approved waste disposal plant.</li> </ul>
3. COMPOSITION/INFORMA	ATION ONINGREDIENTS
Pure substance/mixture	: Mixture
Chemical nature	: Fragrance for consumer product
Components	

Chemical name	CAS-No.	Concentration	
CEDAR WOOD OIL	8000-27-9	15 - 35%	
BERGAMOT OIL	8007-75-8	1 - 5%	
TRIETHYL CITRATE	77-93-0	10 - 25%	
GLYCOL ETHER DPM	34590-94-8	25 - 50%	

Version	: 1
Revision Date	: 2024.09.02

# 深圳市璐琥实业发展有限公司 Lulus Import and Export Co,Ltd

## SAFETY DATA SHEET **FLAVORS & FRAGRANCES**

Product LH208769 Print Date 2024/09/02 Page 3 (6)

4. FIRST AID MEASURES	
Inhalation	: Remove from exposure site to fresh air and keep at rest. If victim is unconscious, remove foreign bodies from the mouth. If victim has stopped breathing, give artificial respiration. Obtain medical advice.
Skin contact	: Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.
Eye contact	: Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
Ingestion	: Rinse mouth with water and obtain medical advice.
5. FIREFIGHTING MEASURES	
Suitable extinguishing media	: Carbondioxide, dry chemical, foam.
6. ACCIDENTAL RELEASE MEAS	URES
Personal precautions	: Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.
Environmental precautions	: Keep away from drains, surface- and groundwater and soil.
Methods for cleaning up	: Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.
7. HANDLING AND STORAGE	
Handling	
Advice on safe handling	: Avoid excessive inhalation of concentrated vapors. Follow good manufacturing practices for housekeeping and personal hygiene. Wash any exposed skin immediately after any chemical contact, before breaks and meals, and at the end of each work period. Contaminated clothing and shoes should be thoroughly cleaned before re-use.
	If appropriate, procedures used during the handling of this material should also be used when cleaning equipment or removing residual chemicals from tanks or other containers, especially when steam or hot water is used, as this may increase vapor concentrations in the workplace air. Where chemicals are openly handled, access should be restricted to properly trained employees. Keep all heated processes at the lowest necessary temperature in
<b></b>	order to minimize emissions of volatile chemicals into the air.
Advice on protection against fire and	: Keep away from ignition sources and naked flame.
Version	: 1

: 2024.09.02

# Lulus Import and Export Co, Ltd

### **SAFETY DATA SHEET** FLAVORS & FRAGRANCES

Product	LH208769		
Print Date	2024/09/02	Page	4 (6)
explosion			

#### Storage

Requirements for storage areas and containers

: Store in a cool, dry, ventilated area away from heat sources. Keep containers upright and tightly closed when not in use.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Verify if the substances declared in section 3 have relevant national exposure limits.

#### Personal protective equipment

Respiratory protection	<ul> <li>: Use local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or reduce possible worker exposures. No respiratory protection is required during normal operations in a workplace where engineering controls such as adequate ventilation, etc. are sufficient.</li> <li>If engineering controls and safe work practices are not sufficient, an approved, properly fitted respirator with organic vapor cartridges or</li> </ul>
	a)while engineering controls and appropriate safe work practices
	and/or procedures are being implemented; or
	b)during short term maintenance procedures when engineering controls are not in normal operation or are not sufficient; or
	<ul> <li>c) if normal operational workplace vapor concentration in the air is increased due to heat ;</li> <li>d) during emergencies; or</li> </ul>
	e)if engineering controls and operational practices are not sufficient to reduce airborne concentrations below an established occupational exposure limit.
Hygiene measures	: To the extent deemed appropriate, implement pre-placement and regularly scheduled ascertainment of symptoms and spirometry testing of lung function for workers who are regularly exposed to this material.
	To the extent deemed appropriate, use an experienced air sampling expert to identify and measure volatile chemicals that could be
	present in the workplace air to determine potential exposures and to ensure the continuing effectiveness of engineering controls and operational practices to minimize exposure.
Protective measures	: In December 2003, the National Institute for Occupational Safety and Health ("NIOSH") published an Alert on preventing lung disease in workers who use or make flavorings [NIOSH Publication
Version	: 1
Revision Date	: 2024.09.02

Lulus Import and Export Co, Ltd

### **SAFETY DATA SHEET** FLAVORS & FRAGRANCES

Product	LH208769			
Print Date	2024/09/02	Page 5 (	(6)	
		Number 2004-110]. In August 2004, the United States Flavor and Extract Manufacturers Association (FEMA) issued a report entitled "Respiratory Safety in the Flavor Manufacturing Workplace". Both of these reports provide recommendations for reducing employee exposure and for medical surveillance in the workplace. The recommendations in these reports are generally applicable to the use of any chemical in the workplace and you are strongly urged to review both of these reports. The report published by FEMA also contains a list of "high priority" chemicals. If any of these chemicals are present in this product at a concentration >= 1.0% due to an intentional addition by K.D, the chemical(s) will be identified in this safety data sheet.		
9. PHYSICAL AND	CHEMICAL PRO	DPERTIES		
Appearance				
Physical state Colour		: liquid : Pale yellow		
Odour		: conforms to standard		
Safety data				
Flash point		: ≥85 °C		
Vapour pressure		: 0.13 hPa Note: Calculated		
10. STABILITYAND	10. STABILITYAND REACTIVITY			
Conditions to avoid	:	Remarks: Direct sources of heat.		
Hazardous decomposit	tion products :	Note: Carbon monoxide and unidentified organic compounds may be formed during combustion.		
Hazardous reactions	:	Presents no significant reactivity hazard, by itself or in contact with water. Avoid contact with strong acids, alkali or oxidizing agents.		

#### 11. TOXICOLOGICAL INFORMATION

There is no data available for this product. The health hazards are assessed based on the ingredients in this preparation and their concentrations.

#### **12. ECOLOGICAL INFORMATION**

Avoid contamination of soil, ground and surface water.

13. DISPOSAL CONSIDERATIO	NS	
Product	:	Disposal together with normal waste is not allowed. Special disposal
Version Revision Date		: 1 : 2024.09.02

Lulus Import and Export Co, Ltd

### **SAFETY DATA SHEET** FLAVORS & FRAGRANCES

LH208769
2024/09/02 Page 6 (6)
required according to local regulations.
: Empty containers should be taken to an approved waste handling site for recycling or disposal.
IATION
: 3082 :ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (DIPENTENE) : 9 : III
2092
: 3082 :ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (DIPENTENE)
: 9
: III
: yes (DIPENTENE)
PMATION

 HMIS Classification
 : Health hazard: 2

 Chronic Health Hazard: /
 Flammability: 2

 Physical and chemical hazards: 0

#### **16. OTHER INFORMATION**

#### Further information

The information in this safety data sheet is based on the properties of the material known to KD at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances under which it is packaged, stored or applied in the workplace. For such a safety assessment K.D Flavors & Fragrances holds no responsibility. This document is not intended for quality assurance purposes.