# Safety Data Sheet According to Regulation (EC) No 1907/2006

SPA WAX MELT - AMBER - RESTORE

Version 1.0

Issue date:06/06/2024 Revision date:06/06/2024

# Section 1 Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier:

Identification on the label/Trade name: SPA WAX MELT- AMBER- RESTORE

Identification of the product:See section 3Index Number:Not availableREACH registration No.:Not available

# 1.2 Relevant identified uses of the substance and uses advised against:

1.2.1 Identified uses:

Not available

1.2.2 Uses advised against:

Not available

## 1.3 Details of the supplier of the safety data sheet:

Supplier: -

Supplier(Manufacturer): ZHEJIANG TALENT FAREAST HOME GIFTS CO., LTD

Address: NO.123 GUANGBO RD, FUCUN TOWN ,JINHUA CITY ,ZHEJIANG CHINA

Contact person(E-mail): Sales10@talentfareast.com

Telephone: +86- 579-8222 2283 Fax: +86- 579-85865670

1.4 Emergency telephone Number:

+86-579-85865688

Available outside office hours? YES NO X

# **Section 2 Hazards Identification**

# 2.1 Classification of the substance/mixture:

# 2.1.1 Classification:

The mixture is classified as following according to REGULATION (EC) No 1272/2008:

REGULATION (EC) No 1272/2008			
Hazard classes/Hazard categories	Hazard statement		
Skin Sens.1B	H317		
Aquatic Chronic 3	H412		

For full text of H- phrases: see section 2.2.

#### 2.2 label elements:

## **Hazard Pictograms:**



Signal Word(S): Warning

Hazard Statement: H412:Harmful to aquatic life with long lasting effects.

H317 May cause an allergic skin reaction.

Contains Isoeugenol, 2-Benzylideneheptanal,

3,7-dimethyl-1,6-octadien-3-ol, Cinnamyl alcohol, Coumarin, a

Product name: SPA WAX MELT-AMBER- RESTORE SDS EU
Version #: 1.0 Issue date: 06-06-2024 1 / 8

**Precautionary statement:** 

Not applicable

# 2.3 Other hazards:

Not available.

# **Section 3 Composition/information on ingredients**

Substance/Mixture:

Mixture

Ingredient(s):

Chemical Name	Registration No.	CAS No.	EC No.	Concentratio n	classifications			
Paraffin Wax	N/A	64742-51-4	265-154-5	47%	Not Classified			
Palm Oil	N/A	8002-75-3	232-316-1	45%	Not Classified			
Fragrance	N/A	Mixture	Mixture	8%	See below details			
See Section below for composition	See Section below for composition of Fragrance							
2-Phenylethanol	N/A	60-12-8	200-456-2	0.4-<0.8%	H302, H319			
3,7-Dimethylocta-1,6-dien-3-ol	N/A	78-70-6	201-134-4	0.4-<0.8%	H317			
Benzyl acetate	N/A	140-11-4	205-399-7	0.4-<0.8%	H412			
Benzyl benzoate	N/A	120-51-4	204-402-9	0.4-<0.8%	;H302-H400- H411			
p-menth-1-en-8-yl acetate	N/A	8007-35-0	232-357-5	0.08-<0.4%	H411			
2-Benzylideneoctanal	N/A	101-86-0	202-983-3	0.08-<0.4%	H317, H400, H411			
Terpineol	N/A	8000-41-7	232-268-1	0.08-<0.4%	H315-H319			
Pentyl salicylate	N/A	2050-08-0	218-080-2	0.08-<0.4%	H302-H410			
a-hexylcinnamaldehyde	N/A	101-86-0	202-983-3	0.08-<0.4%	H317-H400- H411			
Coumarin	N/A	91-64-5	91-64-5	0.08-<0.4%	H302-H317			
Cinnamyl alcohol	N/A	104-54-1	203-212-3	0.08-<0.4%	H302-H317			
2-ethyl-4-(2,2,3- trimethyl-3-cyclopenten-1-yl)-2-bute n-1-ol	N/A	28219-61-6	248-908-8	0.08-<0.4%	H315-H319-H411			
4-tert-Butylcyclohexyl acetate	N/A	32210-23-4	250-954-9	0.08-<0.4%	H317			
Citronellol	N/A	106-22-9	203-375-0	0.08-<0.4%	H315- H317-H319			
3-(5,5,6-trimethylbicyclo [2.2.1]hept-2-yl) cyclohexan-1-ol	N/A	3407-42-9	222-294-1	0.08-<0.4%	H319-H361-H400- H411			
2-Methoxy-4-(prop-2-en-1-yl)phenol	N/A	97-53-0	202-589-1	0.08-<0.4%	H317-H319			

Product name: SPA WAX MELT -AMBER- RESTORE Version #: 1.0 Issue date: 06-06-2024

Vanillin	N/A	121-33-5	204-465-2	0.08-<0.4%	-H319
2,6-di-tert-butyl-p-cresol	N/A	128-37-0	204-881-4	0.08-<0.4%	H410
tetrahydro-2-isobutyl-4- methylpyran-4-ol, mixed isomers (cis and trans)	N/A	63500-71-0	405-040-6	0.08-<0.4%	H319
[3R-(3a,3ab,6a,7b,8aa)]- octahydro-3,6,8,8- tetramethyl-1H-3a,7- methanoazulen-6-ol	N/A	77-53-2	201-035-6	0.08-<0.4%	H411
Cedrene	N/A	11028-42-5	234-257-7	0.08-<0.4%	H304-H315-H410
3-methyl-4-(2,6,6- trimethyl-2-cyclohexen- 1-yl)-3-buten-2-one	N/A	127-51-5	204-846-3	0.05-<0.5%	H317-H411
Geraniol	N/A	106-24-1	203-377-1	0.008-<0.08%	H315- H317-H318
a- methylcinnamaldehyde	N/A	101-39-3	202-938-8	0.008-<0.08%	H317-H400- H412
Linalyl acetate	N/A	115-95-7	204-116-4	0.008-<0.08%	H315- H317-H319
Nerol	N/A	106-25-2	203-378-7	0.008-<0.08%	H315- H317-H319
Isoeugenol	N/A	97-54-1	202-590-7	0.008-<0.08%	H302-H312-H315-H317- H319- H332-H335,
3-(4-tert-butylphenyl) propionaldehyde	N/A	18127-01-0	242-016-2	0.008-<0.08%	H315-H317-H361- H373-H412
3-p-cumenyl-2- methylpropionaldehyde	N/A	103-95-7	203-161-7	0.008-<0.08%	H315-H317-H412,
Methyl-2,4-dihydroxy- 3,6-dimethylbenzoate	N/A	4707-47-5	225-193-0	0.008-<0.08%	H317
cis-4-(isopropyl) cyclohexanemethanol	N/A	13828-37-0	237-539-8	0.008-<0.08%	H315-H317
[R-(E)]-1-(2,6,6- trimethyl-2-cyclohexen- 1-yl)pent-1-en-3-one	N/A	127-42-4	204-842-1	0.008-<0.08%	H315-H317-H411
(Z)-3,4,5,6,6- Pentamethylhept-3-en- 2-one	N/A	81786-73-4	279-822-9	0.008-<0.08%	H317-H411
1-(2,6,6-Trimethyl-1- cyclohexen-1-yl)pent-1- en-3-one	N/A	127-43-5	204-843-7	0.008-<0.08%	H315-H317-H411
Cinnamaldehyde	N/A	104-55-2	203-213-9	<0.008%	H312-H315- H317-H319-H412

# Section 4 First aid measures

# 4.1 Description of first aid measures:

# Contact with skin:

Remove all contaminated clothing, wash with plenty of water and soap. Seek medical attention.

## Contact with eyes:

Flush immediately with water for at least 10 minutes.

Contact physician if symptoms persist.

Product name: SPA WAX MELT -AMBER- RESTORE Version #: 1.0 Issue date: 06-06-2024

#### Swallowing:

Rinse mouth with water.

In severe cases seek medical attention and show the safety date sheet.

#### Inhalation:

No damage to health is expected.

#### 4.2 Most important symptoms and effects, both acute and delayed:

The product is not classified as harmful to human health effect.

#### 4.3 Indication of any immediate medical attention and special treatment needed:

If skin irritation or rash occurs, get medical advice/attention.

# **Section 5 Fire-Fighting measures**

# 5.1 Extinguishing media:

**Recommended extinguishers:**Carbon dioxide, foam or powder-fire extinguisher. **Extinguishers not to be used:**Do not use a direst water jet on burning material.

Fire control measures: Fire personnel must wear a breathing apparatus, wearing a full-body

firefighting suit, on the wind to extinguish the fire.

Move the container from the fire to the open as far as possible.

Containers in fire must be evacuated immediately if they become discolored or

sound from a safety relief device.

Isolate the scene of the accident and forbid irrelevant personnel to enter.

5.2 Special hazards arising from the

substance or mixture

Risks arising from combustion: Avoid inhaling the fumes.

**5.3 Advice for firefighters:** Protective Equipment: Use protection for the respiratory tract.

Additional Information: Contaminated fire extinguishing water must be

collected separately; it must not enter sewerage system.

#### Section 6 Accidental release measures

# 6.1 Personal precautions, protective equipment and emergency procedures:

6.1.1 For non-emergency personnel: Prevent further leakage or spillage if safe to do so. Keep away from

Incompatible products.

**6.1.2 For emergency responders:** Wear an appropriate NIOSH/MSHA approved respirator if dust is generated.

**6.2 Environmental Precautions:**Do not allow material to be released to the environment without proper

governmental permits.

6.3 Methods for Containment and

Cleaning

Pick up mechanically.

up:

**6.4 Reference to other sections:** See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

# Section 7 Handling and storage

#### 7.1 Precautions for safe handling:

**7.1.1 Protective measures:** Observe label precautions.

7.1.2 Advice on general occupational

hygiene:

Do not eat, drink and smoke in work areas. Wash hands after use. Remove contaminated clothing and protective equipment before entering eating areas.

7.2 Conditions for safe storage, including

any incompatibilities:

Storage in a well-ventilated, cool area.

7.3 Specific end use(s): Not applicable.

Product name: SPA WAX MELT -AMBER- RESTORE SDS EU
Version #: 1.0 Issue date: 06-06-2024 4 / 8

# **Section 8 Exposure Controls/Personal Protection**

8.1 Control parameters:

8.1.1 Occupational exposure limits: Not available.8.1.2 Additional exposure limits under the Not available.

conditions of use:

**8.1.3 DNEL/DMEL and PNEC-Values:** Not available.

8.2 Exposure controls:

8.2.1Appropriate engineering controls: Use process enclosures, local exhaust ventilation or other engineering

controls to keep worker exposure to airborne contaminants below any

recommended or statutory limits.

8.2.2 Individual protection measures, such as personal protective equipment:

Eye/face protection:No special protective equipment required.Hand protection:No special protective equipment required.Body protection:No special protective equipment required.Respiratory protection:No special protective equipment required.

**Thermal hazards:** Wear suitable protective clothing to prevent heat.

**8.2.3 Environmental exposure controls:** Avoid discharge into the environment.

According to local regulations, Federal and official regulations.

# Section 9 Physical and chemical properties

# 9.1 Information on basic physical and chemical properties:

Appearance: Solid

Colour: Colored

Odour: Scented

Odour threshold: Not available

pH: Not available

Melting point/range (°C): 43 - 95 °C(CAS#64742-51-4)

**Boiling point/range (°C):** >= 341 - <= 665 °C(CAS#64742-51-4)

Flash point (°C): ca. 317 °C(CAS#64742-51-4)

Evaporation rate:

Flammability limit - lower (%):

Flammability (solid, gas):

Ignition temperature (°C):

Upper/lower flammability/explosive limits:

Not available

Not available

**Vapour pressure:** 0-20 Pa at 80°C(CAS#64742-51-4)

Vapour density: Not available

**Density:** 0.79 - 0.94 g/cm<sup>3</sup>(15 °C) (CAS#64742-51-4)

Bulk density (kg/m³): Not available

Water solubility (g/l): None

n-Octanol/Water (log Po/w):

Auto-ignition temperature:

Not available

Decomposition temperature:

Not available

**Viscosity (mPa.s):** 3 – 6mm2/s (100.0°C) (CAS#64742-51-4)

Explosive properties:

Oxidising properties:

Molecular Formula:

Not available

Not available

Not available

Not available

# 9.2. Other information:

5/8

Fat solubility(solvent- oil to be specified) Not available

etc:

Not available Surface tension: Dissociation constant in water( pKa): Not available **Oxidation-reduction Potential:** Not available Specific gravity: Not available

# Section 10 Stability and reactivity

The substance is stable under normal storage and handling conditions. 10.1 Reactivity:

Stable at room temperature in closed containers under normal storage and 10.2 Chemical stability:

handling conditions.

10.3 Possibility of hazardous reactions: No dangerous reactions known.

10.4 Conditions to avoid: Incompatible materials. 10.5 Incompatible materials: Strong oxidizing agent.

10.6 Hazardous decomposition products: Carbon oxides.

# Section 11 Toxicological information

#### 11.1 Information on toxicological effects:

Acute toxicity:

Paraffin Wax (CAS#64742-51-4)

LD50(Oral, Rat): > 5000 mg/kg bw LD50(Dermal, Rat): > 2000 mg/kg bw LC50(Inhalation, Rat): Not available Skin corrosion/Irritation: Not classified Serious eye damage/irritation: Not classified Not classified Respiratory or skin sensitization: Germ cell mutagenicity: Not classified Carcinogenicity: Not classified Reproductive toxicity: Not classified STOT- single exposure: Not classified STOT-repeated exposure: Not classified **Aspiration hazard:** Not classified

# **Section 12 Ecological information**

# 12.1 Toxicity:

Paraffin Wax (CAS#64742-51-4)

Acute(short-term) toxicity:

LC50(96h,Fish): Not available LC50(48h, Crustancea): Not available Not available EC50(72h, Algae/aquatic plants):

Chronic (long-term) toxicity:

NOEC(Fish): >=1000mg/L NOEC(Crustacea): 10 mg/L EC50(Algae/aquatic plants): Not available 12.2 Persistence and degradability: Not available. 12.3 Bioaccumulative potential: Not available. Not available. 12.4 Mobility in soil:

Product name: SPA WAX MELT -AMBER- RESTORE

12.5 Results of PBT&vPvB assessment:

SDS EU Issue date: 06-06-2024 6/8 Version # 1.0

Not available.

**12.6 Other adverse effects:** Not available.

# **Section 13 Disposal considerations**

**13.1 Waste treatment methods:** The material should be disposed of by incineration in a chemical incinerator in

compliance with national and regional requirements.

Section 14 Transport information						
	Land transport(ADR/RID)	Sea transport (IMDG)	Air transport (ICAO/IATA)			
UN-Number	Not regulated	Not regulated	Not regulated			
UN Proper shipping name	Not regulated	Not regulated	Not regulated			
Transport hazard Class	Not regulated	Not regulated	Not regulated			
Packaging group	Not regulated	Not regulated	Not regulated			
Environmental hazards	No	No	No			
Special precautions for user	See section 2.2	See section 2.2	See section 2.2			
Transport in bulk according to Annex II of Marpol and the IBC Code	Not regulated	Not regulated	Not regulated			

# **Section 15 Regulation information**

15 1	Safoty	hoalth	and	onvironn	ontal r	contatio	ne/logie	lation	enocific	for the	cubetance	or mixture
15.1	Saretv.	. neaith	and	environn	ientai r	equiatio	ns/ieais	lation	Specific	tor tne	substance	or mixture:

**Relevant information regarding authorization:**Not applicable.
Relevant information regarding restriction:
Not applicable.

Other EU regulations: Employment restrictions concerning young person must be observed.

For use only by technically qualified individuals.

Other National regulations: Not applicable

15.2 Chemical Safety Assessment has been YES

carried out?

NO

Χ	

# **Section 16 Other information**

## 16.1 Indication of changes:

Version 1.0 Amended by (EU) 2015/830

# 16.2 Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

RID:Regulation for rail International transportation of Dangerous goods

IMDG:Code international maritime dangerous goods code

ICAO:International Civil Aviation Organization

IATA:International Air Transport Association

LC50:median lethal concentration

EC50:The effective concentration of substance that causes 50% of the maximum response.

NOEC:No Observed Effect Concentration

DNEL:derived no-effect level

PNEC:predicted no-effect concentration

## 16.3 Key literature references and sources for date

ECHA Registered substances data.

# 16.4 Classfication and procedure used to derive the classification for mixtures according to Regulation(EC) 1272/2008[CLP]

Classification according to Regulation (EC)No.1272/2008		Classification procedure
Aquatic Chronic 3	H412	Calculation method

## 16.5 Relevant H-Statements (number and full text):

H315:Causes skin irritation.

H317:May cause an allergic skin reaction.

H319: Causes serious eye irritation.

H411:Toxic to aquatic life with long lasting effects.

H412:Harmful to aquatic life with long lasting effects.

### **16.6 Training instructions:**

Not applicable.

#### 16.7 Further information:

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

#### 16.8 Notice to reader:

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgment of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Product name: SPA WAX MELT -AMBER- RESTORE

SDS EU Version #: 1.0 Issue date: 06-06-2024 8/8