Safety Data Sheet According to Regulation (EC) No 1907/2006

SPA WAX MELT - ESCAPE

Version 1.0 Issue date:06/06/2024 Revision date:06/06/2024

Section 1 Identification of the substance/mixture and of the company/undertaking		
1.1 Product identifier:		
Identification on the label/Trade name:	SPA WAX MELT-ESCAPE	
Identification of the product:	See section 3	
Index Number:	Not available	
REACH registration No.:	Not available	
1.2 Relevant identified uses of the substance	e and uses advised against:	
1.2.1 Identified uses:		
Not available		
1.2.2 Uses advised against:		
Not available		
1.3 Details of the supplier of the safety data s	sheet:	
Supplier:	-	
Supplier(Manufacturer):	ZHEJAING TALENT FAREAST HOME GIFTS CO., LTD	
Address:	NO.123 GUANGBO RD, FUCUN TOWN ,JINHUA CITY ,ZHEJIANG CHINA	
Contact person(E-mail):	Sales10@talentfareast.com	
Telephone:	+86- 579-8222 2283	
Fax:	+86- 579-85865670	
1.4 Emergency telephone Number:		
+86- 579-85865688		
Available outside office hours?	YES NO X	
Section 2 Hazards Identification		
2.1 Classification of the substance/mixture:		

2.1.1 Classification:

The mixture is classified as following according to REGULATION (EC) No 1272/2008:

REGULATION (EC) No 1272/2008		
Hazard classes/Hazard categories	Hazard codes	
N/A	N/A	

For full text of H- phrases: see section 2.2.

2.2 label elements:

Hazard Pictograms:	No hazard pictogram is used.
Signal Word(S):	No signal word is used.
Hazard Statement:	H412:Harmful to aquatic life with long lasting effects.
	Contains(R)-p-mentha-1,8-diene, 3,7-dimethyl-1,6-octadien-3-ol, Citral
	. May produce an allergic reaction.
Precautionary statement:	P302+P352:IF ON SKIN: Wash with plenty of soap and water.
	P333+P313:If skin irritation or rash occurs:Get medical advice/attention.
	P501:Dispose of contents/container in accordance with local regulations.
2.2 Other hererde.	

2.3 Other hazards:

Not available.

Section 3 Composition/information on ingredients

Substance/Mixture:

Mixture

Chemical Name	Registration	CAS No.	EC No.	Concentrati	classifications
	No.			on	
Paraffin Wax	N/A	64742-51-4	265-154-5	47%	Not Classified
Palm Oil	N/A	8002-75-3	232-316-1	45%	Not Classified
Fragrance	N/A	Mixture	Mixture	8%	See below details
See Section below for composi	tion of Fragrance				
Benzyl benzoate	N/A	120-51-4	204-402-9	0.8-<1.6%	H302, H400, H411
2,6-dimethyloct-7-en-2-ol	N/A	18479-58-8	242-362-4	0.4-<0.8%	H315, H319 H336
3,7-Dimethylocta-1,6-dien-3-ol	N/A	78-70-6	201-134-4	0.4-<0.8%	H317
Decanal	N/A	112-31-2	203-957-4	0.4-<0.8%	H319, H412
(R)-p-Mentha-1,8-diene	N/A	5989-27-5	227-813-5	0.4-<0.8%	H226, H304, H315, H317,H410
Citral	N/A	5392-40-5	5392-40-5	0.08-<0.4%	H315- H317-H319,
p-mentha-1,4(8)-diene	N/A	586-62-9	209-578-0	0.08-<0.4%	H226-H304- H317-H410
Octanal	N/A	124-13-0	204-683-8	0.08-<0.4%	H226, H315, H319, H411
2'-acetonaphthone	N/A	93-08-3	202-216-2	0.08-<0.4%	Not Classified
Terpineol	N/A	8000-41-7	232-268-1	0.08-<0.4%	H315-H319,
Linalyl acetate	N/A	115-95-7	204-116-4	0.08-<0.4%	H315- H317-H319,-
Geranyl acetate	N/A	105-87-3	203-341-5	0.008-<0.08	H315-H317-H412,
Cineole	N/A	470-82-6	207-431-5	0.008-<0.08	H226-H317,
3,7-Dimethylocta-2,6- dien-1-yl acetate	N/A	141-12-8	205-459-2	0.008-<0.08	H315-H317
Pin-2(3)-ene	N/A	80-56-8	201-291-9	0.008-<0.08	H226-H302-H304- H315-H317-H410
Geraniol	N/A	106-24-1	203-377-1	0.008-<0.08	H315- H317-H318
p-Cymene	N/A	99-87-6	99-87-6	0.008-<0.08	H226-H304-H331- H361-H411
Allyl 3- cyclohexylpropionate	N/A	2705-87-5	220-292-5	0.008-<0.08	H317-H332-H400- H411
p-Mentha-1,4-diene	N/A	99-85-4	202-794-6	0.008-<0.08	H226-H304- H361-H411

2,6-di-tert-butyl-p-cresol	N/A	128-37-0	204-881-4	0.008-<0.08 %	H410
Nero	N/A	106-25-2	203-378-7	0.008-<0.08 %	H315- H317-H319,
a-hexylcinnamaldehyde	N/A	101-86-0	202-983-3	0.008-<0.08 %	H317-H400- H411
7-methyl-3- methylideneocta-1,6- diene	N/A	123-35-3	204-622-5	0.008-<0.08 %	H226-H304-H315- H319-H400-H411
Camphene	N/A	79-92-5	201-234-8	0.008-<0.08 %	H228-H319-H410
Allyl hexanoate	N/A	123-68-2	204-642-4	0.008-<0.08 %	H301-H311-H331- H400-H411
1-(2,6,6-trimethyl-1,3- cyclohexadien-1-yl)-2- buten-1-one	N/A	23696-85-7	245-833-2	<0.008%	H315-H317-H411

Section 4 First aid measures

4.1 Description of first aid measures:

Contact with skin:

Remove all contaminated clothing, wash with plenty of water and soap. Seek medical attention.

Contact with eyes:

Flush immediately with water for at least 10 minutes.

Contact physician if symptoms persist.

Swallowing:

Rinse mouth with water.

In severe cases seek medical attention and show the safety date sheet.

Inhalation:

No damage to health is expected.

4.2 Most important symptoms and effects, both acute and delayed:

The product is not classified as harmful to human health effect.

4.3 Indication of any immediate medical attention and special treatment needed:

If skin irritation or rash occurs, get medical advice/attention.

Section 5 Fire-Fighting measures	
5.1 Extinguishing media:	
Recommended extinguishers:	Carbon dioxide, foam or powder-fire extinguisher.
Extinguishers not to be used:	Do not use a direst water jet on burning material.
Fire control measures:	Fire personnel must wear a breathing apparatus, wearing a full-body firefighting
	suit, on the wind to extinguish the fire.
	Move the container from the fire to the open as far as possible.
	Containers in fire must be evacuated immediately if they become discolored or
	sound from a safety relief device.
	Isolate the scene of the accident and forbid irrelevant personnel to enter.
5.2 Special hazards arising from the substance or mixture	Risks arising from combustion: Avoid inhaling the fumes.
5.3 Advice for firefighters:	Protective Equipment: Use protection for the respiratory tract.
Product name:SPA WAX MELT ESCAPE	SDS EU

Additional Information: Contaminated fire extinguishing water must be collected separately; it must not enter sewerage system.

6.1 Personal precautions, protective equip	oment and emergency procedures:
6.1.1 For non-emergency personnel:	Prevent further leakage or spillage if safe to do so. Keep away from Incompatible products.
6.1.2 For emergency responders:	Wear an appropriate NIOSH/MSHA approved respirator if dust is generated.
6.2 Environmental Precautions:	Do not allow material to be released to the environment without proper governmental permits.
6.3 Methods for Containment and Cleaning up:	Pick up mechanically.
6.4 Reference to other sections:	See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.
	See Section 13 for information on disposal.
Section 7 Handling and storage	
7.1 Precautions for safe handling:	
7.1.1 Protective measures:	Observe label precautions.
7.1.2 Advice on general occupational	Do not eat, drink and smoke in work areas. Wash hands after use. Remove
hygiene:	contaminated clothing and protective equipment before entering eating areas.
7.2 Conditions for safe storage,	Storage in a well-ventilated, cool area.
including	
any incompatibilities:	N
7.3 Specific end use(s):	Not applicable.
Section 8 Exposure Controls/Persona	I Protection
8.1 Control parameters:	
8.1.1 Occupational exposure limits:	Not available.
8.1.2 Additional exposure limits under the	Not available.
conditions of use:	
conditions of use: 8.1.3 DNEL/DMEL and PNEC-Values:	Not available.
conditions of use:	Use process enclosures, local exhaust ventilation or other engineering controls
conditions of use: 8.1.3 DNEL/DMEL and PNEC-Values: 8.2 Exposure controls:	Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.
conditions of use: 8.1.3 DNEL/DMEL and PNEC-Values: 8.2 Exposure controls: 8.2.1Appropriate engineering controls:	Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.
conditions of use: 8.1.3 DNEL/DMEL and PNEC-Values: 8.2 Exposure controls: 8.2.1Appropriate engineering controls: 8.2.2 Individual protection measures, suc	Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.
conditions of use: 8.1.3 DNEL/DMEL and PNEC-Values: 8.2 Exposure controls: 8.2.1Appropriate engineering controls: 8.2.2 Individual protection measures, suc Eye/face protection:	Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. :h as personal protective equipment: No special protective equipment required.
conditions of use: 8.1.3 DNEL/DMEL and PNEC-Values: 8.2 Exposure controls: 8.2.1Appropriate engineering controls: 8.2.2 Individual protection measures, suc Eye/face protection: Hand protection:	Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. th as personal protective equipment: No special protective equipment required. No special protective equipment required.
conditions of use: 8.1.3 DNEL/DMEL and PNEC-Values: 8.2 Exposure controls: 8.2.1Appropriate engineering controls: 8.2.2 Individual protection measures, suc Eye/face protection: Hand protection: Body protection:	Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. Th as personal protective equipment: No special protective equipment required. No special protective equipment required. No special protective equipment required. No special protective equipment required.
conditions of use: 8.1.3 DNEL/DMEL and PNEC-Values: 8.2 Exposure controls: 8.2.1Appropriate engineering controls: 8.2.2 Individual protection measures, suc Eye/face protection: Hand protection: Body protection: Respiratory protection:	Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. Th as personal protective equipment: No special protective equipment required. No special protective equipment required. No special protective equipment required. No special protective equipment required. Wear suitable protective clothing to prevent heat. Avoid discharge into the environment.
conditions of use: 8.1.3 DNEL/DMEL and PNEC-Values: 8.2 Exposure controls: 8.2.1Appropriate engineering controls: 8.2.2 Individual protection measures, suc Eye/face protection: Hand protection: Body protection: Respiratory protection: Thermal hazards: 8.2.3 Environmental exposure controls:	Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. Th as personal protective equipment: No special protective equipment required. No special protective equipment required. No special protective equipment required. No special protective equipment required. Wear suitable protective clothing to prevent heat. Avoid discharge into the environment. According to local regulations, Federal and official regulations.
conditions of use: 8.1.3 DNEL/DMEL and PNEC-Values: 8.2 Exposure controls: 8.2.1Appropriate engineering controls: 8.2.2 Individual protection measures, suc Eye/face protection: Hand protection: Body protection: Respiratory protection: Thermal hazards: 8.2.3 Environmental exposure controls: Section 9 Physical and chemical prop	Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. In as personal protective equipment: No special protective equipment required. No special protective equipment required. No special protective equipment required. No special protective equipment required. Vear suitable protective equipment required. Vear suitable protective clothing to prevent heat. Avoid discharge into the environment. According to local regulations, Federal and official regulations.
conditions of use: 8.1.3 DNEL/DMEL and PNEC-Values: 8.2 Exposure controls: 8.2.1Appropriate engineering controls: 8.2.2 Individual protection measures, suc Eye/face protection: Hand protection: Body protection: Respiratory protection: Thermal hazards: 8.2.3 Environmental exposure controls:	Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. In as personal protective equipment: No special protective equipment required. No special protective equipment required. No special protective equipment required. No special protective equipment required. Wear suitable protective equipment required. Vear suitable protective clothing to prevent heat. Avoid discharge into the environment. According to local regulations, Federal and official regulations.

Colored Scented

Product name:SPA WAX MELT ESCAPE Version #: 1.0 Issue date: 06-06-2024

Colour:

Odour:

Odour threshold:	Neterallela
	Not available
pH:	Not available
Melting point/range (°C):	43 - 95 °C(CAS#64742-51-4)
Boiling point/range (°C):	>= 341 - <= 665 °C(CAS#64742-51-4)
Flash point (°C):	ca. 317 °C(CAS#64742-51-4)
Evaporation rate:	Not available
Flammability limit - lower (%):	Not available
Flammability (solid, gas):	Not available
Ignition temperature (°C):	Not available
Upper/lower flammability/explosive limits:	Not available
Vapour pressure:	0-20 Pa at 80°C(CAS#64742-51-4)
Vapour density:	Not available
Density:	0.79 - 0.94 g/cm³(15 °C) (CAS#64742-51-4)
Bulk density (kg/m³):	Not available
Water solubility (g/l):	None
n-Octanol/Water (log Po/w):	Not available
Auto-ignition temperature:	Not available
Decomposition temperature:	Not available
Viscosity (mPa.s):	3 – 6mm2/s (100.0°C) (CAS#64742-51-4)
Explosive properties:	Not available
Oxidising properties:	Not available
Molecular Formula:	Not available
Molecular Weight:	Not available
9.2. Other information:	
Fat solubility(solvent– oil to be specified)	Not available
etc:	
Surface tension:	Not available
Dissociation constant in water(pKa):	Not available
Oxidation-reduction Potential:	Not available
Specific gravity:	Not available
Section 10 Stability and reactivity	
10.1 Reactivity:	The substance is stable under normal storage and handling conditions.
10.2 Chemical stability:	Stable at room temperature in closed containers under normal storage and
	handling conditions.
10.3 Possibility of hazardous reactions:	No dangerous reactions known.
10.4 Conditions to avoid:	Incompatible materials.
10.5 Incompatible materials: 10.6 Hazardous decomposition	Strong oxidizing agent. Carbon oxides.
10.6 Hazardous decomposition products:	Carbon oxides.
Section 11 Toxicological information	
11.1 Information on toxicological effects:	
Acute toxicity:	
Paraffin Wax (CAS#64742-51-4)	
	> 5000 mg/kg by
LD50(Oral, Rat):	> 5000 mg/kg bw
LD50(Dermal, Rat):	> 2000 mg/kg bw
LC50(Inhalation, Rat):	Not available

Skin corrosion/Irritation:	Not classified
Serious eye damage/irritation:	Not classified
Respiratory or skin sensitization:	Not classified
Germ cell mutagenicity:	Not classified
Carcinogenicity:	Not classified
Reproductive toxicity:	Not classified
STOT- single exposure:	Not classified
STOT-repeated exposure:	Not classified
Aspiration hazard:	Not classified

Section 12 Ecological information

12.1 Toxicity:

Paraffin Wax (CAS#64742-51-4)	
Acute(short-term) toxicity:	
LC50(96h,Fish):	Not available
LC50(48h,Crustancea):	Not available
EC50(72h,Algae/aquatic plants):	Not available
Chronic (long-term) toxicity:	
NOEC(Fish):	>=1000mg/L
NOEC(Crustacea):	10 mg/L
EC50(Algae/aquatic plants):	Not available
12.2 Persistence and degradability:	Not available.
12.3 Bioaccumulative potential:	Not available.
12.4 Mobility in soil:	Not available.
12.5 Results of PBT&vPvB assessment:	Not available.
12.6 Other adverse effects:	Not available.
Section 13 Disposal considerations	

13.1 Waste treatment methods:

The material should be disposed of by incineration in a chemical incinerator in compliance with national and regional requirements.

Section 14 Transport information			
	Land transport(ADR/RID)	Sea transport (IMDG)	Air transport (ICAO/IATA)
UN-Number	Not regulated	Not regulated	Not regulated
UN Proper shipping name	Not regulated	Not regulated	Not regulated
Transport hazard Class	Not regulated	Not regulated	Not regulated
Packaging group	Not regulated	Not regulated	Not regulated
Environmental hazards	No	No	No
Special precautions for user	See section 2.2	See section 2.2	See section 2.2
Transport in bulk according to Annex II of Marpol and the IBC Code	Not regulated	Not regulated	Not regulated

Section 15 Regulation information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Relevant information regarding authorization:	Not applicable.
Relevant information regarding restriction:	Not applicable.
Other EU regulations:	Employment restrictions concerning young person must be observed.
	For use only by technically qualified individuals.
Other National regulations:	Not applicable
15.2 Chemical Safety Assessment has been	YES NO X

carried out?

Section 16 Other information

16.1 Indication of changes:

Version 1.0 Amended by (EU) 2015/830

16.2 Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

RID:Regulation for rail International transportation of Dangerous goods

IMDG:Code international maritime dangerous goods code

ICAO: International Civil Aviation Organization

IATA:International Air Transport Association

LC50:median lethal concentration

EC50:The effective concentration of substance that causes 50% of the maximum response.

NOEC:No Observed Effect Concentration

DNEL:derived no-effect level

PNEC:predicted no-effect concentration

16.3 Key literature references and sources for date

ECHA Registered substances data.

16.4 Classification and procedure used to derive the classification for mixtures according to Regulation(EC) 1272/2008[CLP]

Classification according to Regulation (EC)No.1272/2008		Classification procedure
Aquatic Chronic 3	H412	Calculation method

16.5 Relevant H-Statements (number and full text) :

H315:Causes skin irritation.

H317:May cause an allergic skin reaction.

H319:Causes serious eye irritation.

H411:Toxic to aquatic life with long lasting effects.

H412:Harmful to aquatic life with long lasting effects.

16.6 Training instructions:

Not applicable

16.7 Further information:

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

16.8 Notice to reader:

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgment of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.