# home fragrance

# SAFETY DATA SHEET

Version #: 03

Issue date: 02-December-2021 Revision date: 19-April-2023 Supersedes date: 11-January-2023

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation

of the mixture

**EXOTIC FRUITS CANDLE 1570508E** 

Registration number

**Synonyms** None 1570508F Product code

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses General Public Use Uses advised against None known

1.3. Details of the supplier of the safety data sheet

Yankee Candle Company (Europe) Limited Company name

Poplar Way East, Cabot Park **Company Address** 

> Avonmouth Bristol

United Kingdom **BS11 0YH** 

1.4. Emergency telephone number

General in EU 112 (Available 24 hours a day. SDS/Product information may not be available for

the Emergency Service.)

**Austria National Poisons** 

Information Centre

+431 406 4343 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

**Belgium National Poisons** 

**Control Centre** 

070 245 245 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

**Bulgaria National** 

**Toxicological Information** 

Centre

+359 2 9154233 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

**Czech Republic National Poisons Information** 

Centre

+420 224 919 293, or +420 224 915 402 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

**Denmark National Poisons** 

**Control Centre** 

+45 82 12 12 12 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

**Estonia National Poisons** Information Centre

16662 or abroad: (+372) 626 9390 (Monday 9:00AM to Saturday 9:00AM (closed on Sundays and on national holidays). SDS/Product information may not be

available for the Emergency Service.)

**Finland National Poison** Information Centre

(09) 471 977 (direct) or (09) 4711 (exchange) (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

**France National Poisons Control Centre** 

ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

**Hungary National Emergency Phone Number**  36 80 20 11 99 (Available 24 hours a day, SDS/Product information may not be available for the Emergency Service.)

Lithuania Neatidėliotina informacija apsinuodijus +370 5 236 20 52 or +37068753378 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

Malta Accident and **Emergency Department**  2545 4030 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

**Netherlands National Poisons Information** Centre (NVIC)

030-274 88 88 (Only for the purpose of informing medical personnel in cases of

acute intoxications)

SDS EU 1570508E Version #: 03 Revision date: 19-April-2023 Issue date: 02-December-2021

#### 1.4. Emergency telephone number

**Norway Norwegian Poison** 22 59 13 00 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.) **Information Centre** 

800 250 250 (Available 24 hours a day. SDS/Product information may not be **Portugal Poison Centre** 

available for the Emergency Service.)

021.318.36.06 (Available 8:00AM-3:00PM. SDS/Product information may not be Romania Biroul RSI si

available for the Emergency Service.) Informare Toxicologica

**Slovakia National Toxicological Information** 

Centre

+421 2 5477 4166 (Available 24 hours a day. SDS/Product information may not

be available for the Emergency Service.)

**Sweden National Poison** Information Centre

112 - and ask for Poison Information (Available 24 hours a day. SDS/Product

information may not be available for the Emergency Service.)

Switzerland Tox Info 145 (Available 24 hours a day, SDS/Product information may not be available for

the Emergency Service.) Suisse

### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

### Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

#### 2.2. Label elements

#### Label according to Regulation (EC) No. 1272/2008 as amended

Hazard pictograms None. Signal word None

**Hazard statements** The mixture does not meet the criteria for classification.

**Precautionary statements** 

Prevention Not applicable. Not applicable. Response Not applicable. Storage **Disposal** Not applicable.

EUH208 - Contains Linalool, Octabenzone, Allyl cyclohexanepropionate, delta-Damascone. May Supplemental label information

produce an allergic reaction.

2.3. Other hazards This mixture does not contain substances assessed to be vPvB / PBT according to Regulation

(EC) No 1907/2006, Annex XIII. The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or

Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

# **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

levels

### General information

| Chemical name               | %                                   | CAS-No. / EC No.        | REACH Registration No.   | Index No.     | Notes |
|-----------------------------|-------------------------------------|-------------------------|--|---------------|-------|
| benzyl benzoate             | 1 - 3                               | 120-51-4<br>204-402-9   | -  | 607-085-00-9  |       |
| Classi                      | ification: Acute Tox.<br>Chronic 2; |                         | ng/kg bw), Aquatic Acute 1;F   | l400, Aquatic |       |
| Linalool                    | ≤ 0,3                               | 78-70-6<br>201-134-4    | -  | 603-235-00-2  |       |
| Class                       | ification: Skin Irrit. 2            | 2;H315, Eye Irrit. 2;H3 | 319, Skin Sens. 1B;H317  |               |       |
| Octabenzone                 | ≤ 0,3                               | 1843-05-6<br>217-421-2  | -  | -             |       |
| Class                       | ification: Skin Sens                | . 1B;H317               |  |               |       |
| Allyl cyclohexanepropionate | ≤ 0,2                               | 2705-87-5<br>220-292-5  | -  | -             |       |
| Class                       | mg/kg bw)                           |                         | ng/kg bw), Acute Tox. 4;H31<br>ATE: 11 mg/l), Skin Sens. 1<br>Chronic 1;H410 |               |       |

Material name: EXOTIC FRUITS CANDLE 1570508E

SDS EU 1570508E Version #: 03 Revision date: 19-April-2023 Issue date: 02-December-2021

### List of abbreviations and symbols that may be used above

ATE: Acute toxicity estimate.

M: M-factor

PBT: persistent, bioaccumulative and toxic substance. vPvB: very persistent and very bioaccumulative substance.

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume. #: This

substance has been assigned Union workplace exposure limit(s).

The full text for all H-statements is displayed in section 16. **Composition comments** 

#### **SECTION 4: First aid measures**

**General information** Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

4.1. Description of first aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Wash off with soap and water. Get medical attention if irritation develops and persists. Skin contact

Rinse with water. Get medical attention if irritation develops and persists. **Eve contact** 

Rinse mouth. Get medical attention if symptoms occur. Ingestion

4.2. Most important symptoms

and effects, both acute and

delayed

Nausea

4.3. Indication of any immediate medical attention and special treatment needed Treat symptomatically.

# **SECTION 5: Firefighting measures**

General fire hazards No unusual fire or explosion hazards noted.

5.1. Extinguishing media

Suitable extinguishing

media

Foam. Dry powder. Dry sand. Carbon dioxide (CO2).

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Special protective equipment for firefighters

Special fire fighting

procedures

Move containers from fire area if you can do so without risk.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

# **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency

personnel

Wear appropriate personal protective equipment.

For emergency responders Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.

Avoid discharge into drains, water courses or onto the ground. 6.2. Environmental precautions

6.3. Methods and material for containment and cleaning up Stop the flow of material, if this is without risk. Following product recovery, flush area with water.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

6.4. Reference to other

sections

For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

### **SECTION 7: Handling and storage**

7.1. Precautions for safe

handling

Avoid prolonged exposure. Observe good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed container. Store away from incompatible materials (see Section 10 of the

SDS).

7.3. Specific end use(s) Not available.

### **SECTION 8: Exposure controls/personal protection**

8.1. Control parameters

Material name: EXOTIC FRUITS CANDLE 1570508E

# Occupational exposure limits

| Belgium. Exposure Limit Values<br>Components  | Туре                               | Value                                  | Form                              |
|---|------------------------------------|--|-----------------------------------|
| Paraffin waxes and<br>Hydrocarbon waxes (CAS<br>1002-74-2)                                      | TWA                                | 2 mg/m3                                | Fume.                             |
| Paraffinum liquidum (CAS<br>8042-47-5)  | STEL                               | 10 mg/m3                               | Mist.                             |
|   | TWA                                | 5 mg/m3                                | Mist.                             |
| Bulgaria. OELs. Regulation No 13 on Components  | protection of workers aga<br>Type  | inst risks of exposure to che<br>Value | mical agents at work              |
| Paraffinum liquidum (CAS<br>042-47-5)   | TWA                                | 5 mg/m3                                |                                   |
| Croatia. Dangerous Substance Expos<br>Components  | sure Limit Values in the Wo        | orkplace (ELVs), Annexes 1 a<br>Value  | and 2, Narodne Novine, 13<br>Form |
| Paraffin waxes and<br>Hydrocarbon waxes (CAS<br>3002-74-2)                                      | MAC                                | 2 mg/m3                                | Fume.                             |
| ,   | STEL                               | 6 mg/m3                                | Fume.                             |
| Czech Republic. OELs. Government I<br>Components  | Decree 361<br>Type                 | Value                                  | Form                              |
| Paraffinum liquidum (CAS<br>8042-47-5)  | Ceiling                            | 10 mg/m3                               | Aerosol                           |
| ,   | TWA                                | 5 mg/m3                                | Aerosol                           |
| Denmark. Exposure Limit Values<br>Components  | Туре                               | Value                                  | Form                              |
| Paraffin waxes and<br>Hydrocarbon waxes (CAS<br>8002-74-2)                                      | TLV                                | 2 mg/m3                                | Fume.                             |
| Paraffinum liquidum (CAS<br>3042-47-5)  | TLV                                | 1 mg/m3                                | Mist.                             |
| Estonia. OELs. Occupational Exposu<br>Components  | re Limits of Hazardous Su<br>Type  | bstances (Regulation No. 109<br>Value  | 5/2001, Annex), as amend<br>Form  |
| Paraffin waxes and<br>Hydrocarbon waxes (CAS<br>8002-74-2)                                      | TWA                                | 2 mg/m3                                | Vapour.                           |
| Finland. Workplace Exposure Limits Components   | Туре                               | Value                                  | Form                              |
| Paraffin waxes and<br>Hydrocarbon waxes (CAS<br>1002-74-2)                                      | TWA                                | 1 mg/m3                                | Fume.                             |
| Paraffinum liquidum (CAS<br>8042-47-5)  | TWA                                | 5 mg/m3                                | Mist.                             |
| France. Threshold Limit Values (VLEI<br>Components  | P) for Occupational Expos<br>Type  | ure to Chemicals in France, I<br>Value | NRS ED 984<br>Form                |
| Paraffin waxes and<br>Hydrocarbon waxes (CAS<br>8002-74-2)<br>Regulatory status: Indicative lin | VME                                | 2 mg/m3                                | Fume.                             |
| Germany. DFG MAK List (advisory Of  | ` '                                | nvestigation of Health Hazar           | ds of Chemical Compoun            |
| n the Work Area (DFG)<br>Components   | Туре                               | Value                                  | Form                              |
| Paraffinum liquidum (CAS<br>042-47-5)   | TWA                                | 5 mg/m3                                | Respirable fraction.              |
| Germany. TRGS 900, Limit Values in t  | the Ambient Air at the Wor<br>Type | kplace<br>Value                        | Form                              |
| •   |                                    |  |                                   |

8042-47-5)

| Greece. OELs (Decree No. 90/1999<br>Components             | Туре                                    | Value                               | Form                |
|--|---|-------------------------------------|---------------------|
| Paraffin waxes and<br>Hydrocarbon waxes (CAS<br>8002-74-2) | STEL                                    | 6 mg/m3                             | Fume.               |
|  | TWA                                     | 2 mg/m3                             | Fume.               |
| Paraffinum liquidum (CAS<br>8042-47-5)                     | TWA                                     | 5 mg/m3                             | Mist.               |
| Hungary. OELs. Joint Decree on C<br>Components             | Chemical Safety of Workplaces<br>Type   | S<br>Value                          |                     |
| Paraffinum liquidum (CAS<br>8042-47-5)                     | TWA                                     | 5 mg/m3                             |                     |
| Iceland. OELs. Regulation 154/19                           | 99 on occupational exposure I           | imits                               |                     |
| Components   | Туре                                    | Value                               | Form                |
| Paraffin waxes and<br>Hydrocarbon waxes (CAS<br>8002-74-2) | TWA                                     | 2 mg/m3                             | Fume.               |
| Paraffinum liquidum (CAS<br>8042-47-5)                     | TWA                                     | 1 mg/m3                             | Mist.               |
| Ireland. Occupational Exposure L<br>Components             | imits<br>Type                           | Value                               | Form                |
| Paraffin waxes and<br>Hydrocarbon waxes (CAS<br>8002-74-2) | STEL                                    | 6 mg/m3                             | Fume.               |
| ,  | TWA                                     | 2 mg/m3                             | Fume.               |
| Paraffinum liquidum (CAS<br>8042-47-5)                     | TWA                                     | 5 mg/m3                             | Inhalable fraction. |
| Italy. Occupational Exposure Limi<br>Components            | its<br>Type                             | Value                               | Form                |
| Paraffin waxes and<br>Hydrocarbon waxes (CAS<br>8002-74-2) | TWA                                     | 2 mg/m3                             | Fume.               |
| Paraffinum liquidum (CAS<br>8042-47-5)                     | TWA                                     | 5 mg/m3                             | Inhalable fraction. |
| Latvia. OELs. Occupational expos<br>Components             | sure limit values of chemical s<br>Type | ubstances in work environm<br>Value | ent                 |
| Paraffinum liquidum (CAS<br>8042-47-5)                     | TWA                                     | 5 mg/m3                             |                     |
| Lithuania. OELs. Limit Values for                          | Chemical Substances, Gener              | al Requirements                     |                     |
| Components   | Туре                                    | Value                               | Form                |
| Paraffinum liquidum (CAS<br>8042-47-5)                     | STEL                                    | 3 mg/m3                             | Fume and mist.      |
|  | TWA                                     | 1 mg/m3                             | Fume and mist.      |
| Netherlands. OELs (binding)                                |   |                                     |                     |
| Components   | Туре                                    | Value                               | Form                |
| Paraffinum liquidum (CAS<br>8042-47-5)                     | TWA                                     | 5 mg/m3                             | Mist.               |
| NI A.I. I.I. 41 M  | r Contaminants in the Worknia           |                                     |                     |
| Norway. Administrative Norms for Components                | Type                                    | Value                               | Form                |
|  |   | Value 2 mg/m3                       | Form<br>Fume.       |

| Components   | Туре  | Value  | Form                     |  |
|--|---|--|--------------------------|--|
| Paraffin waxes and<br>Hydrocarbon waxes (CAS<br>3002-74-2)   | TWA   | 2 mg/m3  | Inhalable fraction.      |  |
| Paraffinum liquidum (CAS<br>3042-47-5)   | TWA   | 5 mg/m3  | Inhalable fraction.      |  |
| Portugal. VLEs. Norm on occupational o<br>Components   | exposure to chemical ac<br>Type                   | gents (NP 1796)<br>Value                           | Form                     |  |
| Paraffin waxes and<br>Hydrocarbon waxes (CAS<br>3002-74-2)   | TWA   | 2 mg/m3  | Fume.                    |  |
| Paraffinum liquidum (CAS<br>3042-47-5)   | TWA   | 5 mg/m3  | Inhalable fraction.      |  |
| Romania. OELs. Protection of workers f<br>Components   | from exposure to chemi<br>Type                    | cal agents at the workplace<br>Value               | Form                     |  |
| Paraffin waxes and<br>Hydrocarbon waxes (CAS<br>8002-74-2)   | STEL  | 6 mg/m3  | Fume.                    |  |
|  | TWA   | 2 mg/m3  | Fume.                    |  |
| Paraffinum liquidum (CAS<br>3042-47-5)   | STEL  | 10 mg/m3   |                          |  |
| 5074- <del>4</del> 1-0]  | TWA   | 5 mg/m3  |                          |  |
| Slovakia. OELs. Regulation No. 300/200<br>Components   | 7 concerning protection<br>Type                   | n of health in work with chem<br>Value             | ical agents<br>Form      |  |
| Paraffin waxes and<br>Hydrocarbon waxes (CAS<br>8002-74-2)   | STEL  | 6 mg/m3  | Fume.                    |  |
| ·  | TWA   | 2 mg/m3  | Fume.                    |  |
| Paraffinum liquidum (CAS<br>8042-47-5)   | STEL  | 3 mg/m3  | Fume and mist.           |  |
|  |   | 15 ppm   | Fume and mist.           |  |
|  | TWA   | 1 mg/m3  | Fume and mist.           |  |
|  |   | 5 ppm  | Fume and mist.           |  |
| Slovenia. OELs. Regulations concernin<br>Official Gazette of the Republic of Slov  |   | against risks due to exposur                       | e to chemicals while wor |  |
| Components   | Туре  | Value  | Form                     |  |
| Paraffinum liquidum (CAS<br>3042-47-5)   | TWA   | 5 mg/m3  | Respirable fraction.     |  |
| Spain. Occupational Exposure Limits Components   | Туре  | Value  | Form                     |  |
| Paraffin waxes and<br>Hydrocarbon waxes (CAS<br>3002-74-2)   | TWA   | 2 mg/m3  | Fume.                    |  |
| ,  | STEL  | 10 mg/m3   | Mist.                    |  |
| Paraffinum liquidum (CAS<br>3042-47-5)   |   | 5 mg/m3  | Mist.                    |  |
|  | TWA   | 3  |                          |  |
| 3042-47-5)  Sweden. OELs. Work Environment Auth  |   | _  | S 2015:7)<br>Form        |  |
| Sweden. OELs. Work Environment Auth<br>Components Paraffinum liquidum (CAS   | nority (AV), Occupationa                          | l Exposure Limit Values (AFS                       |                          |  |
| Sweden. OELs. Work Environment Auth<br>Components Paraffinum liquidum (CAS   | ority (AV), Occupationa<br>Type                   | l Exposure Limit Values (AFS<br>Value              | Form                     |  |
| Sweden. OELs. Work Environment Auth<br>Components Paraffinum liquidum (CAS<br>3042-47-5)  Switzerland. SUVA Grenzwerte am Arbe | ority (AV), Occupationa Type  STEL  TWA sitsplatz | I Exposure Limit Values (AFS Value 3 mg/m3 1 mg/m3 | Form Mist. Mist.         |  |
|  | ority (AV), Occupationa Type  STEL  TWA           | I Exposure Limit Values (AFS Value 3 mg/m3         | Form Mist.               |  |

Switzerland. SUVA Grenzwerte am Arbeitsplatz Form Value Components Paraffinum liquidum (CAS TWA 5 mg/m3 Inhalable fraction. 8042-47-5) **UK. EH40 Workplace Exposure Limits (WELs)** Form Components Value Type Paraffin waxes and STEL 6 mg/m3 Fume. Hydrocarbon waxes (CAS 8002-74-2)

**Biological limit values** 

No biological exposure limits noted for the ingredient(s).

Recommended monitoring

procedures

Follow standard monitoring procedures.

TWA

Derived no effect levels

(DNELs)

Not available.

Predicted no effect concentrations (PNECs) Not available.

8.2. Exposure controls

Appropriate engineering

controls

Good general ventilation should be used. Ventilation rates should be matched to conditions, If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

2 mg/m3

Fume.

Individual protection measures, such as personal protective equipment

Personal protection equipment should be chosen according to the CEN standards and in **General information** 

discussion with the supplier of the personal protective equipment.

Eve/face protection Wear safety glasses with side shields (or goggles).

Skin protection

- Hand protection Wear appropriate chemical resistant gloves.

- Other Wear suitable protective clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

Hygiene measures Always observe good personal hygiene measures, such as washing after handling the material

and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

**Environmental exposure** 

controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or

engineering modifications to the process equipment may be necessary to reduce emissions to

acceptable levels.

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state Solid Solid. **Form** 

Colour Not available. Odour Not available.

Melting point/freezing point > 39 - < 95 °C (> 102,2 - < 203 °F) Boiling point or initial boiling > 350 - < 430 °C (> 662 - < 806 °F)

point and boiling range

**Flammability** Not available.

> 204 - < 271 °C (> 399,2 - < 519,8 °F) Flash point

**Auto-ignition temperature** Not available. Not available. **Decomposition temperature** Not available. pН Kinematic viscosity  $> 2,1 - < 5 \text{ mm}^2/\text{s}$ 

Solubility

Solubility (water) Not available. Not available.

Partition coefficient (n-octanol/water) (log value)

Vapour pressure

Material name: EXOTIC FRUITS CANDLE 1570508E

>2,67 kPa

Density and/or relative density

> 800 - < 940 kg/m3 Density

1,01 g/cm3 estimated

Vapour density Not available. **Particle characteristics** Not available.

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No relevant additional information available.

9.2.2. Other safety characteristics

1,01047 estimated Specific gravity > 0,8 - < 0,94

### **SECTION 10: Stability and reactivity**

10.1. Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability Material is stable under normal conditions.

10.3. Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Contact with incompatible materials. 10.4. Conditions to avoid

Strong oxidising agents. 10.5. Incompatible materials

10.6. Hazardous decomposition products No hazardous decomposition products are known.

### **SECTION 11: Toxicological information**

**General information** Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

Inhalation May cause allergy or asthma symptoms or breathing difficulties if inhaled. Prolonged inhalation

may be harmful.

Skin contact May cause an allergic skin reaction.

Eye contact Direct contact with eyes may cause temporary irritation.

May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of Ingestion

occupational exposure.

**Symptoms** Nausea.

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

**Acute toxicity** 

| Components                  | Species   | Test Results  |
|-----------------------------|---|---------------|
| Octabenzone (CAS 1843-05-6) |   |               |
| <u>Acute</u>                |   |               |
| Dermal                      |   |               |
| LD50                        | Rabbit  | > 10 g/kg     |
| Oral                        |   |               |
| LD50                        | Rat   | > 10000 mg/kg |
| Skin corrosion/irritation   | Due to partial or complete lack of data the classification is not possible. |               |
| Serious eye damage/eye      | Due to partial or complete lack of data the classification is not possible. |               |

irritation

Respiratory sensitisation Due to partial or complete lack of data the classification is not possible. Skin sensitisation Due to partial or complete lack of data the classification is not possible. Due to partial or complete lack of data the classification is not possible. Germ cell mutagenicity Carcinogenicity Due to partial or complete lack of data the classification is not possible.

#### Hungary. 26/2000 EüM Ordinance on protection against and preventing risk relating to exposure to carcinogens at work (as amended)

Not listed.

Due to partial or complete lack of data the classification is not possible. Reproductive toxicity Specific target organ toxicity -Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity -

Due to partial or complete lack of data the classification is not possible.

repeated exposure

**Aspiration hazard** 

single exposure

Due to partial or complete lack of data the classification is not possible.

Material name: EXOTIC FRUITS CANDLE 1570508E

Mixture versus substance

information

No information available.

11.2. Information on other hazards

**Endocrine disrupting** 

properties

The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU)

2018/605 at levels of 0.1% or higher.

May cause allergic respiratory and skin reactions. Other information

**SECTION 12: Ecological information** 

12.1. Toxicity Based on available data, the classification criteria are not met for hazardous to the aquatic

environment.

12.2. Persistence and

degradability

No data is available on the degradability of any ingredients in the mixture.

12.3. Bioaccumulative potential

**Partition coefficient** n-octanol/water (log Kow)

Allyl cyclohexanepropionate benzyl benzoate Linalool

Octabenzone

4,276 3.97 2.97 6,96

7,6 Estimated

**Bioconcentration factor (BCF)** Not available. 12.4. Mobility in soil No data available.

12.5. Results of PBT and vPvB

assessment

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation

(EC) No 1907/2006, Annex XIII.

12.6. Endocrine disrupting

properties

The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU)

2018/605 at levels of 0.1% or higher.

12.7. Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

12.8. Additional information

Estonia Dangerous substances in soil Data

benzyl benzoate (CAS 120-51-4) Chemical pesticides (As the total sum of the active substances)

0,5 mg/kg

Chemical pesticides (As the total sum of the active substances) 20

Chemical pesticides (As the total sum of the active substances) 5

mg/kg

**SECTION 13: Disposal considerations** 

13.1. Waste treatment methods

Dispose of in accordance with local regulations. Empty containers or liners may retain some Residual waste

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Since emptied containers may retain product residue, follow label warnings even after container is Contaminated packaging

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

EU waste code The Waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Disposal methods/information

Dispose in accordance with all applicable regulations. **Special precautions** 

**SECTION 14: Transport information** 

**ADR** 

14.1. UN number Not regulated as dangerous goods. 14.2. UN proper shipping Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary risk

Hazard No. (ADR) Not assigned. Tunnel restriction code Not assigned. 14.4. Packing group Not assigned.

14.5. Environmental hazards No.

**14.6. Special precautions** Not assigned.

for user

**RID** 

**14.1. UN number** Not regulated as dangerous goods. **14.2. UN proper shipping** Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary risk

**14.4. Packing group** Not assigned.

14.5. Environmental hazards No.

14.6. Special precautions Not assigned.

for user

**ADN** 

14.1. UN number Not regulated as dangerous goods.14.2. UN proper shipping Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary risk

**14.4. Packing group** Not assigned.

14.5. Environmental hazards No.

14.6. Special precautions Not assigned.

for user

**IATA** 

14.1. UN number Not regulated as dangerous goods.14.2. UN proper shipping Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary risk

**14.4. Packing group** Not assigned.

14.5. Environmental hazards No.

14.6. Special precautions Not assigned.

for user

IMDG

14.1. UN number Not regulated as dangerous goods.14.2. UN proper shipping Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary risk -

**14.4. Packing group** Not assigned.

14.5. Environmental hazards

Marine pollutant

No.

EmS Not assigned.

14.6. Special precautions Not assigned.

for user

14.7. Maritime transport in bulk Not applicable.

according to IMO instruments

# **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### **EU** regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Not listed.

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Not listed

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA

Not listed.

**Authorisations** 

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended

Not listed

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Linalool (CAS 78-70-6)

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at

work, as amended.

Not listed.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

benzyl benzoate (CAS 120-51-4)

The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP Other regulations

Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation

(EC) No 1907/2006, as amended.

**National regulations** Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as

amended.

15.2. Chemical safety

assessment

No Chemical Safety Assessment has been carried out.

#### **SECTION 16: Other information**

#### List of abbreviations

ADN: European Agreement Concerning the International Carriage of Dangerous Goods by Inland

Waterways.

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

AGW: Occupational threshold limit value (Arbeitsplatzgrenzwert - Germany).

CAS: Chemical Abstract Service.

CEN: European Committee for Standardization.

IATA: International Air Transport Association.

IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous

Chemicals in Bulk.

IMDG: International Maritime Dangerous Goods.

MAC: Maximum Allowed Concentration.

MARPOL: International Convention for the Prevention of Pollution from Ships.

PBT: Persistent, bioaccumulative and toxic.

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.

STEL: Short term exposure limit. TLV: Threshold Limit Value. TWA: Time Weighted Average. VLE: Exposure Limit Value. VME: Exposure Average Value.

vPvB: Very persistent and very bioaccumulative.

# References

Not available.

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation

methods and test data, if available.

Full text of any statements, which are not written out in full

under sections 2 to 15 H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects.

**Revision information** 

**Training information** Follow training instructions when handling this material.

Material name: EXOTIC FRUITS CANDLE 1570508E

### Disclaimer

Yankee Candle s.r.o. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.