

# SAFETY DATA SHEET

Version #: 03 Issue date: 02-December-2021 Revision date: 22-April-2023 Supersedes date: 11-January-2023

	of the substance/mixture and of the company/undertaking
1.1. Product identifier Trade name or designation of the mixture	HOME INSPIRATION SOFT COTTON MEDIUM JAR CANDLE 1570512E
Registration number	-
Synonyms	None.
Product code	1570512E
1.2. Relevant identified uses of t Identified uses	the substance or mixture and uses advised against General Public Use
Uses advised against	None known.
1.3. Details of the supplier of the	e safety data sheet
Company name	Yankee Candle Company (Europe) Limited
Company Address	Poplar Way East, Cabot Park
	Avonmouth
	Bristol
	United Kingdom
	BS11 0YH
1.4. Emergency telephone numb	nor .
General in EU	112 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Austria National Poisons Information Centre	+431 406 4343 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Belgium National Poisons Control Centre	070 245 245 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Bulgaria National Toxicological Information Centre	+359 2 9154233 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Czech Republic National Poisons Information Centre	+420 224 919 293, or +420 224 915 402 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)
Denmark National Poisons Control Centre	+45 82 12 12 12 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Estonia National Poisons Information Centre	16662 or abroad: (+372) 626 9390 (Monday 9:00AM to Saturday 9:00AM (closed on Sundays and on national holidays). SDS/Product information may not be available for the Emergency Service.)
Finland National Poison Information Centre	(09) 471 977 (direct) or (09) 4711 (exchange) (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
France National Poisons Control Centre	ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Hungary National Emergency Phone Number	36 80 20 11 99 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Lithuania Neatidėliotina informacija apsinuodijus	+370 5 236 20 52 or +37068753378 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)
Malta Accident and Emergency Department	2545 4030 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)
Netherlands National Poisons Information Centre (NVIC)	030-274 88 88 (Only for the purpose of informing medical personnel in cases of acute intoxications)

# 1.4. Emergency telephone number

Norway Norwegian Poison Information Centre	22 59 13 00 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Portugal Poison Centre	800 250 250 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Romania Biroul RSI si Informare Toxicologica	021.318.36.06 (Available 8:00AM-3:00PM. SDS/Product information may not be available for the Emergency Service.)
Slovakia National Toxicological Information Centre	+421 2 5477 4166 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Sweden National Poison Information Centre	112 - and ask for Poison Information (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Switzerland Tox Info Suisse	145 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

# **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

### Classification according to Regulation (EC) No 1272/2008 as amended

Health hazards		
Skin sensitisation	Category 1A	H317 - May cause an allergic skin reaction.

# 2.2. Label elements

# Label according to Regulation (EC) No. 1272/2008 as amended

UFI:

<b>3 1 1 1 1 1 1 1 1 1 1</b>	
Austria: S3JP-W9P0-11FT-3X26 Belgium: S3JP-W9P0-11FT-3X26 Croatia: S3JP-W9P0-11FT-3X26 Cyprus: S3JP-W9P0-11FT-3X26 Czech Republic: S3JP-W9P0-11FT-3X26 Estonia: S3JP-W9P0-11FT-3X26 Estonia: S3JP-W9P0-11FT-3X26 Finland: S3JP-W9P0-11FT-3X26 France: S3JP-W9P0-11FT-3X26 Germany: S3JP-W9P0-11FT-3X26 Great Britain: S3JP-W9P0-11FT-3X26 Great Britain: S3JP-W9P0-11FT-3X26 Great Britain: S3JP-W9P0-11FT-3X26 Iceland: S3JP-W9P0-11FT-3X26 Litaly: S3JP-W9P0-11FT-3X26 Iceland: S3JP-W9P0-11FT-3X26 Italy: S3JP-W9P0-11FT-3X26 Italy: S3JP-W9P0-11FT-3X26 Latvia: S3JP-W9P0-11FT-3X26 Latvia: S3JP-W9P0-11FT-3X26 Latvia: S3JP-W9P0-11FT-3X26 Latvia: S3JP-W9P0-11FT-3X26 Doland: S3JP-W9P0-11FT-3X26 Norway: S3JP-W9P0-11FT	
Sweden: S3JP-W9P0-11FT-3X26 1,6-Nonadien-3-ol, 3,7-dimethyl-, Benzoic a	ас
, , - , <b>, , , ,</b>	

Contains:

Hazard pictograms

Signal word Hazard statements 1,6-Nonadien-3-ol, 3,7-dimethyl-, Benzoic acid, 2-hydroxy-, hexyl ester, Benzyl salicylate, Butyl cyclohexyl acetate, Hexyl Cinnamal, Isocyclemone E, Linalool, Lyral, Octabenzone, Oils, mandarin



H317	May cause an allergic skin reaction.
Precautionary statements	
Prevention	Not applicable.
Response	Not applicable.
Storage	Not applicable.
Disposal	Not applicable.
Supplemental label information	None.
2.3. Other hazards	This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII. The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

# **SECTION 3: Composition/information on ingredients**

# 3.2. Mixtures

### General information

	≤ 1 Skin Sens. ≤ 1	6259- 228-4 1B;H317,	108-6	-		-	
		1B;H317,					
	< 1		Aquatic A	cute 1;H400, Aqu	atic Chroni	c 1;H410	
	- 1	120- 204-4		-		607-085-00-9	
sincation:	Acute Tox. Chronic 2;		TE: 500 n	ng/kg bw), Aquati	c Acute 1;H	400, Aquatic	
	≤ 1	118- 204-2		-		607-754-00-5	
sification:	Eye Irrit. 2	H319, Skir	n Sens. 1E	3;H317, Aquatic C	hronic 3;H	412	
	≤ 1			-		603-212-00-7	
sification:	Aquatic Ac	ute 1;H400	, Aquatic	Chronic 1;H410			
	≤ 1			-		-	
sification:	Skin Sens.	1B;H317,	Aquatic A	cute 1;H400, Aqu	atic Chroni	c 2;H411	
	≤ 1		-	-		-	
sification:	Skin Irrit. 2	;H315, Ski	n Sens. 1	B;H317, Aquatic (	Chronic 1;H	410	
ethyl-	≤ 0,3			-		-	
sification:	Eye Irrit. 2;	H319, Skir	n Sens. 1E	3;H317			
	≤ 0,3			-		-	
sification:	Skin Sens.	1B;H317					
	≤ 0,3	-		-		603-235-00-2	
sification:	Skin Irrit. 2	;H315, Ey∉	e Irrit. 2;H	319, Skin Sens. 1	B;H317		
	≤ 0,3			-		605-040-00-8	
sification:	Skin Sens.	1A;H317					
	≤ 0,3			-		-	
sification:	Skin Sens.	1B;H317					
	≤ 0,3			-		-	
sification:					1;H317, Re	∍pr. 2;H361,	
	sification: sification: esification: ethyl- sification: sification: sification:	≤ 1 sification: Aquatic Act ≤ 1 sification: Skin Sens. ≤ 1 sification: Skin Irrit. 2 ethyl- ≤ 0,3 sification: Eye Irrit. 2; ≤ 0,3 sification: Skin Sens. ≤ 0,3 sification: Skin Sens.	sification:       Eye Irrit. 2;H319, Skir $\leq 1$ 1222         214-9       214-9         sification:       Aquatic Acute 1;H400 $\leq 1$ 101-         202-9       204-9         sification:       Skin Sens. 1B;H317, $\leq 1$ 54464         259-1       233-7         sification:       Skin Irrit. 2;H315, Skii         ethyl- $\leq 0,3$ 10339         233-7       233-7         sification:       Skin Irrit. 2;H319, Skir $\leq 0,3$ 32210         sification:       Eye Irrit. 2;H319, Skir $\leq 0,3$ 32210         sification:       Skin Sens. 1B;H317 $\leq 0,3$ 78-7         201-1       250-8         sification:       Skin Irrit. 2;H315, Eye $\leq 0,3$ 31906         250-8       250-8         sification:       Skin Sens. 1A;H317 $\leq 0,3$ 1843         217-4       217-4         sification:       Skin Sens. 1B;H317 $\leq 0,3$ 1843         217-4       203         sification:       Skin Sens. 1B;H317 </td <td>sification: Eye Irrit. 2;H319, Skin Sens. 1E         <math>\leq 1</math>       1222-05-5         214-946-9         sification: Aquatic Acute 1;H400, Aquatic         <math>\leq 1</math>       101-86-0         202-983-3         sification: Skin Sens. 1B;H317, Aquatic A         <math>\leq 1</math>       54464-57-2         259-174-3         sification: Skin Irrit. 2;H315, Skin Sens. 11         ethyl-       <math>\leq 0,3</math> <math>\geq 0,3</math>       32210-23-4         <math>\geq 50-954-9</math>         sification: Skin Sens. 1B;H317         <math>\leq 0,3</math>       78-70-6         <math>\geq 0,3</math>       78-70-6         <math>\geq 0,3</math>       31906-04-4         <math>\geq 50-863-4</math>         sification: Skin Sens. 1A;H317         <math>\leq 0,3</math>       31906-04-4         <math>\geq 0,3</math>       31906-04-4         <math>\leq 0,3</math>       31906-04-4         <math>\geq 0,3</math>       1843-05-6         <math>\geq 17-421-2</math>       201-134-4         sification: Skin Sens. 1B;H317       <math>\leq 0,3</math> <math>\leq 0,3</math>       8008-31-9         <math>616-920-6</math>       616-920-6</td> <td>sification: Eye Irrit. 2;H319, Skin Sens. 1B;H317, Aquatic C         ≤ 1       1222-05-5         214-946-9         sification: Aquatic Acute 1;H400, Aquatic Chronic 1;H410         ≤ 1       101-86-0         202-983-3         sification: Skin Sens. 1B;H317, Aquatic Acute 1;H400, Aqu         ≤ 1       54464-57-2         259-174-3         sification: Skin Irrit. 2;H315, Skin Sens. 1B;H317, Aquatic C         ethyl-       ≤ 0,3         203-955-6       -         233-732-6         sification: Eye Irrit. 2;H319, Skin Sens. 1B;H317         ≤ 0,3       32210-23-4         -       250-954-9         sification: Skin Irrit. 2;H315, Eye Irrit. 2;H319, Skin Sens. 1         sification: Skin Irrit. 2;H315, Eye Irrit. 2;H319, Skin Sens. 1         ≤ 0,3       78-70-6         201-134-4         sification: Skin Irrit. 2;H315, Eye Irrit. 2;H319, Skin Sens. 1         ≤ 0,3       31906-04-4         250-863-4       -         sification: Skin Sens. 1A;H317         ≤ 0,3       1843-05-6         217-421-2       -         sification: Skin Sens. 1B;H317         ≤ 0,3       1808-31-9         -       -         303       100-2-6     <!--</td--><td>sification: Eye Irrit. 2;H319, Skin Sens. 1B;H317, Aquatic Chronic 3;H4         ≤ 1       1222-05-5         214-946-9         sification: Aquatic Acute 1;H400, Aquatic Chronic 1;H410         ≤ 1       101-86-0         202-983-3         sification: Skin Sens. 1B;H317, Aquatic Acute 1;H400, Aquatic Chronic         ≤ 1       54464-57-2         259-174-3         sification: Skin Irrit. 2;H315, Skin Sens. 1B;H317, Aquatic Chronic 1;H         ethyl-       ≤ 0,3         203       10339-55-6         203       10339-55-6         203       12210-23-4         201-134-4       -         203       32210-23-4         201-134-4       -         201-134-4       -         sification: Skin Sens. 1B;H317       ≤ 0,3         ≤ 0,3       78-70-6         201-134-4       -         sification: Skin Sens. 1A;H317       ≤ 0,3         ≤ 0,3       31906-04-4         203       31906-04-4         203       1843-05-6         217-421-2       -         sification: Skin Sens. 1B;H317         ≤ 0,3       1843-05-6         217-421-2       -         203       8008-31-9</td><td>sification: Eye Irrit. 2;H319, Skin Sens. 1B;H317, Aquatic Chronic 3;H412         <math>\leq 1</math>       1222-05-5 214-946-9       -       603-212-00-7 201-946-9         sification: Aquatic Acute 1;H400, Aquatic Chronic 1;H410       <math>\leq 1</math>       101-86-0 202-983-3       -       -         sification: Skin Sens. 1B;H317, Aquatic Acute 1;H400, Aquatic Chronic 2;H411       <math>\leq 1</math>       54464-57-2 259-174-3       -       -         sification: Skin Irrit. 2;H315, Skin Sens. 1B;H317, Aquatic Chronic 1;H410       <math>\leq 1</math>       54464-57-2 259-174-3       -       -         sification: Skin Irrit. 2;H315, Skin Sens. 1B;H317, Aquatic Chronic 1;H410       <math>\leq 1</math>       54464-57-2 259-974-3       -       -         sification: Skin Irrit. 2;H319, Skin Sens. 1B;H317       <math>\leq 0,3</math>       10339-55-6 233-732-6       -       -         sification: Eye Irrit. 2;H319, Skin Sens. 1B;H317       <math>\leq 0,3</math>       32210-23-4 250-954-9       -       -         sification: Skin Sens. 1B;H317       <math>\leq 0,3</math>       32210-23-4 250-954-9       -       -         sification: Skin Sens. 1B;H317       <math>\leq 0,3</math>       31906-04-4 250-954-9       -       603-235-00-2 201-134-4         sification: Skin Sens. 1A;H317       <math>\leq 0,3</math>       1843-05-6 217-421-2       -       -         sification: Skin Sens. 1B;H317       <math>\leq 0,3</math>       8008-31-9 616-920-6       -       -      <tr< td=""></tr<></td></td>	sification: Eye Irrit. 2;H319, Skin Sens. 1E $\leq 1$ 1222-05-5         214-946-9         sification: Aquatic Acute 1;H400, Aquatic $\leq 1$ 101-86-0         202-983-3         sification: Skin Sens. 1B;H317, Aquatic A $\leq 1$ 54464-57-2         259-174-3         sification: Skin Irrit. 2;H315, Skin Sens. 11         ethyl- $\leq 0,3$ $\geq 0,3$ 32210-23-4 $\geq 50-954-9$ sification: Skin Sens. 1B;H317 $\leq 0,3$ 78-70-6 $\geq 0,3$ 78-70-6 $\geq 0,3$ 31906-04-4 $\geq 50-863-4$ sification: Skin Sens. 1A;H317 $\leq 0,3$ 31906-04-4 $\geq 0,3$ 31906-04-4 $\leq 0,3$ 31906-04-4 $\geq 0,3$ 1843-05-6 $\geq 17-421-2$ 201-134-4         sification: Skin Sens. 1B;H317 $\leq 0,3$ $\leq 0,3$ 8008-31-9 $616-920-6$ 616-920-6	sification: Eye Irrit. 2;H319, Skin Sens. 1B;H317, Aquatic C         ≤ 1       1222-05-5         214-946-9         sification: Aquatic Acute 1;H400, Aquatic Chronic 1;H410         ≤ 1       101-86-0         202-983-3         sification: Skin Sens. 1B;H317, Aquatic Acute 1;H400, Aqu         ≤ 1       54464-57-2         259-174-3         sification: Skin Irrit. 2;H315, Skin Sens. 1B;H317, Aquatic C         ethyl-       ≤ 0,3         203-955-6       -         233-732-6         sification: Eye Irrit. 2;H319, Skin Sens. 1B;H317         ≤ 0,3       32210-23-4         -       250-954-9         sification: Skin Irrit. 2;H315, Eye Irrit. 2;H319, Skin Sens. 1         sification: Skin Irrit. 2;H315, Eye Irrit. 2;H319, Skin Sens. 1         ≤ 0,3       78-70-6         201-134-4         sification: Skin Irrit. 2;H315, Eye Irrit. 2;H319, Skin Sens. 1         ≤ 0,3       31906-04-4         250-863-4       -         sification: Skin Sens. 1A;H317         ≤ 0,3       1843-05-6         217-421-2       -         sification: Skin Sens. 1B;H317         ≤ 0,3       1808-31-9         -       -         303       100-2-6 </td <td>sification: Eye Irrit. 2;H319, Skin Sens. 1B;H317, Aquatic Chronic 3;H4         ≤ 1       1222-05-5         214-946-9         sification: Aquatic Acute 1;H400, Aquatic Chronic 1;H410         ≤ 1       101-86-0         202-983-3         sification: Skin Sens. 1B;H317, Aquatic Acute 1;H400, Aquatic Chronic         ≤ 1       54464-57-2         259-174-3         sification: Skin Irrit. 2;H315, Skin Sens. 1B;H317, Aquatic Chronic 1;H         ethyl-       ≤ 0,3         203       10339-55-6         203       10339-55-6         203       12210-23-4         201-134-4       -         203       32210-23-4         201-134-4       -         201-134-4       -         sification: Skin Sens. 1B;H317       ≤ 0,3         ≤ 0,3       78-70-6         201-134-4       -         sification: Skin Sens. 1A;H317       ≤ 0,3         ≤ 0,3       31906-04-4         203       31906-04-4         203       1843-05-6         217-421-2       -         sification: Skin Sens. 1B;H317         ≤ 0,3       1843-05-6         217-421-2       -         203       8008-31-9</td> <td>sification: Eye Irrit. 2;H319, Skin Sens. 1B;H317, Aquatic Chronic 3;H412         <math>\leq 1</math>       1222-05-5 214-946-9       -       603-212-00-7 201-946-9         sification: Aquatic Acute 1;H400, Aquatic Chronic 1;H410       <math>\leq 1</math>       101-86-0 202-983-3       -       -         sification: Skin Sens. 1B;H317, Aquatic Acute 1;H400, Aquatic Chronic 2;H411       <math>\leq 1</math>       54464-57-2 259-174-3       -       -         sification: Skin Irrit. 2;H315, Skin Sens. 1B;H317, Aquatic Chronic 1;H410       <math>\leq 1</math>       54464-57-2 259-174-3       -       -         sification: Skin Irrit. 2;H315, Skin Sens. 1B;H317, Aquatic Chronic 1;H410       <math>\leq 1</math>       54464-57-2 259-974-3       -       -         sification: Skin Irrit. 2;H319, Skin Sens. 1B;H317       <math>\leq 0,3</math>       10339-55-6 233-732-6       -       -         sification: Eye Irrit. 2;H319, Skin Sens. 1B;H317       <math>\leq 0,3</math>       32210-23-4 250-954-9       -       -         sification: Skin Sens. 1B;H317       <math>\leq 0,3</math>       32210-23-4 250-954-9       -       -         sification: Skin Sens. 1B;H317       <math>\leq 0,3</math>       31906-04-4 250-954-9       -       603-235-00-2 201-134-4         sification: Skin Sens. 1A;H317       <math>\leq 0,3</math>       1843-05-6 217-421-2       -       -         sification: Skin Sens. 1B;H317       <math>\leq 0,3</math>       8008-31-9 616-920-6       -       -      <tr< td=""></tr<></td>	sification: Eye Irrit. 2;H319, Skin Sens. 1B;H317, Aquatic Chronic 3;H4         ≤ 1       1222-05-5         214-946-9         sification: Aquatic Acute 1;H400, Aquatic Chronic 1;H410         ≤ 1       101-86-0         202-983-3         sification: Skin Sens. 1B;H317, Aquatic Acute 1;H400, Aquatic Chronic         ≤ 1       54464-57-2         259-174-3         sification: Skin Irrit. 2;H315, Skin Sens. 1B;H317, Aquatic Chronic 1;H         ethyl-       ≤ 0,3         203       10339-55-6         203       10339-55-6         203       12210-23-4         201-134-4       -         203       32210-23-4         201-134-4       -         201-134-4       -         sification: Skin Sens. 1B;H317       ≤ 0,3         ≤ 0,3       78-70-6         201-134-4       -         sification: Skin Sens. 1A;H317       ≤ 0,3         ≤ 0,3       31906-04-4         203       31906-04-4         203       1843-05-6         217-421-2       -         sification: Skin Sens. 1B;H317         ≤ 0,3       1843-05-6         217-421-2       -         203       8008-31-9	sification: Eye Irrit. 2;H319, Skin Sens. 1B;H317, Aquatic Chronic 3;H412 $\leq 1$ 1222-05-5 214-946-9       -       603-212-00-7 201-946-9         sification: Aquatic Acute 1;H400, Aquatic Chronic 1;H410 $\leq 1$ 101-86-0 202-983-3       -       -         sification: Skin Sens. 1B;H317, Aquatic Acute 1;H400, Aquatic Chronic 2;H411 $\leq 1$ 54464-57-2 259-174-3       -       -         sification: Skin Irrit. 2;H315, Skin Sens. 1B;H317, Aquatic Chronic 1;H410 $\leq 1$ 54464-57-2 259-174-3       -       -         sification: Skin Irrit. 2;H315, Skin Sens. 1B;H317, Aquatic Chronic 1;H410 $\leq 1$ 54464-57-2 259-974-3       -       -         sification: Skin Irrit. 2;H319, Skin Sens. 1B;H317 $\leq 0,3$ 10339-55-6 233-732-6       -       -         sification: Eye Irrit. 2;H319, Skin Sens. 1B;H317 $\leq 0,3$ 32210-23-4 250-954-9       -       -         sification: Skin Sens. 1B;H317 $\leq 0,3$ 32210-23-4 250-954-9       -       -         sification: Skin Sens. 1B;H317 $\leq 0,3$ 31906-04-4 250-954-9       -       603-235-00-2 201-134-4         sification: Skin Sens. 1A;H317 $\leq 0,3$ 1843-05-6 217-421-2       -       -         sification: Skin Sens. 1B;H317 $\leq 0,3$ 8008-31-9 616-920-6       -       - <tr< td=""></tr<>

#### List of abbreviations and symbols that may be used above

ATE: Acute toxicity estimate.

M: M-factor

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume. #: This substance has been assigned Union workplace exposure limit(s).

**Composition comments** 

The full text for all H-statements is displayed in section 16.

# **SECTION 4: First aid measures**

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse. 4.1. Description of first aid measures Inhalation Move to fresh air. Call a physician if symptoms develop or persist. Skin contact Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions. Eye contact Rinse with water. Get medical attention if irritation develops and persists. Indestion Rinse mouth. Get medical attention if symptoms occur. Nausea. May cause an allergic skin reaction. Dermatitis. Rash. 4.2. Most important symptoms and effects, both acute and delayed 4.3. Indication of any

immediate medical attention and special treatment needed Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

# **SECTION 5: Firefighting measures**

General fire hazards	No unusual fire or explosion hazards noted.
5.1. Extinguishing media	
Suitable extinguishing media	Foam. Dry powder. Dry sand. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
5.2. Special hazards arising from the substance or mixture	During fire, gases hazardous to health may be formed.
5.3. Advice for firefighters	
Special protective equipment for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Special fire fighting procedures	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

••••••••••••••••••••••••••••••••••••••	sare equipment and emergency proceduree
For non-emergency personnel	Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.
For emergency responders	Keep unnecessary personnel away. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
6.2. Environmental precautions	Avoid discharge into drains, water courses or onto the ground.
6.3. Methods and material for containment and cleaning up	Stop the flow of material, if this is without risk. Following product recovery, flush area with water.
6.4. Reference to other sections	For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

# **SECTION 7: Handling and storage**

7.1. Precautions for safe handling	Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.
7.2. Conditions for safe storage, including any incompatibilities	Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).
7.3. Specific end use(s)	Not available.

# **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

Belgium. Exposure Limit Values Components	Туре	Value	Form
Paraffin waxes and Hydrocarbon waxes (CAS 8002-74-2)	TWA	2 mg/m3	Fume.
Croatia. Dangerous Substance Exposure Components	Limit Values in the W Type	orkplace (ELVs), Annexes 1 and Value	2, Narodne Novine, 13/ Form
Paraffin waxes and Hydrocarbon waxes (CAS 8002-74-2)	MAC	2 mg/m3	Fume.
	STEL	6 mg/m3	Fume.
Denmark. Exposure Limit Values Components	Туре	Value	Form
Paraffin waxes and Hydrocarbon waxes (CAS 8002-74-2)	TLV	2 mg/m3	Fume.
Estonia. OELs. Occupational Exposure Li Components	mits of Hazardous Su Type	bstances (Regulation No. 105/20 Value	01, Annex), as amende Form
Paraffin waxes and Hydrocarbon waxes (CAS 8002-74-2)	TWA	2 mg/m3	Vapour.
Finland. Workplace Exposure Limits	Turne	Value	Form
Components	Туре	Value	Form
Paraffin waxes and Hydrocarbon waxes (CAS 8002-74-2)	TWA	1 mg/m3	Fume.
France. Threshold Limit Values (VLEP) for Components	Occupational Expos Type	ure to Chemicals in France, INR Value	SED 984 Form
Paraffin waxes and Hydrocarbon waxes (CAS 8002-74-2)	VME	2 mg/m3	Fume.
Regulatory status: Indicative limit (V	_)		
Greece. OELs (Decree No. 90/1999, as amo Components	ended) Type	Value	Form
Paraffin waxes and Hydrocarbon waxes (CAS 8002-74-2)	STEL	6 mg/m3	Fume.
,	TWA	2 mg/m3	Fume.
Iceland. OELs. Regulation 154/1999 on oc			Form
Components	Туре	Value	Form
Paraffin waxes and Hydrocarbon waxes (CAS 8002-74-2)	TWA	2 mg/m3	Fume.
Ireland. Occupational Exposure Limits Components	Туре	Value	Form
Paraffin waxes and Hydrocarbon waxes (CAS 8002-74-2)	STEL	6 mg/m3	Fume.
	TWA	2 mg/m3	Fume.
			-
Italy. Occupational Exposure Limits Components	Туре	Value	Form

Components	rms for Contaminants in the Workpla Type	Value	Form	
Paraffin waxes and Hydrocarbon waxes (CAS 8002-74-2)	TLV	2 mg/m3	Fume.	
	linister of Labour and Social Policy of ties of harmful health factors in the v Type			
Paraffin waxes and Hydrocarbon waxes (CAS 8002-74-2)	TWA	2 mg/m3	Inhalable fraction.	
Portugal. VLEs. Norm on o Components	ccupational exposure to chemical ac Type	ents (NP 1796) Value	Form	
Paraffin waxes and Hydrocarbon waxes (CAS 8002-74-2)	TWA	2 mg/m3	Fume.	
Romania. OELs. Protection Components	n of workers from exposure to chemi Type	cal agents at the workplace Value	Form	
Paraffin waxes and Hydrocarbon waxes (CAS 8002-74-2)	STEL	6 mg/m3	Fume.	
- /	TWA	2 mg/m3	Fume.	
Slovakia. OELs. Regulation Components	n No. 300/2007 concerning protectior Type	of health in work with chen Value	nical agents Form	
Paraffin waxes and Hydrocarbon waxes (CAS 8002-74-2)	STEL	6 mg/m3	Fume.	
,	TWA	2 mg/m3	Fume.	
Spain. Occupational Expos Components	sure Limits Type	Value	Form	
Paraffin waxes and Hydrocarbon waxes (CAS 8002-74-2)	TWA	2 mg/m3	Fume.	
Switzerland. SUVA Grenzw Components	erte am Arbeitsplatz Type	Value	Form	
Paraffin waxes and Hydrocarbon waxes (CAS 8002-74-2)	TWA	2 mg/m3	Respirable fume.	
UK. EH40 Workplace Expo Components	sure Limits (WELs) Type	Value	Form	
Paraffin waxes and Hydrocarbon waxes (CAS 8002-74-2)	STEL	6 mg/m3	Fume.	
5502-17-2j	TWA	2 mg/m3	Fume.	
logical limit values	No biological exposure limits noted f	or the ingredient(s).		
commended monitoring	Follow standard monitoring procedu	Follow standard monitoring procedures.		
ived no effect levels ELs)	Not available.			
dicted no effect centrations (PNECs)	Not available.			
Exposure controls				
propriate engineering trols	Good general ventilation should be applicable, use process enclosures, maintain airborne levels below recor established, maintain airborne levels	local exhaust ventilation, or of nmended exposure limits. If ex	her engineering controls to	
vidual protection measures General information	s, such as personal protective equipment should discussion with the supplier of the personal protection equipment should be a supplier of the personal protection with the supplier of the personal protection.	<b>nent</b> Id be chosen according to the	CEN standards and in	
		JUSSING PROCEDURE EQUIPTIENT.		

Skin protection - Hand protection	Wear appropriate chemical resistant gloves.
- Other	Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.
Respiratory protection Thermal hazards	In case of insufficient ventilation, wear suitable respiratory equipment. Wear appropriate thermal protective clothing, when necessary.
Hygiene measures	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.
Environmental exposure controls	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to acceptable levels.

# SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties		
Physical state	Solid.	
Form	Solid.	
Colour	White.	
Odour	Not available.	
Melting point/freezing point	> 39 - < 95 °C (> 102,2 - < 203 °F)	
Boiling point or initial boiling point and boiling range	> 350 - < 430 °C (> 662 - < 806 °F)	
Flammability	Not available.	
Flash point	> 204 - < 271 °C (> 399,2 - < 519,8 °F)	
Auto-ignition temperature	Not available.	
Decomposition temperature	Not available.	
рН	Not available.	
Kinematic viscosity	> 2,1 - < 5 mm²/s	
Solubility		
Solubility (water)	Not available.	
Partition coefficient (n-octanol/water) (log value)	Not available.	
Vapour pressure	>2,67 kPa	
Density and/or relative density		
Density	> 800 - < 940 kg/m3	
Vapour density	Not available.	
Particle characteristics	Not available.	
9.2. Other information		
9.2.1. Information with regard to physical hazard classes	No relevant additional information available.	
9.2.2. Other safety characteristic	CS	
Specific gravity	> 0,8 - < 0,94	
SECTION 10: Stability and	reactivity	
10.1. Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.	
10.2. Chemical stability	Material is stable under normal conditions.	
10.3. Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.	
10.4. Conditions to avoid	Contact with incompatible materials.	
10.5. Incompatible materials	Strong oxidising agents.	
10.6. Hazardous decomposition products	No hazardous decomposition products are known.	
SECTION 11: Toxicological information		
General information	Occupational exposure to the substance or mixture may cause adverse effects.	
Information on likely routes of e	xposure	
· · · · ·		

Prolonged inhalation may be harmful.

Inhalation

Skin contact	May cause an allergic skin	reaction.
Eye contact	Direct contact with eyes ma	y cause temporary irritation.
Ingestion	May cause discomfort if swa occupational exposure.	allowed. However, ingestion is not likely to be a primary route of
Symptoms	Nausea. May cause an alle	rgic skin reaction. Dermatitis. Rash.
11.1. Information on hazard clas	ses as defined in Regulatio	n (EC) No 1272/2008
Acute toxicity		
Components	Species	Test Results
Octabenzone (CAS 1843-05-6)		
Acute		
Dermal		
LD50	Rabbit	> 10 g/kg
Oral		
LD50	Rat	> 10000 mg/kg
Skin corrosion/irritation	Due to partial or complete la	ack of data the classification is not possible.
Serious eye damage/eye irritation	Due to partial or complete la	ack of data the classification is not possible.
Respiratory sensitisation	Due to partial or complete la	ack of data the classification is not possible.
Skin sensitisation	May cause an allergic skin	reaction.
Germ cell mutagenicity	Due to partial or complete la	ack of data the classification is not possible.
Carcinogenicity	Due to partial or complete la	ack of data the classification is not possible.
(as amended)	nance on protection against	t and preventing risk relating to exposure to carcinogens at work
Not listed.		
Reproductive toxicity		ack of data the classification is not possible.
Specific target organ toxicity - single exposure	Due to partial or complete la	ack of data the classification is not possible.
Specific target organ toxicity - repeated exposure	Due to partial or complete la	ack of data the classification is not possible.
Aspiration hazard	Due to partial or complete la	ack of data the classification is not possible.
Mixture versus substance information	No information available.	
11.2. Information on other hazar		
Endocrine disrupting properties		in components considered to have endocrine disrupting properties 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU) or higher.
Other information	Not available.	
SECTION 12: Ecological ir	oformation	
-		a classification aritaria are not mat for becardous to the equation
12.1. Toxicity	environment.	e classification criteria are not met for hazardous to the aquatic
12.2. Persistence and degradability	No data is available on the o	degradability of any ingredients in the mixture.
12.3. Bioaccumulative potential		
Partition coefficient		
n-octanol/water (log Kow) 1,6-Nonadien-3-ol, 3,7-dimeth	nyl.	3,3
Benzoic acid, 2-hydroxy-, hex		5,5
benzyl benzoate	•	3,97
Benzyl salicylate Butyl cyclohexyl acetate		4 4,8
Galaxolide		4,0 5,3
Hexyl Cinnamal		4,686
Linalool Octabenzone		2,97 6,96
Octabenzone		7,6 Estimated
Oils, mandarin		4,38
Bioconcentration factor (BCF)	Not available.	
12.4. Mobility in soil	No data available.	

12.5. Results of PBT and vPvB assessment	This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII.
12.6. Endocrine disrupting properties	The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
12.7. Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.
12.8 Additional information	

### 12.8. Additional information

# Estonia Dangerous substances in soil Data

benzyl benzoate (CAS 120-51-4)

Chemical pesticides (As the total sum of the active substances) 0,5 mg/kg

Chemical pesticides (As the total sum of the active substances) 20 mg/kg

Chemical pesticides (As the total sum of the active substances) 5 mg/kg

# **SECTION 13: Disposal considerations**

13.1. Waste treatment methods	
Residual waste	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.
EU waste code	The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Disposal methods/information	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.
Special precautions	Dispose in accordance with all applicable regulations.

# **SECTION 14: Transport information**

### ADR

Not regulated as dangerous goods.
Not regulated as dangerous goods.
(es)
Not assigned.
-
Not assigned.
Not assigned.
Not assigned.
No.
Not assigned.
Not regulated as dangerous goods.
Not regulated as dangerous goods.
(es)
Not assigned.
-
Not assigned.
No.
Not assigned.
Not regulated as dangerous goods.
Not regulated as dangerous goods.
(es)
Not assigned.
-
Not assigned.
No.
Not assigned.

# IATA

14.1. UN number	Not regulated as dangerous goods.
14.2. UN proper shipping	Not regulated as dangerous goods.
name	
14.3. Transport hazard class	(es)
Class	Not assigned.
Subsidiary risk	-
14.4. Packing group	Not assigned.
14.5. Environmental hazards	No.
14.6. Special precautions	Not assigned.
for user	
IMDG	
14.1. UN number	Not regulated as dangerous goods.
14.2. UN proper shipping	Not regulated as dangerous goods.
name	
14.3. Transport hazard class	(es)
Class	Not assigned.
Subsidiary risk	-
14.4. Packing group	Not assigned.
14.5. Environmental hazards	
Marine pollutant	No.
EmS	Not assigned.
14.6. Special precautions	Not assigned.
for user	
14.7. Maritime transport in bulk according to IMO instruments	Not applicable.

# **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### **EU** regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended Not listed.

- Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended Not listed.
- Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed.
- Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.
- Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.
- Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.
- Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended Not listed.
- Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

Austria: S3JP-W9P0-11FT-3X26 Belgium: S3JP-W9P0-11FT-3X26 Bulgaria: S3JP-W9P0-11FT-3X26 Croatia: S3JP-W9P0-11FT-3X26 Cyprus: S3JP-W9P0-11FT-3X26 Czech Republic: S3JP-W9P0-11FT-3X26 Denmark: S3JP-W9P0-11FT-3X26 Estonia: S3JP-W9P0-11FT-3X26 EU: S3JP-W9P0-11FT-3X26 Finland: S3JP-W9P0-11FT-3X26 France: S3JP-W9P0-11FT-3X26 Germany: S3JP-W9P0-11FT-3X26 Great Britain: S3JP-W9P0-11FT-3X26 Greece: S3JP-W9P0-11FT-3X26 Hungary: S3JP-W9P0-11FT-3X26 Iceland: S3JP-W9P0-11FT-3X26 Ireland: S3JP-W9P0-11FT-3X26 Italy: S3JP-W9P0-11FT-3X26 Latvia: S3JP-W9P0-11FT-3X26 Lithuania: S3JP-W9P0-11FT-3X26 Luxembourg: S3JP-W9P0-11FT-3X26 Malta: S3JP-W9P0-11FT-3X26 Netherlands: S3JP-W9P0-11FT-3X26 Norway: S3JP-W9P0-11FT-3X26 Poland: S3JP-W9P0-11FT-3X26 Portugal: S3JP-W9P0-11FT-3X26 Romania: S3JP-W9P0-11FT-3X26 Slovakia: S3JP-W9P0-11FT-3X26 Slovenia: S3JP-W9P0-11FT-3X26 Spain: S3JP-W9P0-11FT-3X26 Sweden: S3JP-W9P0-11FT-3X26

### Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

### **Restrictions on use**

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended Linalool (CAS 78-70-6)

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed.

# Other EU regulations

### Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

benzyl benzoate (CAS 120-51-4)

Galaxolide	(CAS 1222-05-5)	

Other regulations	The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006, as amended.
National regulations	Young people under 18 years old are not allowed to work with this product according to EU Directive 94/33/EC on the protection of young people at work, as amended Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as amended.
15.2. Chemical safety	No Chemical Safety Assessment has been carried out.

15.2. Chemical safety assessment

### **SECTION 16: Other information**

# List of abbreviations

ADN: European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways.
ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road. AGW: Occupational threshold limit value (Arbeitsplatzgrenzwert – Germany).
CAS: Chemical Abstract Service.
CEN: European Committee for Standardization.
IATA: International Air Transport Association.
IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk.
IMDG: International Maritime Dangerous Goods.
MAC: Maximum Allowed Concentration.
MARPOL: International Convention for the Prevention of Pollution from Ships.
PBT: Persistent, bioaccumulative and toxic.
RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.

	STEL: Short term exposure limit. TLV: Threshold Limit Value. TWA: Time Weighted Average. VLE: Exposure Limit Value. VME: Exposure Average Value. vPvB: Very persistent and very bioaccumulative.
References	Not available.
Information on evaluation method leading to the classification of mixture	The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.
Full text of any statements, which are not written out in full under sections 2 to 15	<ul> <li>H226 Flammable liquid and vapour.</li> <li>H302 Harmful if swallowed.</li> <li>H304 May be fatal if swallowed and enters airways.</li> <li>H315 Causes skin irritation.</li> <li>H317 May cause an allergic skin reaction.</li> <li>H319 Causes serious eye irritation.</li> <li>H361 Suspected of damaging fertility or the unborn child.</li> <li>H400 Very toxic to aquatic life.</li> <li>H410 Very toxic to aquatic life with long lasting effects.</li> </ul>
	H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.
Revision information	Product and Company Identification: EU Poison Centre
Training information	Follow training instructions when handling this material.
Disclaimer	Yankee Candle s.r.o. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.