SAFETY DATA SHEET

Version #: 05

Issue date: 22-August-2022 Revision date: 07-December-2023 Supersedes date: 07-November-2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation

of the mixture

YC BLACK COCONUT LARGE 2WICK JAR CANDLE 1701371E

Registration number

Synonyms None **Product code** 1701371E

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Air Care Products Uses advised against None known

1.3. Details of the supplier of the safety data sheet

Yankee Candle Company (Europe) Limited Company name

Poplar Way East, Cabot Park **Company Address**

> Avonmouth Bristol

United Kingdom **BS11 0YH**

1.4. Emergency telephone number

General in EU 112 (Available 24 hours a day. SDS/Product information may not be available for

the Emergency Service.)

Austria National Poisons

Information Centre

Belgium National Poisons

Control Centre

Bulgaria National Toxicological Information

Centre

070 245 245 (Available 24 hours a day. SDS/Product information may not be

+431 406 4343 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

available for the Emergency Service.)

available for the Emergency Service.)

Croatia Poisons

Information Centre

Cyprus Poison Centre

+385 1 2348 342 (Hours of operation not provided, SDS/Product information may

1401 (Available 24 hours a day. SDS/Product information may not be available

+359 2 9154 233 (Available 24 hours a day. SDS/Product information may not be

not be available for the Emergency Service.)

Czech Republic National Poisons Information

Centre

+420 224 919 293, or +420 224 915 402 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

Denmark National Poisons

Control Centre

+45 82 12 12 12 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Estonia National Poisons Information Centre

for the Emergency Service.)

16662 or abroad: (+372) 626 9390 (Monday 9:00AM to Saturday 9:00AM (closed on Sundays and on national holidays). SDS/Product information may not be

available for the Emergency Service.)

Finland National Poison Information Centre

(09) 471 977 (direct) or (09) 4711 (exchange) (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

France National Poisons Control Centre

ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Greece Poison Information Centre telephone number

(0030) 2107793777 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Hungary National Emergency Phone Number

+36-80-201-199 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Iceland Poison Centre

(+354) 543 2222 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

1.4. Emergency telephone number

Latvia Emergency medical

aid

Latvia Poison and Drug Information Centre

+371 67042473 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Lithuania Neatideliotina informacija apsinuodijus +370 5 236 20 52 or +37068753378 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

Malta Accident and **Emergency Department** 2545 4030 (Hours of operation not provided, SDS/Product information may not be

available for the Emergency Service.)

Netherlands National Poisons Information Centre (NVIC)

NVIC: +31 (0)88 755 8000 (Only for the purpose of informing medical personnel

in cases of acute intoxications)

Norway Norwegian Poison Information Centre

22 59 13 00 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Portugal Poison Centre 800 250 250 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Romania Biroul RSI si Informare Toxicologica 021.318.36.06 (Available 8:00AM-3:00PM. SDS/Product information may not be

available for the Emergency Service.)

Slovakia National Toxicological Information Centre

+421 2 5477 4166 (Available 24 hours a day. SDS/Product information may not

be available for the Emergency Service.)

Spain Toxicology Information Service + 34 91 562 04 20 (Available 24 hours a day. SDS/Product information may not

be available for the Emergency Service.)

Sweden National Poison Information Centre

112 - and ask for Poison Information (Available 24 hours a day. SDS/Product

information may not be available for the Emergency Service.)

Switzerland Tox Info

Suisse

145 (Available 24 hours a day. SDS/Product information may not be available for

the Emergency Service.)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Hazard pictograms None Signal word None

Hazard statements The mixture does not meet the criteria for classification.

Precautionary statements

Prevention Not applicable. Not applicable. Response Not applicable. Storage Disposal Not applicable.

EUH208 - Contains Butyl cyclohexyl acetate, Octabenzone, Linalool, Isocyclemone E, Cinnamal. Supplemental label information

May produce an allergic reaction.

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation 2.3. Other hazards

(EC) No 1907/2006, Annex XIII. The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. The mixture does not contain any substances included in the list established in accordance with REACH Article 59(1) for having endocrine disrupting properties at a concentration equal to or greater than 0.1% by weight.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Butyl cyclohexyl acetate	≤ 0,3	32210-23-4 250-954-9	-	-	
Classifica	tion: Skin Sens	. 1B;H317			

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Octabenzone	≤ 0,3	1843-05-6 217-421-2	-	-	
	Classification: Skin Sens	. 1B;H317			
Isocyclemone E	≤ 0,2	54464-57-2 259-174-3	-	-	
	Classification: Skin Irrit. 2	2;H315, Skin Sens. 1I	B;H317, Aquatic Chronic 1;	H410	
Linalool	≤ 0,2	78-70-6 201-134-4	01-2119474016-42	603-235-00-2	
	Classification: Skin Irrit. 2	2;H315, Eye Irrit. 2;H3	319, Skin Sens. 1B;H317		

Other components below reportable

99.31

levels

List of abbreviations and symbols that may be used above

ATE: Acute toxicity estimate.

M: M-factor

vPvB: very persistent and very bioaccumulative substance. PBT: persistent, bioaccumulative and toxic substance.

#: This substance has been assigned Union workplace exposure limit(s).

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

Composition comments The full text for all H-statements is displayed in section 16.

SECTION 4: First aid measures

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

4.1. Description of first aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Eye contact Rinse with water. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. Get medical attention if symptoms occur.

4.2. Most important symptoms and effects, both acute and

delayed

Exposure may cause temporary irritation, redness, or discomfort.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

General fire hazards No unusual fire or explosion hazards noted.

5.1. Extinguishing media

Suitable extinguishing

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

media

Unsuitable extinguishing

Unsuit

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Special protective equipment for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Special fire fighting procedures

Move containers from fire area if you can do so without risk.

Specific methodsUse standard firefighting procedures and consider the hazards of other involved materials.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency Wear appropriate personal protective equipment. personnel

For emergency responders Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.

6.2. Environmental precautions Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up

Stop the flow of material, if this is without risk. Following product recovery, flush area with water.

For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

SECTION 7: Handling and storage

7.1. Precautions for safe

Avoid prolonged exposure. Observe good industrial hygiene practices.

handling

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed container. Store away from incompatible materials (see Section 10 of the

SDS).

7.3. Specific end use(s)

Observe industrial sector guidance on best practices.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8009-03-8)

8009-03-8)

Occupational exposure limits

Belgium. OEL. Exposure Limit Values to Chemical Substances at Work, Code of Well-being at work, Book VI, Title 1 -

Chemical agents, as amended

Components	Туре	Value	Form	
Petrolatum (CAS 8009-03-8)	STEL	10 mg/m3	Mist.	
	TWA	5 mg/m3	Mist.	

Bulgaria. OELs. Ordinance No 13 on protection of workers against risks of exposure to chemical agents at work, as amended

 Components
 Type
 Value

 Petrolatum (CAS
 TWA
 5 mg/m3

Czech Republic. Occupational exposure limit values of chemicals at work (Decree on protection of health at work, 361/2007, Annex 2, Part A & Annex 3, Part A, as amended)

Components	Туре	Value	Form	
Petrolatum (CAS 8009-03-8)	Ceiling	10 mg/m3	Aerosol	
	TWA	5 mg/m3	Aerosol	

Denmark. Work Environment Authority. Exposure Limits for Substances & Materials, Annex 2
Components Value

Components	Туре	Value	Form
Petrolatum (CAS 8009-03-8)	STEL	2 mg/m3	Mist.
	TLV	1 mg/m3	Mist.

Finland. HTP-arvot, App 3., Binding Limit Values, Social Affairs and Ministry of Health
Components Type Value Form

Petrolatum (CAS TWA 5 mg/m3 Mist.

Germany. DFG MAK List (advisory OELs). Commission for the Investigation of Health Hazards of Chemical Compounds in the Work Area (DFG), as updated

Components	Туре	Value	Form
Petrolatum (CAS	TWA	5 mg/m3	Respirable fraction.
8009-03-8)			

Greece. OELs, Presidential Decree No. 307/1986, as amended

Components	Туре	Value	Form
Petrolatum (CAS 8009-03-8)	TWA	5 mg/m3	Mist.

Hungary. OELs. Decree on protection of workers exposed to chemical agents (5/2020. (II.6)), Annex 1&2, as amended Components

Type

Value

Petrolatum (CAS

TWA

5 mg/m3

8009-03-8)

Icoland, OFLs, Population 390/2009 on Pollution Limits and Measures to Poduce Pollution at

Iceland. OELs. Regulation 390/2009 on Pollution Limits and Measures to Reduce Pollution at the Workplace, as amended
ComponentsWorkplace, as amended
FormPetrolatum (CAS
8009-03-8)TWA1 mg/m3Mist.

Components	Туре	Value	Form
Petrolatum (CAS 8009-03-8)	TWA	5 mg/m3	Inhalable fraction.
Italy. OELs (Legislative Decree n.81, Components	9 April 2008), as amended Type	Value	Form
Petrolatum (CAS 8009-03-8)	TWA	5 mg/m3	Inhalable fraction.
Latvia. OELs. Occupational Exposur 1), as amended	e Limits of Chemical Substa		o. 325/ 2007, L.V. 80, Anne
Components	Туре	Value	
Petrolatum (CAS 8009-03-8)	TWA	5 mg/m3	
Lithuania. OELs. Occupational Expo V-824/A1-389), as amended			
Components	Туре	Value	Form
Petrolatum (CAS 8009-03-8)	STEL	3 mg/m3	Fume and mist.
	TWA	1 mg/m3	Fume and mist.
Netherlands. OELs per Annex XIII of amended	Working Conditions Regula	tion (Staatscourant no. 252	, 29 December 2006), as
Components	Туре	Value	Form
Petrolatum (CAS 8009-03-8)	TWA	5 mg/m3	Mist.
Norway. Regulation No. 1358 on Mea Infection Groups for Biological Facto		Physical and Chemical Fact	ors in Work Environment a
Components	Typo	Value	Earm
Components	Туре	Value	Form
Petrolatum (CAS 8009-03-8)	TLV	1 mg/m3	Mist.
Petrolatum (CAS 8009-03-8) Poland. Maximum permissible conce 1286/2018, Annex 1)	TLV	1 mg/m3	Mist.
Petrolatum (CAS 8009-03-8) Poland. Maximum permissible conce 1286/2018, Annex 1) Components Petrolatum (CAS	TLV entrations and intensities of	1 mg/m3 harmful factors in the work	Mist. environment (Dz.U.Poz.
Petrolatum (CAS 8009-03-8) Poland. Maximum permissible conce 1286/2018, Annex 1) Components Petrolatum (CAS	TLV entrations and intensities of Type	1 mg/m3 harmful factors in the work Value	Mist. environment (Dz.U.Poz. Form
Petrolatum (CAS 8009-03-8) Poland. Maximum permissible conce 1286/2018, Annex 1) Components Petrolatum (CAS 8009-03-8) Portugal. VLEs. Norm on occupation	TLV entrations and intensities of Type TWA	1 mg/m3 harmful factors in the work Value 5 mg/m3	Mist. environment (Dz.U.Poz. Form
Petrolatum (CAS	TLV entrations and intensities of Type TWA all exposure to chemical age	1 mg/m3 harmful factors in the work Value 5 mg/m3 ents (NP 1796-2014)	Mist. environment (Dz.U.Poz. Form Inhalable fraction.
Petrolatum (CAS 8009-03-8) Poland. Maximum permissible conce 1286/2018, Annex 1) Components Petrolatum (CAS 8009-03-8) Portugal. VLEs. Norm on occupation Components Petrolatum (CAS 8009-03-8) Romania. OELs. Limit Values of Che	TLV entrations and intensities of Type TWA nal exposure to chemical age Type TWA	1 mg/m3 harmful factors in the work Value 5 mg/m3 ents (NP 1796-2014) Value 5 mg/m3	Mist. environment (Dz.U.Poz. Form Inhalable fraction. Form Inhalable fraction.
Petrolatum (CAS 8009-03-8) Poland. Maximum permissible concented 1286/2018, Annex 1) Components Petrolatum (CAS 8009-03-8) Portugal. VLEs. Norm on occupation Components Petrolatum (CAS 8009-03-8) Romania. OELs. Limit Values of Cheamended)	TLV entrations and intensities of Type TWA nal exposure to chemical age Type TWA TWA mical Agents at Workplace (1 mg/m3 harmful factors in the work Value 5 mg/m3 ents (NP 1796-2014) Value 5 mg/m3 Regulation 1.218/2006, M.O	Mist. environment (Dz.U.Poz. Form Inhalable fraction. Form Inhalable fraction.
Petrolatum (CAS 8009-03-8) Poland. Maximum permissible conce 1286/2018, Annex 1) Components Petrolatum (CAS 8009-03-8) Portugal. VLEs. Norm on occupation Components Petrolatum (CAS 8009-03-8) Romania. OELs. Limit Values of Che amended) Components	TLV entrations and intensities of Type TWA nal exposure to chemical age Type TWA mical Agents at Workplace (Type	1 mg/m3 harmful factors in the work Value 5 mg/m3 ents (NP 1796-2014) Value 5 mg/m3 Regulation 1.218/2006, M.O Value	Mist. environment (Dz.U.Poz. Form Inhalable fraction. Form Inhalable fraction.
Petrolatum (CAS 8009-03-8) Poland. Maximum permissible conce 1286/2018, Annex 1) Components Petrolatum (CAS 8009-03-8) Portugal. VLEs. Norm on occupation Components Petrolatum (CAS 8009-03-8) Romania. OELs. Limit Values of Che amended) Components Petrolatum (CAS	TLV entrations and intensities of Type TWA nal exposure to chemical age Type TWA TWA mical Agents at Workplace (1 mg/m3 harmful factors in the work Value 5 mg/m3 ents (NP 1796-2014) Value 5 mg/m3 Regulation 1.218/2006, M.O	Mist. environment (Dz.U.Poz. Form Inhalable fraction. Form Inhalable fraction.
Petrolatum (CAS 8009-03-8) Poland. Maximum permissible conce 1286/2018, Annex 1) Components Petrolatum (CAS 8009-03-8) Portugal. VLEs. Norm on occupation Components Petrolatum (CAS 8009-03-8) Romania. OELs. Limit Values of Che amended) Components Petrolatum (CAS	TLV entrations and intensities of Type TWA nal exposure to chemical age Type TWA mical Agents at Workplace (Type	1 mg/m3 harmful factors in the work Value 5 mg/m3 ents (NP 1796-2014) Value 5 mg/m3 Regulation 1.218/2006, M.O Value	Mist. environment (Dz.U.Poz. Form Inhalable fraction. Form Inhalable fraction.
Petrolatum (CAS 8009-03-8) Poland. Maximum permissible conce 1286/2018, Annex 1) Components Petrolatum (CAS 8009-03-8) Portugal. VLEs. Norm on occupation Components Petrolatum (CAS 8009-03-8) Romania. OELs. Limit Values of Che amended) Components Petrolatum (CAS 8009-03-8) Slovakia. OELs. Maximum permissib	TLV entrations and intensities of Type TWA nal exposure to chemical age Type TWA mical Agents at Workplace (Type STEL TWA	1 mg/m3 harmful factors in the work Value 5 mg/m3 ents (NP 1796-2014) Value 5 mg/m3 Regulation 1.218/2006, M.O Value 10 mg/m3 5 mg/m3	Mist. environment (Dz.U.Poz. Form Inhalable fraction. Form Inhalable fraction. 845, Annex 1, 3&4, as
Petrolatum (CAS 8009-03-8) Poland. Maximum permissible conce 1286/2018, Annex 1) Components Petrolatum (CAS 8009-03-8) Portugal. VLEs. Norm on occupation Components Petrolatum (CAS 8009-03-8) Romania. OELs. Limit Values of Che amended) Components Petrolatum (CAS 8009-03-8) Slovakia. OELs. Maximum permissib Annex 1, Table 1, as amended)	TLV entrations and intensities of Type TWA nal exposure to chemical age Type TWA mical Agents at Workplace (Type STEL TWA	1 mg/m3 harmful factors in the work Value 5 mg/m3 ents (NP 1796-2014) Value 5 mg/m3 Regulation 1.218/2006, M.O Value 10 mg/m3 5 mg/m3	Mist. environment (Dz.U.Poz. Form Inhalable fraction. Form Inhalable fraction. 845, Annex 1, 3&4, as
Petrolatum (CAS 8009-03-8) Poland. Maximum permissible conce 1286/2018, Annex 1) Components Petrolatum (CAS 8009-03-8) Portugal. VLEs. Norm on occupation Components Petrolatum (CAS 8009-03-8) Romania. OELs. Limit Values of Che amended) Components Petrolatum (CAS 8009-03-8) Slovakia. OELs. Maximum permissib Annex 1, Table 1, as amended) Components Petrolatum (CAS	TLV entrations and intensities of Type TWA nal exposure to chemical age Type TWA mical Agents at Workplace (Type STEL TWA	1 mg/m3 harmful factors in the work Value 5 mg/m3 ents (NP 1796-2014) Value 5 mg/m3 Regulation 1.218/2006, M.O Value 10 mg/m3 5 mg/m3 ical factors in workplace air	Mist. environment (Dz.U.Poz. Form Inhalable fraction. Form Inhalable fraction. 845, Annex 1, 3&4, as
Petrolatum (CAS 8009-03-8) Poland. Maximum permissible conce 1286/2018, Annex 1) Components Petrolatum (CAS 8009-03-8) Portugal. VLEs. Norm on occupation Components Petrolatum (CAS 8009-03-8) Romania. OELs. Limit Values of Che amended) Components Petrolatum (CAS 8009-03-8) Slovakia. OELs. Maximum permissib Annex 1, Table 1, as amended) Components Petrolatum (CAS	TLV entrations and intensities of Type TWA ral exposure to chemical age Type TWA mical Agents at Workplace (Type STEL TWA ele exposure limits for chemical type STEL Type STEL Type STEL	1 mg/m3 harmful factors in the work Value 5 mg/m3 ents (NP 1796-2014) Value 5 mg/m3 Regulation 1.218/2006, M.O Value 10 mg/m3 5 mg/m3 ical factors in workplace air Value 3 mg/m3 15 ppm	Mist. environment (Dz.U.Poz. Form Inhalable fraction. Form Inhalable fraction. 845, Annex 1, 3&4, as (Regulation No 355/2006, Form Fume and mist. Fume and mist.
Petrolatum (CAS 8009-03-8) Poland. Maximum permissible conce 1286/2018, Annex 1) Components Petrolatum (CAS 8009-03-8) Portugal. VLEs. Norm on occupation Components Petrolatum (CAS	TLV entrations and intensities of Type TWA all exposure to chemical age Type TWA mical Agents at Workplace (Type STEL TWA alle exposure limits for chemical Type	1 mg/m3 harmful factors in the work Value 5 mg/m3 ents (NP 1796-2014) Value 5 mg/m3 Regulation 1.218/2006, M.O Value 10 mg/m3 5 mg/m3 ical factors in workplace air Value 3 mg/m3 15 ppm 1 mg/m3	Mist. environment (Dz.U.Poz. Form Inhalable fraction. Form Inhalable fraction. 845, Annex 1, 3&4, as (Regulation No 355/2006, Form Fume and mist.
Petrolatum (CAS 8009-03-8) Poland. Maximum permissible conce 1286/2018, Annex 1) Components Petrolatum (CAS 8009-03-8) Portugal. VLEs. Norm on occupation Components Petrolatum (CAS 8009-03-8) Romania. OELs. Limit Values of Che amended) Components Petrolatum (CAS 8009-03-8) Slovakia. OELs. Maximum permissib Annex 1, Table 1, as amended) Components Petrolatum (CAS	TLV entrations and intensities of Type TWA ral exposure to chemical age Type TWA mical Agents at Workplace (Type STEL TWA ele exposure limits for chemical type STEL Type STEL Type STEL	1 mg/m3 harmful factors in the work Value 5 mg/m3 ents (NP 1796-2014) Value 5 mg/m3 Regulation 1.218/2006, M.O Value 10 mg/m3 5 mg/m3 ical factors in workplace air Value 3 mg/m3 15 ppm	Mist. environment (Dz.U.Poz. Form Inhalable fraction. Form Inhalable fraction. 845, Annex 1, 3&4, as (Regulation No 355/2006, Form Fume and mist. Fume and mist.
Petrolatum (CAS 8009-03-8) Poland. Maximum permissible conce 1286/2018, Annex 1) Components Petrolatum (CAS 8009-03-8) Portugal. VLEs. Norm on occupation Components Petrolatum (CAS 8009-03-8) Romania. OELs. Limit Values of Che amended) Components Petrolatum (CAS 8009-03-8) Slovakia. OELs. Maximum permissib Annex 1, Table 1, as amended) Components Petrolatum (CAS 8009-03-8) Slovakia. OELs. Maximum permissib Annex 1, Table 1, as amended) Components Petrolatum (CAS 8009-03-8)	TLV entrations and intensities of Type TWA all exposure to chemical age Type TWA mical Agents at Workplace (Type STEL TWA ele exposure limits for chemical Type STEL TWA TYPE STEL TWA	1 mg/m3 harmful factors in the work Value 5 mg/m3 ents (NP 1796-2014) Value 5 mg/m3 Regulation 1.218/2006, M.O Value 10 mg/m3 5 mg/m3 ical factors in workplace air Value 3 mg/m3 15 ppm 1 mg/m3 5 ppm	Mist. environment (Dz.U.Poz. Form Inhalable fraction. Form Inhalable fraction. 845, Annex 1, 3&4, as (Regulation No 355/2006, Form Fume and mist. Fume and mist. Fume and mist. Fume and mist. Fume and mist.
Petrolatum (CAS 8009-03-8) Poland. Maximum permissible conce 1286/2018, Annex 1) Components Petrolatum (CAS 8009-03-8) Portugal. VLEs. Norm on occupation Components Petrolatum (CAS 8009-03-8) Romania. OELs. Limit Values of Che amended) Components Petrolatum (CAS 8009-03-8) Slovakia. OELs. Maximum permissib Annex 1, Table 1, as amended) Components Petrolatum (CAS	TLV entrations and intensities of Type TWA all exposure to chemical age Type TWA mical Agents at Workplace (Type STEL TWA ele exposure limits for chemical Type STEL TWA TYPE STEL TWA	1 mg/m3 harmful factors in the work Value 5 mg/m3 ents (NP 1796-2014) Value 5 mg/m3 Regulation 1.218/2006, M.O Value 10 mg/m3 5 mg/m3 ical factors in workplace air Value 3 mg/m3 15 ppm 1 mg/m3 5 ppm	Mist. environment (Dz.U.Poz. Form Inhalable fraction. Form Inhalable fraction. 845, Annex 1, 3&4, as (Regulation No 355/2006, Form Fume and mist. Fume and mist. Fume and mist. Fume and mist. Fume and mist.

Spain. OELs. INSST, Límites de Exposición Profesional Para Agentes Químicos, Table 1-Valores Límites Ambientales

(VLAs)

Components **Form** Type Value TWA 5 mg/m3 Mist.

Sweden. OELs (Annex 1). Work Environment Authority (AV), Occupational Exposure Limit Values (AFS 2018:1), as

amended

Components **Form Type** Value Petrolatum (CAS STEL 3 mg/m3 Mist. 8009-03-8) **TWA** 1 mg/m3 Mist.

Switzerland. SUVA Grenzwerte am Arbeitsplatz: Aktuelle MAK-Werte

Form Components Value Type Petrolatum (CAS TWA 5 mg/m3 Inhalable fraction.

8009-03-8)

Biological limit values No biological exposure limits noted for the ingredient(s).

Recommended monitoring procedures

Follow standard monitoring procedures.

Derived no effect levels

(DNELs)

Not available.

Predicted no effect concentrations (PNECs) Not available.

8.2. Exposure controls

Appropriate engineering

controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

Personal protection equipment should be chosen according to the CEN standards and in **General information**

discussion with the supplier of the personal protective equipment.

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

- Hand protection Wear appropriate chemical resistant gloves.

- Other Wear suitable protective clothing.

In case of insufficient ventilation, wear suitable respiratory equipment. Respiratory protection

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

Always observe good personal hygiene measures, such as washing after handling the material Hygiene measures

and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

Environmental exposure

controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or

engineering modifications to the process equipment may be necessary to reduce emissions to

acceptable levels.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Solid **Form** Solid. Colour Black

Odour Not available.

40 °C (104 °F) estimated Melting point/freezing point Boiling point or initial boiling point and boiling range

250 °C (482 °F) estimated

Not available. **Flammability**

Upper/lower flammability or explosive limits Explosive limit - lower (%) Not available. Not available. Explosive limit - upper

(%)

200,001 °C (392,002 °F) estimated Flash point

Auto-ignition temperature 200 °C (392 °F) estimated

Not available. **Decomposition temperature** Not available. Not available. Kinematic viscosity

Solubility

Not available. Solubility (water) **Partition coefficient** Not available.

(n-octanol/water) (log value)

Vapour pressure 0,118073 hPa estimated

Density and/or relative density

0.83 g/cm3 estimated Density

Not available. Vapour density Not available **Particle characteristics**

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No relevant additional information available.

9.2.2. Other safety characteristics

0.83009 estimated Specific gravity

SECTION 10: Stability and reactivity

10.1. Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Material is stable under normal conditions. 10.2. Chemical stability

10.3. Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

10.4. Conditions to avoid Contact with incompatible materials.

10.5. Incompatible materials Strong oxidising agents.

10.6. Hazardous No hazardous decomposition products are known.

decomposition products

SECTION 11: Toxicological information

General information Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

Inhalation May cause allergy or asthma symptoms or breathing difficulties if inhaled. Prolonged inhalation

may be harmful.

Skin contact May cause an allergic skin reaction.

Direct contact with eyes may cause temporary irritation. Eye contact

Ingestion May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of

occupational exposure.

Symptoms Exposure may cause temporary irritation, redness, or discomfort.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Not known. **Acute toxicity**

Components **Species Test Results**

Octabenzone (CAS 1843-05-6)

Acute Dermal

LD50 Rabbit > 10 g/kg

Oral

LD50 Rat > 10000 mg/kg

Skin corrosion/irritation Due to partial or complete lack of data the classification is not possible. Serious eye damage/eye Due to partial or complete lack of data the classification is not possible.

irritation

Respiratory sensitisation Due to partial or complete lack of data the classification is not possible. Due to partial or complete lack of data the classification is not possible. Skin sensitisation Germ cell mutagenicity Due to partial or complete lack of data the classification is not possible. Carcinogenicity Due to partial or complete lack of data the classification is not possible.

Reproductive toxicity Due to partial or complete lack of data the classification is not possible. Specific target organ toxicity -

single exposure

Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity -

repeated exposure

Due to partial or complete lack of data the classification is not possible.

Aspiration hazard Due to partial or complete lack of data the classification is not possible.

Mixture versus substance

information

No information available.

11.2. Information on other hazards

Endocrine disrupting

properties

The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. This mixture does not contain any substances having endocrine disrupting properties with respect to human health as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or greater than 0.1% by weight.

May cause allergic respiratory and skin reactions. Other information

SECTION 12: Ecological information

12.1. Toxicity Based on available data, the classification criteria are not met for hazardous to the aquatic

environment.

12.2. Persistence and

Octabenzone

degradability

No data is available on the degradability of any ingredients in the mixture.

4,8

12.3. Bioaccumulative potential

Partition coefficient n-octanol/water (log Kow)

Butyl cyclohexyl acetate Linalool

2,97 6,96

7,6 Estimated

Bioconcentration factor (BCF) 12.4. Mobility in soil

12.5. Results of PBT and vPvB

assessment

No data available.

Not available.

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII.

12.6. Endocrine disrupting properties

The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. This mixture does not contain any substances having endocrine disrupting properties with respect to the environment as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or greater than 0.1% by weight.

12.7. Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Since emptied containers may retain product residue, follow label warnings even after container is Contaminated packaging

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

The Waste code should be assigned in discussion between the user, the producer and the waste **EU** waste code

disposal company.

Disposal methods/information Collect and reclaim or dispose in sealed containers at licensed waste disposal site.

Dispose in accordance with all applicable regulations. Special precautions

SECTION 14: Transport information

14.1. UN number

14.2. UN proper shipping name

Not regulated as dangerous goods. Not regulated as dangerous goods.

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary hazard

Hazard No. (ADR) Not assigned. Not assigned. Tunnel restriction code

14.4. Packing group

1701371E Version #: 05 Revision date: 07-December-2023 Issue date: 22-August-2022

14.5. Environmental hazards No.

14.6. Special precautions Not assigned.

for user

RID

14.1. UN number Not regulated as dangerous goods.

14.2. UN proper shipping

Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary hazard -14.4. Packing group -14.5. Environmental hazards No.

14.6. Special precautions Not assigned.

for user

ADN

14.1. UN number Not regulated as dangerous goods.14.2. UN proper shipping Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary hazard -14.4. Packing group -14.5. Environmental hazards No.

14.6. Special precautions Not assigned.

for user

IATA

14.1. UN number Not regulated as dangerous goods.14.2. UN proper shipping Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary hazard -14.4. Packing group -14.5. Environmental hazards No.

14.6. Special precautions Not assigned.

for user

IMDG

14.1. UN number Not regulated as dangerous goods.14.2. UN proper shipping Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary hazard 14.4. Packing group 14.5. Environmental hazards

Marine pollutant No.

EmS Not assigned.

14.6. Special precautions Not assigned.

for user

14.7. Maritime transport in bulk Not applicable.

according to IMO instruments

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Not listed.

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended

Not listed Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA

Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended

Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use, as amended - Conditions of restriction given for the associated entry number should be considered

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed.

Regulation 2019/1148 on Marketing and Use of Explosive Precursors, Annex I, as amended

Not listed

Regulation 2019/1148 on Marketing and Use of Explosive Precursors, Annex II, as amended

Not listed

The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP Other regulations

Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation

(EC) No 1907/2006, as amended.

National regulations Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as

amended.

France regulations

France INRS Table of Occupational Diseases

Not regulated.

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

List of abbreviations

ADN: European Agreement Concerning the International Carriage of Dangerous Goods by Inland

Waterways.

ADR: Agreement concerning the International Carriage of Dangerous Goods by Road.

AGW: Occupational threshold limit value (Arbeitsplatzgrenzwert - Germany).

CAS: Chemical Abstract Service.

CEN: European Committee for Standardization. IATA: International Air Transport Association.

IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous

Chemicals in Bulk.

IMDG: International Maritime Dangerous Goods.

MAC: Maximum Allowed Concentration.

MARPOL: International Convention for the Prevention of Pollution from Ships.

PBT: Persistent, bioaccumulative and toxic.

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.

STEL: Short term exposure limit. TLV: Threshold Limit Value. TWA: Time Weighted Average. VLE: Exposure Limit Value. VME: Exposure Average Value.

vPvB: Very persistent and very bioaccumulative.

References

Not available.

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

Full text of any statements, which are not written out in full

under sections 2 to 15 H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H410 Very toxic to aquatic life with long lasting effects.

Revision information Product and Company Identification: Product Codes

SECTION 2: Hazards identification: Disposal SECTION 2: Hazards identification: Prevention SECTION 2: Hazards identification: Response SECTION 2: Hazards identification: Storage

Composition / Information on Ingredients: Ingredients

SECTION 8: Exposure controls/personal protection: Respiratory protection

Training information Disclaimer

Follow training instructions when handling this material.

Yankee Candle s.r.o. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.