

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation Yankee Candle Clean Cotton Reed Diffuser Refill - 1745726E

of the mixture

Registration number

Synonyms None. **Product code** 1745726E

Issue date 10-January-2024

Version number

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Air Care Products Uses advised against None known. 1.3. Details of the supplier of the safety data sheet

Company name Yankee Candle Company (Europe) Limited

Poplar Way East, Cabot Park **Company Address**

> Avonmouth Bristol

United Kingdom **BS11 0YH**

1.4. Emergency telephone number

Newell - UK (Emergency 0800 234 6169

Health Response)

008 008 658 8466 **Europe - Newell**

111 NHS

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

Physical hazards

Flammable liquids Category 2 H225 - Highly flammable liquid and

vapour.

Health hazards

Serious eye damage/eye irritation Category 2 H319 - Causes serious eye

irritation.

Skin sensitisation Category 1 H317 - May cause an allergic skin

reaction.

Environmental hazards

Hazardous to the aquatic environment, Category 3 H412 - Harmful to aquatic life with

long-term aquatic hazard long lasting effects.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Contains: 10-Undecenal, Benzoic acid, 2-hydroxy-, hexyl ester, Butyl cyclohexyl acetate, d-Limonene, Ethyl

2.2-dimethylhydrocinnamal, q-Methoxycedrane, Hexyl Cinnamal, Isocyclemone E, Linalyl acetate,

Lyral, Oils, orange, sweet

Hazard pictograms



Signal word Danger

Hazard statements

Highly flammable liquid and vapour. H225

SDS GREAT BRITAIN 1 / 10 1745726E Version #: 01 Issue date: 10-January-2024

H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.

Harmful to aquatic life with long lasting effects. H412

Precautionary statements

Prevention

Keep out of reach of children. P102

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P210

Avoid release to the environment. P273

Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present P305 + P351 + P338

and easy to do. Continue rinsing.

If skin irritation or rash occurs: Get medical advice/attention. P333 + P313

If on skin: Wash with plenty of water/. P302 + P350

If eye irritation persists: Get medical advice/attention. P337 + P313

Not applicable. Storage

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations. P501

Supplemental label information None.

2.3. Other hazards This mixture does not contain substances assessed to be vPvB / PBT according to Regulation

(EC) No 1907/2006, Annex XIII. The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. The mixture does not contain any substances included in the list established in accordance with REACH Article 59(1) for having endocrine disrupting properties at a concentration equal to or greater than 0.1% by weight.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

Chemical name		%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Ethanol		70 - 80	64-17-5 200-578-6	-	603-002-00-5	#
	Classification:	Flam. Liq.	2;H225, Eye Irrit. 2;H	319		
Butyl cyclohexyl aceta	te	1 - 3	32210-23-4 250-954-9	-	-	
	Classification:	Skin Sens	. 1B;H317			
Galaxolide		1 - 3	1222-05-5 214-946-9	01-2119488227-29	603-212-00-7	
	Classification:	Aquatic Ad	cute 1;H400, Aquatic	Chronic 1;H410		
Hexyl Cinnamal		1 - 3	101-86-0 202-983-3	01-2119533092-50	-	
		Skin Sens Chronic 2;		cute 1;H400(M=1), Aquatic		
lonone, methyl-		1 - 3	1335-46-2 215-635-0	-	-	
	Classification:	Skin Irrit. 2	2;H315, Eye Irrit. 2;H3	319, Aquatic Chronic 2;H41	1	
Benzoic acid, 2-hydrox	ky-, hexyl ester	≤ 1	6259-76-3 228-408-6	01-2119638275-36	-	
			. 1B;H317, Aquatic Ao H410(M=1)	cute 1;H400(M=1), Aquatic		
Isocyclemone E		≤ 1	54464-57-2 259-174-3	-	-	
	Classification:	Skin Irrit. 2	2;H315, Skin Sens. 1E	3;H317, Aquatic Chronic 1;	H410	
Oils, orange, sweet		≤ 1	8008-57-9 616-926-9	-	-	
				H226, Skin Irrit. 2;H315, E; ;H304, Aquatic Chronic 2;F		
g-Methoxycedrane		≤ 0.3	19870-74-7 243-384-7	-	-	
	Classification:	Skin Sens	. 1B;H317, Aquatic A	cute 1;H400(M=1), Aquatic		

Chronic 1;H410

Chemical name	%	CAS-No. / E	C No.	REACH Registration N	o. Index No.	Notes
10-Undecenal	≤ 0.2	112-45-8 203-973-	-	-	-	
Clas	sification: Skin Sens	. 1B;H317, Aqu	atic Ch	ronic 3;H412		
AHTN	≤ 0.2	21145-77 244-240-	-	-	-	
Clas		. 4;H302, Aqua H410(M=1)	tic Acut	e 1;H400(M=1), Aquatic		
Benzoic acid, 2-hydroxy-, (3Z)-3-hexen-1-yl ester	≤ 0.2	65405-77 265-745-	-	-	-	
Clas	sification: Aquatic Ad	cute 1;H400(M=	=1), Aqu	uatic Chronic 2;H411		
d-Limonene	≤ 0.2	5989-27-	<u></u> 5	-	601-096-00-2	
		227-813-	5			
		3;H226, Skin I	rrit. 2;H	315, Skin Sens. 1;H317, Aquatic Chronic 1;H410	Asp. Tox.	С
Clas	1;H304, A	3;H226, Skin I	rrit. 2;H: H400, A		Asp. Tox.	С
Class Ethyl 2,2-dimethylhydrocinn	1;H304, Åo namal ≤ 0.2 sification: Skin Irrit. 2	3;H226, Skin li quatic Acute 1; 67634-15 266-819-	rrit. 2;H; H400, A -5 2		-	С
Class Ethyl 2,2-dimethylhydrocinn	1;H304, Åo namal ≤ 0.2 sification: Skin Irrit. 2	3;H226, Skin In quatic Acute 1; 67634-15 266-819- 2;H315, Skin Se	rrit. 2;H; H400, <i>A</i> -5 2 ens. 1B	Aquatic Chronic 1;H410	-	С
Class Ethyl 2,2-dimethylhydrocinn Class Linalyl acetate	1;H304, Åd namal ≤ 0.2 sification: Skin Irrit. 2 Aquatic Cl ≤ 0.2	3;H226, Skin In quatic Acute 1; 67634-15 266-819- 2;H315, Skin Senronic 2;H411 115-95-7 204-116-	rrit. 2;H; H400, A -5 2 ens. 1B 7	Aquatic Chronic 1;H410	-	С
Class Ethyl 2,2-dimethylhydrocinn Class Linalyl acetate	1;H304, Åd namal ≤ 0.2 sification: Skin Irrit. 2 Aquatic Cl ≤ 0.2	3;H226, Skin In quatic Acute 1; 67634-15 266-819- 2;H315, Skin Senronic 2;H411 115-95-7 204-116-	rrit. 2;H: H400, A -5 2 eens. 1B 7 4 t. 2;H31	equatic Chronic 1;H410 - ;H317, Aquatic Acute 1;H	-	С

List of abbreviations and symbols that may be used above

ATE: Acute toxicity estimate.

M: M-factor

vPvB: very persistent and very bioaccumulative substance.

PBT: persistent, bioaccumulative and toxic substance.

#: This substance has been assigned Union workplace exposure limit(s).

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

Composition comments

The full text for all H-statements is displayed in section 16.

SECTION 4: First aid measures

General information

Take off all contaminated clothing immediately. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.

4.1. Description of first aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Remove contaminated clothing immediately and wash skin with soap and water. In case of Skin contact

eczema or other skin disorders: Seek medical attention and take along these instructions.

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if Eve contact

present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Rinse mouth. Get medical attention if symptoms occur. Ingestion

4.2. Most important symptoms and effects, both acute and delayed

Headache. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Coughing. May cause an allergic skin reaction. Dermatitis. Rash.

4.3. Indication of any immediate medical attention and special treatment needed Provide general supportive measures and treat symptomatically. Thermal burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim under observation. Symptoms may be delayed.

SECTION 5: Firefighting measures

General fire hazards Highly flammable liquid and vapour.

5.1. Extinguishing media

Suitable extinguishing

Water fog. Alcohol resistant foam. Dry chemical powder. Carbon dioxide (CO2).

media

Unsuitable extinguishing Do not use water jet as an extinguisher, as this will spread the fire.

media

5.2. Special hazards arising from the substance or mixture Vapours may form explosive mixtures with air. Vapours may travel considerable distance to a source of ignition and flash back. During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Special protective equipment for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Special fire fighting procedures

In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do

so without risk.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Avoid breathing mist/vapours. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.

For emergency responders

Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during clean-up. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Ventilate closed spaces before entering them. Avoid breathing mist/vapours. Local authorities should be advised if significant spillages cannot be contained. Use personal protection recommended in Section 8 of the SDS.

6.2. Environmental precautions

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up

Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil etc) away from spilled material. Take precautionary measures against static discharge. Use only non-sparking tools. Prevent entry into waterways, sewer, basements or confined areas.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.

Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use.

6.4. Reference to other sections

For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. When using do not smoke. Explosion-proof general and local exhaust ventilation. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Use non-sparking tools and explosion-proof equipment. Avoid breathing mist/vapours. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities

Keep away from heat, sparks and open flame. Prevent electrostatic charge build-up by using common bonding and grounding techniques. Store in a cool, dry place out of direct sunlight. Store in tightly closed container. Store in a well-ventilated place. Keep in an area equipped with sprinklers. Store away from incompatible materials (see Section 10 of the SDS).

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

ANNEX 1, PART 1 Categories of dangerous substances

Hazard categories in accordance with Regulation (EC) No 1272/2008

- P5a, b or c FLAMMABLE LIQUIDS (Lower-tier requirements = 50 tonnes; Upper-tier requirements = 200 tonnes)

7.3. Specific end use(s)

Observe industrial sector guidance on best practices.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

UK. OELs. Workplace Exposure Limits (WELs) (EH40/2005 (Fourth Edition 2020)), Table 1					
Components	Туре	Value			
Ethanol (CAS 64-17-5)	TWA	1920 mg/m3			
		1000 ppm			

Biological limit values No biological exposure limits noted for the ingredient(s). Recommended monitoring

procedures

Follow standard monitoring procedures.

Derived no effect levels

(DNELs)

Not available

Not available

Predicted no effect concentrations (PNECs)

8.2. Exposure controls

Appropriate engineering controls

Explosion-proof general and local exhaust ventilation. Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an

acceptable level. Provide eyewash station and safety shower.

Individual protection measures, such as personal protective equipment

General information

Use personal protective equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.

Eye/face protection

Wear safety glasses with side shields (or goggles). Face shield is recommended.

Skin protection

- Hand protection

Wear appropriate chemical resistant gloves.

- Other

Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

Respiratory protection

If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not

been established), an approved respirator must be worn.

Thermal hazards

Wear appropriate thermal protective clothing, when necessary.

Hygiene measures

When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not

be allowed out of the workplace.

Environmental exposure

controls

Inform appropriate managerial or supervisory personnel of all environmental releases. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to acceptable levels

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state Liquid. Liquid. Form

Not available. Colour Not available. Odour Not available. **Odour threshold** Not available.

Melting point/freezing point -114 °C (-173.2 °F) estimated Initial boiling point and boiling

range

78.4 °C (173.12 °F) estimated

Flash point 13 °C (55.4 °F) estimated

Evaporation rate Not available. Flammability (solid, gas) Not applicable. Upper/lower flammability or explosive limits Not available. Explosive limit - lower (%)

Explosive limit - upper

(%)

Not available.

Vapour pressure 38.742455 hPa estimated

Not available. Vapour density Relative density Not available.

Solubility(ies)

Solubility (water) Not available. **Partition coefficient** Not available

(n-octanol/water)

Material name: Yankee Candle Clean Cotton Reed Diffuser Refill - 1745726E 1745726E Version #: 01 Issue date: 10-January-2024

365 °C (689 °F) estimated **Auto-ignition temperature**

Decomposition temperature Not available. Not available. **Viscosity Explosive properties** Not explosive. Oxidising properties Not oxidising

9.2. Other information

0.828 g/cm3 estimated Density Percent volatile 87.49 % estimated Specific gravity 0.82797 estimated VOC 74.9 % estimated

SECTION 10: Stability and reactivity

10.1. Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Material is stable under normal conditions. 10.2. Chemical stability

10.3. Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

10.4. Conditions to avoid Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the

flash point. Contact with incompatible materials.

10.5. Incompatible materials

10.6. Hazardous

No hazardous decomposition products are known.

decomposition products

SECTION 11: Toxicological information

Occupational exposure to the substance or mixture may cause adverse effects. **General information**

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful. Skin contact May cause an allergic skin reaction.

Eye contact Causes serious eye irritation.

Ingestion May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of

occupational exposure.

Strong oxidising agents.

Symptoms Headache. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and

blurred vision. Coughing. May cause an allergic skin reaction. Dermatitis. Rash.

11.1. Information on toxicological effects

Acute toxicity No data available

Due to partial or complete lack of data the classification is not possible. Skin corrosion/irritation

Serious eye damage/eye

irritation

Causes serious eye irritation.

Respiratory sensitisation Due to partial or complete lack of data the classification is not possible.

Skin sensitisation May cause an allergic skin reaction.

Due to partial or complete lack of data the classification is not possible. Germ cell mutagenicity Carcinogenicity Due to partial or complete lack of data the classification is not possible.

IARC Monographs. Overall Evaluation of Carcinogenicity

d-Limonene (CAS 5989-27-5) 3 Not classifiable as to carcinogenicity to humans.

Reproductive toxicity Due to partial or complete lack of data the classification is not possible. Specific target organ toxicity -

single exposure

Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity -

repeated exposure

Due to partial or complete lack of data the classification is not possible.

Aspiration hazard Due to partial or complete lack of data the classification is not possible.

Mixture versus substance

information

No information available.

SECTION 12: Ecological information

12.1. Toxicity Harmful to aquatic life with long lasting effects.

Material name: Yankee Candle Clean Cotton Reed Diffuser Refill - 1745726E 1745726E Version #: 01 Issue date: 10-January-2024

Components Species Test Results

d-Limonene (CAS 5989-27-5)

Aquatic

Acute

Crustacea EC50 Water flea (Daphnia pulex) 69.6 mg/l, 48 hours

Fish LC50 Fathead minnow (Pimephales promelas) 0.619 - 0.796 mg/l, 96 hours

Ethanol (CAS 64-17-5)

Aquatic

Acute

Crustacea EC50 Water flea (Daphnia magna) 7.7 - 11.2 mg/l, 48 hours

Fish LC50 Rainbow trout, donaldson trout 42 mg/l, 4 days

(Oncorhynchus mykiss)

12.2. Persistence and No data is availa

No data is available on the degradability of any ingredients in the mixture.

degradability

12.3. Bioaccumulative potential

Partition coefficient n-octanol/water (log Kow)

lonone, methyl-

Linalyl acetate

AHTN 5.4 Benzoic acid, 2-hydroxy-, (3Z)-3-hexen-1-yl ester 4.8 Benzoic acid, 2-hydroxy-, hexyl ester 5.5 Butyl cyclohexyl acetate 4.8 d-Limonene 4.57 Ethanol -0.31Ethyl 2,2-dimethylhydrocinnamal 3.6 Galaxolide 5.3 Hexyl Cinnamal 4.686

> 3.9 3.93

4.5 - 5

Bioconcentration factor (BCF) Not available.

12.4. Mobility in soil No data available.

12.5. Results of PBT and vPvB

assessment

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation

(EC) No 1907/2006, Annex XIII.

12.6. Other adverse effectsThe product contains volatile organic compounds which have a photochemical ozone creation

potential.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

EU waste codeThe Waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Disposal methods/information Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow

this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches

with chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Special precautions Dispose in accordance with all applicable regulations.

SECTION 14: Transport information

ADR

14.1. UN number UN1170

14.2. UN proper shipping ETHANOL (ETHYL ALCOHOL) or ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)

name (Ethanol)

14.3. Transport hazard class(es)

Class 3
Subsidiary hazard Label(s) 3
Hazard No. (ADR) 33
Tunnel restriction code D/E
14.4. Packing group II

7/10

for user RID 14.1. UN number UN1170 ETHANOL (ETHYL ALCOHOL) or ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION) 14.2. UN proper shipping (Ethanol) name 14.3. Transport hazard class(es) Class 3 **Subsidiary hazard** 3 Label(s) 14.4. Packing group Ш 14.5. Environmental hazards No. 14.6. Special precautions Read safety instructions, SDS and emergency procedures before handling. for user ADN 14.1. UN number UN1170 ETHANOL (ETHYL ALCOHOL) or ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION) 14.2. UN proper shipping (Ethanol) name 14.3. Transport hazard class(es) 3 Class Subsidiary hazard 3 Label(s) Ш 14.4. Packing group 14.5. Environmental hazards No. 14.6. Special precautions Read safety instructions, SDS and emergency procedures before handling. for user IATA 14.1. UN number UN1170 14.2. UN proper shipping Ethanol solution (Ethanol) name 14.3. Transport hazard class(es) Class 3 Subsidiary hazard Ш 14.4. Packing group 14.5. Environmental hazards Yes **ERG Code** 14.6. Special precautions Read safety instructions, SDS and emergency procedures before handling. for user Other information Passenger and cargo Allowed with restrictions. aircraft Cargo aircraft only Allowed with restrictions. **IMDG** 14.1. UN number UN1170 14.2. UN proper shipping ETHANOL (ETHYL ALCOHOL) or ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION) (Ethanol), MARINE POLLUTANT 14.3. Transport hazard class(es) 3 Class **Subsidiary hazard** Ш 14.4. Packing group 14.5. Environmental hazards Marine pollutant Yes F-E. S-D **EmS** Read safety instructions, SDS and emergency procedures before handling. 14.6. Special precautions for user Not established. 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Read safety instructions, SDS and emergency procedures before handling.

14.5. Environmental hazards No. **14.6. Special precautions** Rea

ADN; ADR; IATA; IMDG; RID



Marine pollutant



General information

IMDG Regulated Marine Pollutant.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Retained direct EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended Not listed.

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use, as amended - Conditions of restriction given for the associated entry number should be considered

Ethanol (CAS 64-17-5) Galaxolide (CAS 1222-05-5)

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

ANNEX 1, PART 1 Categories of dangerous substances

Hazard categories in accordance with Regulation (EC) No 1272/2008

- P5a, b or c FLAMMABLE LIQUIDS

Other regulations

This product is classified and labelled in accordance with the retained CLP Regulation (EC) No 1272/2008, as amended for Great Britain. This Safety Data Sheet is compiled in accordance with REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758.

Follow the requirements of the Control of Substances Hazardous to Health Regulations 2002 [SI 2002/2677], as amended, when using this material.

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out.

Material name: Yankee Candle Clean Cotton Reed Diffuser Refill - 1745726E 1745726E Version #: 01 Issue date: 10-January-2024

SECTION 16: Other information

List of abbreviations

ADN: European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways.

ADR: Agreement concerning the International Carriage of Dangerous Goods by Road.

CAS: Chemical Abstract Service.

CEN: European Committee for Standardization. IATA: International Air Transport Association.

IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous

Chemicals in Bulk.

IMDG: International Maritime Dangerous Goods.

MARPOL: International Convention for the Prevention of Pollution from Ships.

PBT: Persistent, bioaccumulative and toxic.

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.

STEL: Short term exposure limit. TWA: Time Weighted Average.

vPvB: Very persistent and very bioaccumulative.

References

Information on evaluation method leading to the classification of mixture

under sections 2 to 15

Full text of any statements, which are not written out in full

Not available.

The classification for health and environmental hazards is derived by a combination of calculation methods and test data. if available.

H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation. H400 Verv toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

Revision information Training information Product and Company Identification: Alternate Trade Names Follow training instructions when handling this material.

Disclaimer

Yankee Candle s.r.o. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.