



SAFETY DATA SHEET

BLACK FOREST

[x] 1 Identification of the substance/mixture and the company/business

1.1 Product identifier

BLACK FOREST

1.2 Relevant identified uses of the substance or mixture and uses advised against

Perfume composition, flavour or aromatical ingredient, for an industrial usage, that can be used in end-user product.

1.3 Details of the supplier of the safety data sheet

Please find the actual manufacturer on product label

Supplier	: MANE (Shanghai) Fragrances & Flavours Co., Ltd
Address	: No. 612 Shan Lian Road, Baoshan Urban Industry Park- Shanghai 200444-CHINA
Telephone	: +86 21 3611 9900 (Only during office hours)
e-mail	: CN-SH.REG-SDS@mane.com
Supplier	: MANE (China) Fragrances & Flavours Co., Ltd
Address	: No. 988, Xinxingyi Road, Pinghu Economic Technological Development Zone- Pinghu 314200, Zhejiang Province- CHINA
Telephone	: +86 573 8509 8989 (Only during office hours)
e-mail	: CN-SH.REG-SDS@mane.com

1.4 Emergency telephone number

Official advisory body number : CN number 0532-83889090
Other Emergency Numbers :

2 HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

CLASSIFICATION ACCORDING Reg. 1272/2008/CE

Physical hazards

No hazard specified.

Health Dangers

Skin irrit. 2: Causes skin irritation.

Skin Sens. 1: May cause an allergic skin reaction.



SAFETY DATA SHEET

BLACK FOREST

Environmental hazards

Aquatic Chronic 2: Toxic to aquatic life with long lasting effects.

2.2 Label elements



GHS07

GHS09

WARNING

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H411: Toxic to aquatic life with long lasting effects.

P261: Avoid breathing dust/fume/gas/mist/vapors/spray.

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P333+P313: If skin irritation or rash occurs: Get medical advice.

P302+P352: IF ON SKIN: Wash with plenty of soap and water.

P391: Collect spillage.

P321: Specific treatment (see this label).

P362: Take off contaminated clothing and wash before reuse.

P501: Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

P272: Contaminated work clothing should not be allowed out of the workplace.

EUH208: Contains COUMARIN, HELIOTROPINE, Beta PINENE, CYCLAMEN ALDEHYDE, DIMETHYL CYCLOHEXENE CARBOXALDEHYDE, CITRAL. May produce an allergic reaction.

2.3 Other hazards

PBT-Substances, vPvB-Substances: None

Endocrine Disruptors: None

Other information: None

For a complete list of references and phrases mentioned in this chapter, see chapter 16.

3 COMPOSITION / INFORMATION ON INGREDIENTS

3.1 Substances

CAS-No.: Not applicable

SAFETY DATA SHEET

BLACK FOREST

3.2 Mixtures

Hazardous Substances

Component	CAS number REACH number Index number	Concentration limit	CLASSIFICATION ACCORDING Reg. 1272/2008/CE	Other hazard information
2,6-dimethyloct-7-en-2-ol	18479-58-8 01-2119457274-37-XXXX	[1 %, 5 %]	Skin irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3 (NE), H336	M factor: Not applicable SCL: Not applicable ATE: LD50 Dermal > 5000 mg/kg LD50 Oral 3020 mg/kg CL50 Inhalation - vapor > 100 mg/l
HEXYL CINNAMAL	101-86-0 01-2119533092-50-XXXX	[1 %, 5 %]	Skin Sens. 1B, H317 Aquatic Acute 1, H400 Aquatic Chronic 2, H411	M factor: 1 SCL: Not applicable ATE: LD50 Dermal > 5000 mg/kg LD50 Oral 3100 mg/kg CL50 Inhalation - vapor > 100 mg/l
LINALYL ACETATE	115-95-7	[1 %, 5 %]	Skin irrit. 2, H315 Skin Sens. 1, H317	M factor: Not applicable SCL: Not applicable ATE: LD50 Dermal > 5000 mg/kg LD50 Oral > 5000 mg/kg CL50 Inhalation - vapor > 100 mg/l
HHCB	1222-05-5 01-2119488227-29-XXXX 603-212-00-7	[1 %, 5 %]	Aquatic Acute 1, H400 Aquatic Chronic 1, H410	M factor: 1 SCL: Not applicable ATE: LD50 Dermal > 5000 mg/kg CL50 Inhalation - vapor > 100 mg/l LD50 Oral > 5000 mg/kg
LINALOOL	78-70-6 603-235-00-2	[1 %, 5 %]	Skin irrit. 2, H315 Skin Sens. 1B, H317 Eye Irrit. 2, H319	M factor: Not applicable SCL: Not applicable ATE: LD50 Dermal > 5000 mg/kg LD50 Oral 2790 mg/kg CL50 Inhalation - vapor > 100 mg/l
VANILLIN	121-33-5 01-2119516040-60-XXXX	[1 %, 5 %]	Eye Irrit. 2, H319	M factor: Not applicable SCL: Not applicable ATE: LD50 Dermal 2600 mg/kg LD50 Oral 3300 mg/kg CL50 Inhalation - vapor > 100 mg/l
D-LIMONENE	5989-27-5	[1 %, 5 %]	Flam. Liq. 3, H226 Asp. Tox. 1, H304	M factor: 1 SCL: Not applicable

SAFETY DATA SHEET

BLACK FOREST

Component	CAS number REACH number Index number	Concentration limit	CLASSIFICATION ACCORDING Reg. 1272/2008/CE	Other hazard information
	601-096-00-2		Skin irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Acute 1, H400 Aquatic Chronic 3, H412	ATE: LD50 Dermal > 5000 mg/kg LD50 Oral > 5000 mg/kg CL50 Inhalation - vapor > 100 mg/l
COUMARIN	91-64-5 01-2119943756-26-XXXX	[0.1 % , 1 %]	Acute Tox. 4 Oral, H302 Skin Sens. 1B, H317	M factor: Not applicable SCL: Not applicable ATE: LD50 Dermal > 5000 mg/kg LD50 Oral 500 mg/kg CL50 Inhalation - vapor > 100 mg/l
HELIOTROPINE	120-57-0 01-2119983608-21-XXXX	[0.1 % , 1 %]	Skin Sens. 1B, H317	M factor: Not applicable SCL: Not applicable ATE: LD50 Dermal > 5000 mg/kg LD50 Oral 2700 mg/kg CL50 Inhalation - vapor > 100 mg/l
Beta PINENE	127-91-3	[0.1 % , 1 %]	Flam. Liq. 3, H226 Asp. Tox. 1, H304 Skin irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	M factor: 1 SCL: Not applicable ATE: LD50 Dermal > 5000 mg/kg LD50 Oral > 5000 mg/kg CL50 Inhalation - vapor > 100 mg/l
CYCLAMEN ALDEHYDE	103-95-7 01-2119970582-32-XXXX	[0.1 % , 1 %]	Skin irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 3, H412	M factor: Not applicable SCL: Not applicable ATE: LD50 Dermal > 5000 mg/kg LD50 Oral 3810 mg/kg CL50 Inhalation - vapor > 100 mg/l
GAMMA TERPINENE	99-85-4	[0.1 % , 1 %]	Flam. Liq. 3, H226 Asp. Tox. 1, H304 Repr. 2, H361 Aquatic Chronic 2, H411	M factor: Not applicable SCL: Not applicable ATE: LD50 Dermal > 5000 mg/kg LD50 Oral 3650 mg/kg CL50 Inhalation - vapor > 100 mg/l
DIMETHYL CYCLOHEXENE CARBOXYALDEHYDE	68039-49-6 01-2119982384-28-XXXX	[0.1 % , 1 %]	Skin irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 2, H411	M factor: Not applicable SCL: Not applicable ATE: LD50 Dermal > 5000 mg/kg LD50 Oral 2330 mg/kg CL50 Inhalation - vapor > 100 mg/l

SAFETY DATA SHEET

BLACK FOREST

Component	CAS number REACH number Index number	Concentration limit	CLASSIFICATION ACCORDING Reg. 1272/2008/CE	Other hazard information
CYCLOHEXYLOXY,2-PROPENYL ACETATE	68901-15-5 01-2120770514-54-XXXX	[0.1 % , 1 %]	Acute Tox. 4 Oral, H302 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	M factor: 1 SCL: Not applicable ATE: LD50 Dermal > 5000 mg/kg CL50 Inhalation - vapor > 100 mg/l LD50 Oral 682 mg/kg
DELTA DAMASCONONE	57378-68-4 01-2119535122-53-XXXX	[0.1 % , 1 %]	Acute Tox. 4 Oral, H302 Skin irrit. 2, H315 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	M factor: 1 SCL: Not applicable ATE: LD50 Dermal > 5000 mg/kg LD50 Oral 1600 mg/kg CL50 Inhalation - vapor > 100 mg/l
CITRAL	5392-40-5 605-019-00-3	[0.1 % , 1 %]	Skin irrit. 2, H315 Skin Sens. 1B, H317 Eye Irrit. 2, H319	M factor: Not applicable SCL: Not applicable ATE: LD50 Dermal > 5000 mg/kg LD50 Oral > 5000 mg/kg CL50 Inhalation - vapor > 100 mg/l

The REACH number is specific to V MANE FILS legal entity.

Ingredients having an occupational exposure limit value: See section 8.

4 FIRST AID MEASURES

4.1 Description of first aid measures

IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

4.2 Most important symptoms and effects, both acute and delayed

Get medical attention if symptoms persist.

4.3 Indication of any immediate medical attention and special treatment needed

Never give liquid to an unconscious person.



SAFETY DATA SHEET

BLACK FOREST

5 FIRE-FIGHTING MEASURES

5.1 Extinguishing media

Water, CO2 or Foam
Extinguishing media to avoid
Avoid water in straight hose stream; will scatter and spread fire.

5.2 Special hazards arising from the substance or mixture

Avoid breathing dust or vapor.
Cool containers exposed to flames with water until well after the fire is out.

5.3 Advice for firefighters

No specific precautions.

6 Measures to adopt in case of accidental dispersion

6.1 Personal precautions, protective equipment and emergency procedures

Contain spillages with sand, earth or any suitable adsorbent material.

6.2 Environmental precautions

There must be no release into the environment.

6.3 Methods and material for containment and clean-up

Collect with non-combustible absorbent material. Flush with water. Dike for large spills.

6.4 Reference to other sections

See Section 8 of the SDS for Personal Protective Equipment.
For waste disposal, see section 13 of the SDS.

7 HANDLING AND STORAGE

7.1 Precautions for safe handling

Extinguish all ignition sources. Avoid sparks, flames, heat and smoking. Ventilate.
Store in a cool, dry place with adequate ventilation. Keep away from incompatible materials, open flames, and high



SAFETY DATA SHEET

BLACK FOREST

temperatures.
Do not breathe vapor from heated material.

7.2 Condition for safe storage, including any incompatibilities

Keep only in the original container in an appropriate place.

7.3 Specific end use(s)

No specific precautions.

8 EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control parameters

Occupational exposure limits

National OELs values

Component	CAS	Concentration limit	VLEP-8h (mg/m3)
D-LIMONENE	5989-27-5	[1 % , 5 %]	ARGENTINA: None BRAZIL: None CHINA: None GERMANY: 28 FRANCE: None INDONESIA: None JAPAN: None POLAND: None UNITED STATES OF AMERICA: 30 (AIHA)

European Indicative OELs values

None

8.2 Exposure controls

Face & eye protection:

Use safety glasses or a face shield according to Standard EN 166 and according to the hazard analysis specific to the workplace (chemical to be handled, protocol for use, frequency of use, quantity used, etc.).

Hand & skin protection:

Use chemical resistant gloves in accordance with Standard EN 374 for protective gloves against chemicals.
When prolonged or frequently repeated contact may occur, a glove with a protection class of 4 or higher (breakthrough time greater than 120 minutes according to Standard EN 374) is recommended.
When only brief contact is expected, a glove with a protection class of 1 or higher (breakthrough time greater than 10 minutes according to Standard EN 374) is recommended. Thickness > or = 0.2 mm.
Please observe the instructions regarding permeability and breakthrough time which are provided by the glove supplier.
Permeation time must exceed contact time.



SAFETY DATA SHEET

BLACK FOREST

Choose the type of gloves according to the chemical properties of the products being handled.
Change gloves according to the manufacturer's recommendations or if they are damaged.
Wear protective clothing covering the arms and legs. Use an apron or full suit if exposure is expected.
These recommendations must be adapted according to the hazard analysis specific to the workplace.

Respiratory protection:

Use in a well-ventilated area.

In the event that ventilation is not sufficient to prevent inhalation of substances or reduce airborne concentrations below an established occupational exposure limit, use an adequate respiratory apparatus to supplement the engineering measures already in place.

These recommendations must be adapted according to the hazard analysis specific to the workplace.

9 PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

- Physical State: LIQUID
- Color: From COLORLESS to YELLOW
- Odor: Characteristic
- pH: No data available.
- Melting point (°C): No data available.
- Boiling point (°C): No data available.
- Flash point (°C): 96.0 °C (204.8 °F)
- Evaporation Rate: No data available.
- Flammability (solid, gas): No data available.
- Upper/lower limit on flammability or explosive limits: No data available.
- Vapor pressure: 0.04 mmHg
- Vapor Density: No data available.
- Specific Gravity: 0.9222 / 0.9322
- Solubility: No data available.
- Log Pow (n-Octanol/Water Partition Coefficient): No data available.
- Auto Ignition Temp. (°C): No data available.



SAFETY DATA SHEET

BLACK FOREST

- Decomposition temperature (°C): No data available.
- Viscosity at 40°C: No data available.
- Explosive properties: No data available.
- Oxidizing properties: No data available.
- Vapor pressure at 20°C: No data available.
- Vapor pressure at 50°C: No data available.

9.2 Other information

No other information noted.

10 STABILITY AND REACTIVITY

10.1 Reactivity

No data available.

10.2 Chemical stability

Stable under normal temperature conditions and recommended use.

10.3 Possibility of hazardous reactions

No data available.

10.4 Conditions to avoid

Store in a cool, dry place with adequate ventilation. Keep away from incompatible materials, open flames, and high temperatures.

10.5 Incompatible materials

No data available.

10.6 Hazardous decomposition products

No data available.



SAFETY DATA SHEET

BLACK FOREST

11 TOXICOLOGICAL INFORMATION

11.1 Hazard class information as defined in Regulation (EC) No. 1272/2008

Product Information

LD50 Dermal(mg/kg) > 5000 (Unknown: 0%) (Calculated)
LD50 Oral(mg/kg) > 5000 (Unknown: 0%) (Calculated)
LC50 - Inhalation - vapor(mg/l) > 100 (Unknown: 0%) (Calculated)

Component Information

Component	CAS	Concentration limit	LD50 Dermal (mg/kg)	LD50 Oral (mg/kg)	CL50 Inhalation - vapor (mg/l)
2,6-dimethyloct-7-en-2-ol	18479-58-8	[1 % , 5 %]	> 5000 Estimated	3020 Estimated	> 100 Estimated
HEXYL CINNAMAL	101-86-0	[1 % , 5 %]	> 5000 Estimated	3100 Estimated	> 100 Estimated
LINALYL ACETATE	115-95-7	[1 % , 5 %]	> 5000 Estimated	> 5000 Estimated	> 100 Estimated
LINALOOL	78-70-6	[1 % , 5 %]	> 5000 Measured	2790 Measured	> 100 Estimated
VANILLIN	121-33-5	[1 % , 5 %]	2600 Measured	3300 Measured	> 100 Estimated
D-LIMONENE	5989-27-5	[1 % , 5 %]	> 5000 Estimated	> 5000 Estimated	> 100 Estimated
COUMARIN	91-64-5	[0.1 % , 1 %]	> 5000 Estimated	500 Estimated	> 100 Estimated
HELIOTROPINE	120-57-0	[0.1 % , 1 %]	> 5000 Estimated	2700 Estimated	> 100 Estimated
Beta PINENE	127-91-3	[0.1 % , 1 %]	> 5000 Estimated	> 5000 Estimated	> 100 Estimated
CYCLAMEN ALDEHYDE	103-95-7	[0.1 % , 1 %]	> 5000 Estimated	3810 Estimated	> 100 Estimated
GAMMA TERPINENE	99-85-4	[0.1 % , 1 %]	> 5000 Estimated	3650 Measured	> 100 Estimated
DIMETHYL CYCLOHEXENE CARBOXALDEHYDE	68039-49-6	[0.1 % , 1 %]	> 5000 Estimated	2330 Measured	> 100 Estimated
DELTA DAMASCONE	57378-68-4	[0.1 % , 1 %]	> 5000 Estimated	1600 Estimated	> 100 Estimated
CITRAL	5392-40-5	[0.1 % , 1 %]	> 5000 Estimated	> 5000 Estimated	> 100 Estimated

Serious eye damage/irritation : No data available.
Germ cell mutagenicity : No data available.
Reproductive toxicity : No data available.
Specific Target Organ - Single Exposure : No data available.



SAFETY DATA SHEET

BLACK FOREST

Skin Sensitization : No data available.

Cancerogenicity : No data available.

Specific Target Organ (NE) - Single Exposure : No data available.

Specific Target Organ - Repeated Exposure : No data available.

Aspiration Hazard : No data available.

Respiratory Sensitization : No data available.

Skin corrosion/irritation : No data available.

Information on likely routes of exposure

No data available.

Symptoms related to the physical, chemical, and toxicological characteristics

No data available.

Delayed, Immediate, and Chronic Effects of Short- and Long-Term Exposure

No data available.

Interactive effects

No data available.

11.2 Information on other hazards

Properties interfering with the endocrine system

Not applicable

Other information

No data available.

12 ECOLOGICAL INFORMATION

12.1 Toxicity

Product Information

Toxicity Fish : No data available.

Toxicity Alga : No data available.



SAFETY DATA SHEET

BLACK FOREST

Toxicity Water Flea : No data available.

12.2 Persistence and degradability

Biodegradability : No data available.
Hydrosolubility : No data available.
Comments : None

12.3 Bioaccumulative potential

Log Pow (n-Octanol/Water Partition Coefficient) : No data available.
Bio Concentration Factor : No data available.

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

No data available.

12.6 Information on other hazards

Properties interfering with the endocrine system

Not applicable

Other information

No data available.

12.7 Other adverse effects

No data available.

13 DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Do not release into the environment. Confirm disposal procedures with environmental engineer and local regulations.

13.2 Other information



SAFETY DATA SHEET

BLACK FOREST

Always keep original label(s) on empty recipients (drums/pails).

14 TRANSPORT INFORMATION

ADR

UN number	: 3082
Transportation name United Nations	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PERFUMERY PRODUCTS)
Danger class(es) for transport	: Class 9 : MISCELLANEOUS DANGEROUS SUBSTANCES AND ARTICLES
Packaging group	: III
Environmental dangers	: Yes.
Tunnel restriction code	: -

IATA

UN number	: 3082
Transportation name United Nations	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PERFUMERY PRODUCTS)
Danger class(es) for transport	: Class 9 : MISCELLANEOUS DANGEROUS SUBSTANCES AND ARTICLES
Packaging group	: III
Environmental dangers	: Yes.

IMDG

UN number	: 3082
Transportation name United Nations	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PERFUMERY PRODUCTS) POLLUTANT
Danger class(es) for transport	: Class 9 : MISCELLANEOUS DANGEROUS SUBSTANCES AND ARTICLES
Packaging group	: III
Environmental dangers	: Yes.
Marine pollutants	: P - pollutant

RID

UN number	: 3082
Transportation name United Nations	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PERFUMERY PRODUCTS)
Danger class(es) for transport	: Class 9 : MISCELLANEOUS DANGEROUS SUBSTANCES AND ARTICLES
Packaging group	: III
Environmental dangers	: Yes.
Tunnel restriction code	: -

14.1 Special precautions for user

No recommendation given.

15 Regulatory information



SAFETY DATA SHEET

BLACK FOREST

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Water Hazard Class (WGK): WGK 2 (Hazard to waters)

SEVESO III: DIRECTIVE 2012/18/EU of the European parliament and of the council on the control of major-accident hazards involving dangerous substances.

Section(s) of the ICPE nomenclature (France): 4330, 4331, 4510, 4511

Other regulations can apply:

Directive 92/85/EEC on the maternity Protection or stricter national regulations if applicable.

Directive 94/33/EC on the protection of young people at work or stricter national regulations, if applicable.

15.2 Chemical safety assessment

No data available.

16 OTHER INFORMATION

16.1 Entire text of the H and P phrases mentioned in chapters 2 and 3:

H226	Flammable liquid and vapor.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H361	Suspected of damaging fertility or the unborn child.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

P261: Avoid breathing dust/fume/gas/mist/vapors/spray.

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P333+P313: If skin irritation or rash occurs: Get medical advice.

P302+P352: IF ON SKIN: Wash with plenty of soap and water.

P391: Collect spillage.

P321: Specific treatment (see this label).

P362: Take off contaminated clothing and wash before reuse.

P501: Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

P272: Contaminated work clothing should not be allowed out of the workplace.



SAFETY DATA SHEET

BLACK FOREST

16.2 Abbreviation and acronyms

CAS: Chemical Abstracts Service
CO2: Carbon dioxide
LD50: Lethal dose 50
NTP: National Toxicology program
IARC: International Agency for Research on Cancer
OSHA: Occupational Safety and Health Administration
UN: United Nations
IMDG : International Maritime Dangerous Goods
IATA : International Air Transport Association

Classification codes

Acute Tox. 4 Oral	: Acute toxicity Category 4 Oral
Aquatic Acute 1	: Acute hazards to the aquatic environment Category 1
Aquatic Chronic 1	: Chronic hazards to the aquatic environment Category 1
Aquatic Chronic 2	: Chronic hazards to the aquatic environment Category 2
Aquatic Chronic 3	: Chronic hazards to the aquatic environment Category 3
Asp. Tox. 1	: Aspiration hazard Category 1
Eye Irrit. 2	: Serious eye damage/eye irritation Category 2
Flam. Liq. 3	: Flammable liquids Category 3
Repr. 2	: Toxic for Reproduction Category 2
Skin irrit. 2	: Skin corrosion/irritation Category 2
Skin Sens. 1	: Skin sensitizer Category 1
Skin Sens. 1A	: Skin sensitizer Category 1A
Skin Sens. 1B	: Skin sensitizer Category 1B
STOT SE 3 (NE)	: Specific target organ toxicity - single exposure Category 3 Narcotic effect.

16.3 Key literature references and sources for data

This safety Data Sheet has been prepared in accordance with Regulation EC 1907/2006 and its amendments. The information given correspond to the knowledge we have on the date mentioned on this document and is based on the recommendations of the ECHA and IOFI/IFRA working groups.

To specify modifications that appear in document since the previous version, we note this symbol [X] in front of each section containing a modification.

We cannot be held responsible in the event of improper usage of this product. It is up to the user to analyse the information given and to determine appropriate handling conditions for the safe use of this product.

It is the user's liability to conform to all local, national, and international regulations that apply to its activities.

This automatically generated safety data sheet is valid without signature.