

CLEAN LINEN

1 Identification of the substance/mixture and the company/business

1.1 Product identifier

CLEAN LINEN

1.2 Relevant identified uses of the substance or mixture and uses advised against

Perfume composition, flavour or aromatical ingredient, for an industrial usage, that can be used in end-user product.

1.3 Details of the supplier of the safety data sheet

Please find the actual manufacturer on product label

Supplier Address	: MANE (Shanghai) Fragrances & Flavours Co., Ltd : No. 612 Shan Lian Road, Baoshan Urban Industry Park- Shanghai 200444- CHINA
Telephone	: +86 21 3611 9900 (Only during office hours)
e-mail	: CN-SH.REG-SDS@mane.com
Supplier	: MANE (China) Fragrances & Flavours Co., Ltd
Address	: No. 988, Xinxingyi Road, Pinghu Economic Technological Development Zone-
Telephone e-mail	Pinghu 314200, Zhejiang Province- CHINA : +86 573 8509 8989 (Only during office hours) : CN-SH.REG-SDS@mane.com

1.4 <u>Emergency telephone number</u>

Official advisory body number : CN number 0532-83889090 Other Emergency Numbers :

2 HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

CLASSIFICATION ACCORDING Reg. 1272/2008/CE

<u>Physical hazards</u> No hazard specified. <u>Health Dangers</u> Skin irrit. 2: Causes skin irritation. Skin Sens. 1: May cause an allergic skin reaction.

Issue date 05 DEC 2023



CLEAN LINEN

Eye Irrit. 2: Causes serious eye irritation. <u>Environmental hazards</u> Aquatic Chronic 3: Harmful to aquatic life with long lasting effects.

2.2 Label elements



WARNING H315: Causes skin irritation. H317: May cause an allergic skin reaction. H319: Causes serious eye irritation. H412: Harmful to aquatic life with long lasting effects. P261: Avoid breathing dust/fume/gas/mist/vapors/spray.

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P333+P313: If skin irritation or rash occurs: Get medical advice.

P305+P351+P338: IF IN EYES: Rinse with water for several minutes. Remove contact lenses, if present.

P337+P313: If eye irritation persists: Get medical advice

P302+P352: IF ON SKIN: Wash with plenty of soap and water.

P321: Specific treatment (see this label).

P362: Take off contaminated clothing and wash before reuse.

EUH208: Contains CITRONELLOL, BENZYL SALICYLATE, BENZENEPROPANAL, p-tert-BUTYL, CYCLAMEN ALDEHYDE, NEROL, DIMETHYL CYCLOHEXENE CARBOXALDEHYDE, CITRAL, PSEUDO METHYLIONONE, DELTA DAMASCONE. May produce an allergic reaction.

2.3 Other hazards

PBT-Substances, vPvB-Substances: None Endocrine Disruptors: None

Other information: None

For a complete list of references and phrases mentioned in this chapter, see chapter 16.

3 COMPOSITION / INFORMATION ON INGREDIENTS

3.1 Substances

CAS-No.:Not applicable

Issue date 05 DEC 2023



CLEAN LINEN

3.2 Mixtures

Hazardous Substances

ISOBUTYLHYDROXYMETH. TETRAHYDROPYRAN	63500-71-0 01-2119455547-30-XXXX 603-101-00-3	[10 % , 20 %[Eye Irrit. 2, H319	M factor: Not applicable SCL: Not applicable
				ATE: LD50 Dermal > 5000 mg/kg LD50 Oral > 5000 mg/kg CL50 Inhalation - vapor > 100 mg/l
PHENETHYL ALCOHOL	60-12-8 01-2119963921-31-XXXX	[5 % , 10 %[Acute Tox. 4 Oral, H302 Eye Irrit. 2, H319	M factor: Not applicable SCL: Not applicable ATE: LD50 Dermal 2500 mg/kg LD50 Oral 1610 mg/kg CL50 Inhalation - vapor > 100 mg/l
ANISALDEHYDE	123-11-5 01-2119977101-43-XXXX	[5 % , 10 %[Aquatic Chronic 3, H412	M factor: Not applicable SCL: Not applicable ATE: LD50 Dermal > 5000 mg/kg CL50 Inhalation - vapor > 100 mg/l LD50 Oral 3210 mg/kg
OCTAHYDRO TETRAMETHYL ACETONAPHTONE	54464-57-2 01-2119489989-04-XXXX	[1 % , 5 %[Skin irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 2, H411	M factor: Not applicable SCL: Not applicable ATE: LD50 Dermal > 5000 mg/kg LD50 Oral > 5000 mg/kg CL50 Inhalation - vapor > 100 mg/l
alpha-ISOMETHYL IONONE	127-51-5	[1 % , 5 %[Skin Sens. 1B, H317 Aquatic Chronic 2, H411	M factor: Not applicable SCL: Not applicable ATE: LD50 Dermal > 5000 mg/kg LD50 Oral > 5000 mg/kg CL50 Inhalation - vapor > 100 mg/l
BENZYL ACETATE	140-11-4 01-2119638272-42-XXXX 78-70-6	[1 % , 5 %[Aquatic Chronic 3, H412 Skin irrit. 2, H315	M factor: Not applicable SCL: Not applicable ATE: LD50 Dermal > 5000 mg/kg CL50 Inhalation - vapor > 100 mg/l LD50 Oral 2490 mg/kg M factor: Not applicable

Issue date 05 DEC 2023



CLEAN LINEN

MANE

Component	CAS number REACH number Index number	Concentration limit	CLASSIFICATION ACCORDING Reg. 1272/2008/CE	Other hazard information
	603-235-00-2		Skin Sens. 1B, H317 Eye Irrit. 2, H319	SCL: Not applicable ATE: LD50 Dermal > 5000 mg/kg LD50 Oral 2790 mg/kg CL50 Inhalation - vapor > 100 mg/l
3-METHYL-5-PHENYL-1-PENTANOL	55066-48-3 01-2119969446-23-XXXX	[1 % , 5 %[Acute Tox. 4 Oral, H302	M factor: Not applicable SCL: Not applicable ATE: LD50 Dermal 3100 mg/kg LD50 Oral 1830 mg/kg CL50 Inhalation - vapor > 100 mg/l
Ionone, methyl- (mixture of isomers)	1335-46-2	[1 % , 5 %[Skin irrit. 2, H315 Aquatic Chronic 2, H411	M factor: Not applicable SCL: Not applicable ATE: LD50 Dermal > 5000 mg/kg LD50 Oral > 5000 mg/kg CL50 Inhalation - vapor > 100 mg/l
VERDYL PROPIONATE	68912-13-0 01-2119969447-21-XXXX	[1 % , 5 %[Aquatic Chronic 2, H411	M factor: Not applicable SCL: Not applicable ATE: LD50 Dermal > 5000 mg/kg CL50 Inhalation - vapor > 100 mg/l LD50 Oral > 5000 mg/kg
HEXYL CINNAMAL	101-86-0 01-2119533092-50-XXXX	[1 % , 5 %[Skin Sens. 1B, H317 Aquatic Acute 1, H400 Aquatic Chronic 2, H411	M factor: 1 SCL: Not applicable ATE: LD50 Dermal > 5000 mg/kg LD50 Oral 3100 mg/kg CL50 Inhalation - vapor > 100 mg/l
PENTAMETHYLHEPT-3-EN-2-ONE	86115-11-9 01-2119980043-42-XXXX	[1 % , 5 %[Skin Sens. 1B, H317 Aquatic Chronic 2, H411	M factor: Not applicable SCL: Not applicable ATE: LD50 Dermal > 5000 mg/kg LD50 Oral > 5000 mg/kg CL50 Inhalation - vapor > 100 mg/l
p-tert-BUTYL CYCLOHEXYL ACETATE	32210-23-4 01-2119976286-24-XXXX	[1 % , 5 %[Skin Sens. 1B, H317	M factor: Not applicable SCL: Not applicable ATE: LD50 Dermal > 5000 mg/kg LD50 Oral 3370 mg/kg CL50 Inhalation - vapor > 100 mg/l

Issue date 05 DEC 2023



CLEAN LINEN

MANE

Component	CAS number REACH number Index number	Concentration limit	CLASSIFICATION ACCORDING Reg. 1272/2008/CE	Other hazard information
D-LIMONENE	5989-27-5 601-096-00-2	[1 % , 5 %[Flam. Liq. 3, H226 Asp. Tox. 1, H304 Skin irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Acute 1, H400 Aquatic Chronic 3, H412	M factor: 1 SCL: Not applicable ATE: LD50 Dermal > 5000 mg/kg LD50 Oral > 5000 mg/kg CL50 Inhalation - vapor > 100 mg/l
2,6-dimethyloct-7-en-2-ol	18479-58-8 01-2119457274-37-XXXX	[1 % , 5 %[Skin irrit. 2, H315 Eye Irrit. 2, H319	M factor: Not applicable SCL: Not applicable ATE: LD50 Dermal > 5000 mg/kg LD50 Oral 3600 mg/kg CL50 Inhalation - vapor > 100 mg/l
1,3-Benzodioxole-5-propanal, a- methyl-	1205-17-0 01-2120740119-58-XXXX	[1 % , 5 %[Skin Sens. 1B, H317 Repr. 2, H361 Aquatic Chronic 2, H411	M factor: Not applicable SCL: Not applicable ATE: LD50 Dermal > 5000 mg/kg LD50 Oral 3562 mg/kg CL50 Inhalation - vapor > 100 mg/l
CITRONELLOL	106-22-9	[0.1 % , 1 %[Skin irrit. 2, H315 Skin Sens. 1, H317 Eye Irrit. 2, H319	M factor: Not applicable SCL: Not applicable ATE: LD50 Dermal 2650 mg/kg LD50 Oral 3450 mg/kg CL50 Inhalation - vapor > 100 mg/l
BENZYL SALICYLATE	118-58-1 01-2119969442-31-XXXX	[0.1 % , 1 %[Skin Sens. 1B, H317 Aquatic Chronic 3, H412	M factor: Not applicable SCL: Not applicable ATE: LD50 Dermal > 5000 mg/kg LD50 Oral 2200 mg/kg CL50 Inhalation - vapor > 100 mg/l
BENZENEPROPANAL, p-tert-BUTYL	18127-01-0 01-2119983533-30-XXXX	[0.1 % , 1 %[Skin irrit. 2, H315 Skin Sens. 1B, H317 Repr. 2, H361 STOT-RE 2, H373 Aquatic Chronic 3, H412	M factor: Not applicable SCL: Not applicable ATE: LD50 Dermal > 5000 mg/kg LD50 Oral 2500 mg/kg CL50 Inhalation - vapor > 100 mg/l
CYCLAMEN ALDEHYDE	103-95-7 01-2119970582-32-XXXX	[0.1 % , 1 %[Skin irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 3, H412	M factor: Not applicable SCL: Not applicable ATE: LD50 Dermal > 5000 mg/kg

Issue date 05 DEC 2023



CLEAN LINEN

MANE

Component	CAS number REACH number Index number	Concentration limit	CLASSIFICATION ACCORDING Reg. 1272/2008/CE	Other hazard information
				LD50 Oral 3810 mg/kg CL50 Inhalation - vapor > 100 mg/l
NEROL	106-25-2	[0.1 % , 1 %[Skin irrit. 2, H315 Skin Sens. 1B, H317 Eye Irrit. 2, H319	M factor: Not applicable SCL: Not applicable ATE: LD50 Dermal > 5000 mg/kg LD50 Oral 4500 mg/kg CL50 Inhalation - vapor > 100 mg/l
DIMETHYL CYCLOHEXENE CARBOXALDEHYDE	68039-49-6 01-2119982384-28-XXXX	[0.1 % , 1 %[Skin irrit. 2, H315 Skin Sens. 1B, H317 Eye Irrit. 2, H319 Aquatic Chronic 2, H411	M factor: Not applicable SCL: Not applicable ATE: LD50 Dermal > 5000 mg/kg LD50 Oral 3900 mg/kg CL50 Inhalation - vapor >
CITRAL	5392-40-5	[0.1 % , 1 %[Skin irrit. 2, H315	100 mg/l M factor: Not applicable
	605-019-00-3		Skin Sens. 1B, H317 Eye Irrit. 2, H319	SCL: Not applicable ATE: LD50 Dermal > 5000 mg/kg LD50 Oral > 5000 mg/kg CL50 Inhalation - vapor > 100 mg/l
ISOEUGENOL	97-54-1 01-2120223682-61-XXXX 604-094-00-X	[0.1 % , 1 %[EUH 208 SKIN, EUH208 Acute Tox. 4 Oral, H302 Acute Tox. 4 Dermale, H312 Skin irrit. 2, H315 Skin Sens. 1A, H317 Eye Irrit. 2, H319 Acute Tox. 4 Inhalation, H332 STOT SE 2 (PI), H225	M factor: Not applicable SCL: Skin Sens. 101%, EUH 208 SKIN001% ATE: LD50 Dermal 1912 mg/kg LD50 Oral 1500 mg/kg CL50 Inhalation - vapor 11 mg/l
PSEUDO METHYLIONONE	26651-96-7	[0.1 % , 1 %[STOT SE 3 (RI), H335 Skin irrit. 2, H315 Skin Sens. 1B, H317 Eye Irrit. 2, H319	M factor: Not applicable SCL: Not applicable ATE: LD50 Dermal > 5000 mg/kg LD50 Oral > 5000 mg/kg CL50 Inhalation - vapor > 100 mg/l
DELTA DAMASCONE	57378-68-4 01-2119535122-53-XXXX	[0 % , 0.1 %[Acute Tox. 4 Oral, H302 Skin irrit. 2, H315 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	M factor: 1 SCL: Not applicable ATE: LD50 Dermal > 5000 mg/kg LD50 Oral 1600 mg/kg CL50 Inhalation - vapor > 100 mg/l

Issue date 05 DEC 2023



CLEAN LINEN

The REACH number is specific to V MANE FILS legal entity.

Ingredients having an occupational exposure limit value: See section 8.

4 FIRST AID MEASURES

4.1 Description of first aid measures

IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

4.2 Most important symptoms and effects, both acute and delayed

Get medical attention if symptoms persist.

4.3 Indication of any immediate medical attention and special treatment needed

Never give liquid to an unconscious person.

5 FIRE-FIGHTING MEASURES

5.1 Extinguishing media

Water, CO2 or Foam Extinguishing media to avoid Avoid water in straight hose stream; will scatter and spread fire.

5.2 Special hazards arising from the substance or mixture

Avoid breathing dust or vapor. Cool containers exposed to flames with water until well after the fire is out.

5.3 Advice for firefighters

No specific precautions.

6 Measures to adopt in case of accidental dispersion

6.1 Personal precautions, protective equipment and emergency procedures

```
Issue date 05 DEC 2023
```



CLEAN LINEN

Contain spillages with sand, earth or any suitable adsorbent material.

6.2 Environmental precautions

There must be no release into the environment.

6.3 Methods and material for containment and clean-up

Collect with non-combustible absorbent material. Flush with water. Dike for large spills.

6.4 Reference to other sections

See Section 8 of the SDS for Personal Protective Equipment. For waste disposal, see section 13 of the SDS.

7 HANDLING AND STORAGE

7.1 Precautions for safe handling

Extinguish all ignition sources. Avoid sparks, flames, heat and smoking. Ventilate. Store in a cool, dry place with adequate ventilation. Keep away from incompatible materials, open flames, and high temperatures.

Do not breathe vapor from heated material.

7.2 Condition for safe storage, including any incompatibilities

Keep only in the original container in an appropriate place.

7.3 Specific end use(s)

No specific precautions.

8 EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control parameters

Occupational exposure limits

National OELs values

Component	CAS	Concentration limit	VLEP-8h (mg/m3)
BENZYL ACETATE	140-11-4	[1 % , 5 %[ARGENTINA: None BRAZIL: None
			CHINA: None

Issue date 05 DEC 2023

WE CAPTURE WHAT MOVES

SAFETY DATA SHEET

CLEAN LINEN

🚸 MANE

			GERMANY: None FRANCE: None INDONESIA: 61 JAPAN: 10 (ACGIH) POLAND: None UNITED STATES OF AMERICA: 10 (ACGIH)
D-LIMONENE	5989-27-5	[1 % , 5 %[ARGENTINA: None BRAZIL: None CHINA: None GERMANY: 28 FRANCE: None INDONESIA: None JAPAN: None POLAND: None UNITED STATES OF AMERICA: 30 (AIHA)

European Indicative OELs values

None

8.2 Exposure controls

Face & eye protection:

Use safety glasses or a face shield according to Standard EN 166 and according to the hazard analysis specific to the workplace (chemical to be handled, protocol for use, frequency of use, quantity used, etc.).

Hand & skin protection:

Use chemical resistant gloves in accordance with Standard EN 374 for protective gloves against chemicals.

When prolonged or frequently repeated contact may occur, a glove with a protection class of 4 or higher (breakthrough time greater than 120 minutes according to Standard EN 374) is recommended.

When only brief contact is expected, a glove with a protection class of 1 or higher (breakthrough time greater than 10 minutes according to Standard EN 374) is recommended. Thickness > or = 0.2 mm.

Please observe the instructions regarding permeability and breakthrough time which are provided by the glove supplier. Permeation time must exceed contact time.

Choose the type of gloves according to the chemical properties of the products being handled.

Change gloves according to the manufacturer's recommendations or if they are damaged.

Wear protective clothing covering the arms and legs. Use an apron or full suit if exposure is expected.

These recommendations must be adapted according to the hazard analysis specific to the workplace.

Respiratory protection:

Use in a well-ventilated area.

In the event that ventilation is not sufficient to prevent inhalation of substances or reduce airborne concentrations below an established occupational exposure limit, use an adequate respiratory apparatus to supplement the engineering measures already in place.

These recommendations must be adapted according to the hazard analysis specific to the workplace.

9 PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Issue date 05 DEC 2023



CLEAN LINEN

MANE

- Physical State: LIQUID
- Color: From LIGHT YELLOW to DARK YELLOW
- Odor: Characteristic
- pH: No data available.
- Melting point (°C): No data available.
- Boiling point (°C): No data available.
- Flash point (°C): 97 °C (206.7 °F)
- Evaporation Rate: No data available.
- Flammability (solid, gas): No data available.
- Upper/lower limit on flammability or explosive limits: No data available.
- Vapor pressure: 0.04 mmHg
- Vapor Density: No data available.
- Specific Gravity: 0.9337 / 0.9437
- Solubility: No data available.
- Log Pow (n-Octanol/Water Partition Coefficient): No data available.
- Auto Ignition Temp. (°C): No data available.
- Decomposition temperature (°C): No data available.
- Viscosity at 40°C: No data available.
- Explosive properties: No data available.
- Oxidizing properties: No data available.
- Vapor pressure at 20°C: No data available.
- Vapor pressure at 50°C: No data available.

9.2 Other information

No other information noted.

Issue date 05 DEC 2023



CLEAN LINEN



10 STABILITY AND REACTIVITY

10.1 Reactivity

No data available.

10.2 Chemical stability

Stable under normal temperature conditions and recommended use.

10.3 Possibility of hazardous reactions

No data available.

10.4 Conditions to avoid

Store in a cool, dry place with adequate ventilation. Keep away from incompatible materials, open flames, and high temperatures.

10.5 Incompatible materials

No data available.

10.6 Hazardous decomposition products

No data available.

11 TOXICOLOGICAL INFORMATION

11.1 Hazard class information as defined in Regulation (EC) No. 1272/2008

Product Information

LD50 Dermal(mg/kg) LD50 Oral(mg/kg) LC50 - Inhalation - vapor(mg/l) > 5000 (Unknown: 0%) (Calculated)
 4557.3 (Unknown: 0%) (Calculated)
 > 100 (Unknown: 0%) (Calculated)

Component Information

Component	CAS	Concentration limit	LD50 Dermal (mg/kg)	LD50 Oral (mg/kg)	CL50 Inhalation - vapor
			(119/19)	(119/19)	(mg/l)

Issue date 05 DEC 2023

CLEAN LINEN

MANE

ISOBUTYLHYDROXYMETH.	63500-71-0	[10 % , 20 %[> 5000	> 5000	> 100
TETRAHYDROPYRAN			Estimated	Estimated	Estimated
PHENETHYL ALCOHOL	60-12-8	[5 % , 10 %[2500	1610	> 100
			Estimated	Estimated	Estimated
OCTAHYDRO TETRAMETHYL	54464-57-2	[1 % , 5 %[> 5000	> 5000	> 100
ACETONAPHTONE			Estimated	Estimated	Estimated
alpha-ISOMETHYL IONONE	127-51-5	[1 % , 5 %[> 5000	> 5000	> 100
			Estimated	Estimated	Estimated
LINALOOL	78-70-6	[1 % , 5 %[> 5000	2790	> 100
			Measured	Measured	Estimated
3-METHYL-5-PHENYL-1-	55066-48-3	[1 % , 5 %[3100	1830	> 100
PENTANOL			Measured	Measured	Estimated
Ionone, methyl- (mixture of	1335-46-2	[1 % , 5 %[> 5000	> 5000	> 100
isomers)			Estimated	Estimated	Estimated
HEXYL CINNAMAL	101-86-0	[1 % , 5 %[> 5000	3100	> 100
			Estimated	Estimated	Estimated
PENTAMETHYLHEPT-3-EN-2-ONE	86115-11-9	[1 % , 5 %[> 5000	> 5000	> 100
			Estimated	Estimated	Estimated
p-tert-BUTYL CYCLOHEXYL	32210-23-4	[1 % , 5 %[> 5000	3370	> 100
ACETATE			Estimated	Estimated	Estimated
D-LIMONENE	5989-27-5	[1 % , 5 %[> 5000	> 5000	> 100
			Estimated	Estimated	Estimated
2,6-dimethyloct-7-en-2-ol	18479-58-8	[1 % , 5 %[> 5000	3600	> 100
			Estimated	Estimated	Estimated
1,3-Benzodioxole-5-propanal, a-	1205-17-0	[1 % , 5 %[> 5000	3562	> 100
methyl-			Estimated	Measured	Estimated
CITRONELLOL	106-22-9	[0.1 % , 1 %[2650	3450	> 100
			Estimated	Estimated	Estimated
BENZYL SALICYLATE	118-58-1	[0.1 % , 1 %[> 5000	2200	> 100
			Estimated	Measured	Estimated
BENZENEPROPANAL, p-tert-	18127-01-0	[0.1 % , 1 %[> 5000	2500	> 100
BUTYL			Estimated	Estimated	Estimated
CYCLAMEN ALDEHYDE	103-95-7	[0.1 % , 1 %[> 5000	3810	> 100
			Estimated	Estimated	Estimated
NEROL	106-25-2	[0.1 % , 1 %[> 5000	4500	> 100
			Estimated	Measured	Estimated
DIMETHYL CYCLOHEXENE	68039-49-6	[0.1 % , 1 %[> 5000	3900	> 100
CARBOXALDEHYDE			Estimated	Estimated	Estimated
CITRAL	5392-40-5	[0.1 % , 1 %[> 5000	> 5000	> 100
			Estimated	Estimated	Estimated
ISOEUGENOL	97-54-1	[0.1 % , 1 %[1912	1500	11
			Measured	Measured	Estimated
PSEUDO METHYLIONONE	26651-96-7	[0.1 % , 1 %[> 5000	> 5000	> 100
			Estimated	Estimated	Estimated
DELTA DAMASCONE	57378-68-4	[0 % , 0.1 %[> 5000	1600	> 100
			Estimated	Estimated	Estimated

Serious eye damage/irritation	:	No data available.
Germ cell mutagenicity	:	No data available.
Reproductive toxicity	:	No data available.
Specific Target Organ - Single	:	No data available.
Exposure Skin Sensitization	:	No data available.
Cancerogenicity	:	No data available.

Issue date 05 DEC 2023



CLEAN LINEN

MANE

Specific Target Organ (NE) - Single Exposure	:	No data available.
Specific Target Organ - Repeated	:	No data available.
Exposure Aspiration Hazard	:	No data available.
Respiratory Sensitization	:	No data available.
Skin corrosion/irritation	:	No data available.

Information on likely routes of exposure

No data available.

Symptoms related to the physical, chemical, and toxicological characteristics

No data available.

Delayed, Immediate, and Chronic Effects of Short- and Long-Term Exposure

No data available.

Interactive effects

No data available.

11.2 Information on other hazards

Properties interfering with the endocrine system

Not applicable

Other information

No data available.

12 ECOLOGICAL INFORMATION

12.1 Toxicity

Product Information

Toxicity	Fish	
Toxicity .	Alga	
Toxicity	Water	Flea

: No data available.

- : No data available.
- : No data available.

Issue date 05 DEC 2023



CLEAN LINEN

12.2 Persistence and degradability

Biodegradability Hydrosolubility Comments No data available.No data available.None

12.3 Bioaccumulative potential

Log Pow (n-Octanol/Water Partition Coefficient)

Bio Concentration Factor

: No data available.

: No data available.

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

No data available.

12.6 Information on other hazards

Properties interfering with the endocrine system

Not applicable

Other information

No data available.

12.7 Other adverse effects

No data available.

13 DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Do not release into the environment. Confirm disposal procedures with environmental engineer and local regulations.

13.2 Other information

Always keep original label(s) on empty recipients (drums/pails).

Issue date 05 DEC 2023



CLEAN LINEN

14 TRANSPORT INFORMATION

<u>ADR</u>

Not regulated IATA Not regulated IMDG Not regulated <u>RID</u>

Not regulated

14.1 Special precautions for user

No recommendation given.

15 Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Water Hazard Class (WGK): WGK 2 (Hazard to waters)

SEVESO III: DIRECTIVE 2012/18/EU of the European parliament and of the council on the control of major-accident hazards involving dangerous substances.

Section(s) of the ICPE nomenclature (France): 4330, 4331, 4510, 4511

Other regulations can apply: Directive 92/85/EEC on the maternity Protection or stricter national regulations if applicable. Directive 94/33/EC on the protection of young people at work or stricter national regulations, if applicable.

15.2 Chemical safety assessment

No data available.

16 OTHER INFORMATION

16.1 Entire text of the H and P phrases mentioned in chapters 2 and 3:

EUH208	Contains #. May produce an allergic reaction.
H226	Flammable liquid and vapor.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.

Issue date 05 DEC 2023



CLEAN LINEN

MANE

H312	Harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H361	Suspected of damaging fertility or the unborn child.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

P261: Avoid breathing dust/fume/gas/mist/vapors/spray.

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P333+P313: If skin irritation or rash occurs: Get medical advice.

P305+P351+P338: IF IN EYES: Rinse with water for several minutes. Remove contact lenses, if present.

P337+P313: If eye irritation persists: Get medical advice

P302+P352: IF ON SKIN: Wash with plenty of soap and water.

P321: Specific treatment (see this label).

P362: Take off contaminated clothing and wash before reuse.


16.2 Abbreviation and acronyms

CAS: Chemical Abstracts Service CO2: Carbon dioxyde LD50: Lethal dose 50 NTP: National Toxicology program IARC: International Agency for Research on Cancer OSHA: Occupational Safety and Health Administration UN: United Nations IMDG : International Maritime Dangerous Goods

IATA : International Air Transport Association

Classification codes

Issue date 05 DEC 2023



Specific target organ toxicity - single exposure Category 3 Respiratory Tract

16.3 Key literature references and sources for data

STOT SE 3 (RI)

This safety Data Sheet has been prepared in accordance with Regulation EC 1907/2006 and its amendments. The information given correspond to the knowledge we have on the date mentioned on this document and is based on the recommendations of the EFFA and IOFI/IFRA working groups.

To specify modifications that appear in document since the previous version, we note this symbol [X] in front of each section containing a modification.

We cannot be held responsible in the event of improper usage of this product. It is up to the user to analyse the information given and to determine appropriate handling conditions for the safe use of this product.

It is the user's liability to conform to all local, national, and international regulations that apply to its activities.

This automatically generated safety data sheet is valid without signature.