

DUZZIT FOAM FRESH - CITRUS ZEST

Page: 1

Compilation date: 07/01/2021

Revision No: 1

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: DUZZIT FOAM FRESH - CITRUS ZEST

Product code: DZT1141

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: SU 21 - Consumer Uses.

PC35: Washing and cleaning products (including solvent based products).

1.3. Details of the supplier of the safety data sheet

Company name: 151 Products Ltd

The Old School House

39 Bengal Street

Manchester

M4 6AF

United Kingdom

Tel: +44 (0)161 839 5949

Fax: +44 (0)161 839 5493

Email: fereshteh@151.co.uk

1.4. Emergency telephone number

Emergency tel: +44 (0) 161 839 5949

+353 (0) 18092166 National Poison Centre -Ireland

(office hours only)

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: Eye Irrit. 2: H319; -: EUH208

Most important adverse effects: Contains d-limonene. May produce an allergic reaction. Causes serious eye irritation.

2.2. Label elements

Label elements:

UFI: WXT1-F050-900G-DD2W

Hazard statements: EUH208: Contains d-limonene. May produce an allergic reaction.

H319: Causes serious eye irritation.

Hazard pictograms: GHS07: Exclamation mark



DUZZIT FOAM FRESH - CITRUS ZEST

Page: 2

Signal words: Warning

Precautionary statements: P102: Keep out of reach of children.

P103: Read label before use.

P264: Wash hands thoroughly after handling.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P337+P313: If eye irritation persists: Get medical advice/attention.

P333+P313: If skin irritation or rash occurs: Get medical advice/attention.
P101: If medical advice is needed, have product container or label at hand.

P501: Dispose of contents/container to local authority regulations.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

SODIUM CARBONATE

EINECS	CAS	PBT / WEL	CLP Classification	Percent
207-838-8	497-19-8	-	Eye Irrit. 2: H319	50-70%

CITRIC ACID POWDER ANHYDROUS

201-069-1	77-92-9	-	Eye Irrit. 2: H319	30-50%
-----------	---------	---	--------------------	--------

SODIUM DODECYLBENZENESULPHONATE

246-680-4	25155-30-0	-	Acute Tox. 4: H302; Skin Irrit. 2: H315;	1-10%	
			Eye Dam. 1: H318		

D-LIMONENE

227-813-5	5989-27-5	-	Flam. Liq. 3: H226; Skin Irrit. 2: H315;	<1%
			Skin Sens. 1: H317; Aquatic Acute 1:	
			H400; Aquatic Chronic 1: H410	

Contains: Contains allergens >0.01%.

d-Limonene
Benzyl salicylate

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash

immediately with plenty of soap and water.

Eye contact: Bathe the eye with running water for 15 minutes. Consult a doctor.

Ingestion: Wash out mouth with water. Consult a doctor.

DUZZIT FOAM FRESH - CITRUS ZEST

Page: 3

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a

doctor.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest. Exposure may

cause coughing or wheezing.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Eye bathing equipment should be available on the premises.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact

with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. If outside do not approach from

downwind. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Do not

create dust.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Transfer to a closable, labelled salvage container for disposal by an appropriate

method.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

DUZZIT FOAM FRESH - CITRUS ZEST

Page: 4

7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.

Do not handle in a confined space. Avoid the formation or spread of dust in the air.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

Suitable packaging: Must only be kept in original packaging.

7.3. Specific end use(s)

Specific end use(s): No data available.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Workplace exposure limits: No data available.

DNEL/PNEC Values

Hazardous ingredients:

SODIUM CARBONATE

Туре	Exposure	Value	Population	Effect
DNEL	Inhalation	10mg/m3	Workers	Systemic
DNEL	Inhalation	10mg/m3	General Population	Systemic

CITRIC ACID POWDER ANHYDROUS

Туре	Exposure	Value	Population	Effect
PNEC	Fresh water	0.44mg/L	-	-
PNEC	Marine water	0.044mg/L	-	-
PNEC	Marine sediments	3.46mg/L	-	-
PNEC	Fresh water sediments	34.6mg/L	-	-
PNEC	Soil	33.1mg/kg soil dw	-	-

SODIUM DODECYLBENZENESULPHONATE

Туре	Exposure	Value	Population	Effect
PNEC	Fresh water	0.693mg/L	-	-
PNEC	Fresh water sediments	27.5mg/kg sediment d	-	-
PNEC	Marine water	1mg/L	-	-
PNEC	Marine sediments	2.75mg/kg sediment d	-	-
PNEC	Air	10mg/m³	-	-
PNEC	Food chain	20mg/kg food	-	-

DUZZIT FOAM FRESH - CITRUS ZEST

Page: 5

DNEL	Inhalation	52mg/m³	Workers	Systemic
DNEL	Dermal	57.2mg/kg	Workers	Systemic
DNEL	Inhalation	26mg/m³	General Population	Systemic
DNEL	Dermal	28.6mg/kg	General Population	Systemic
DNEL	Oral	13mg/kg	General Population	Systemic

8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: Self-contained breathing apparatus must be available in case of emergency. Respiratory

protective device with particle filter.

Hand protection: Protective gloves.

Eye protection: Safety glasses. Ensure eye bath is to hand.

Skin protection: Protective clothing.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State: Powder

Colour: White

Odour: Pleasant

Solubility in water: Soluble

Relative density: No data available. pH: 9.4 1% aq

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

DUZZIT FOAM FRESH - CITRUS ZEST

Page: 6

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

SODIUM CARBONATE

DERMAL	RBT	LD50	>2000	mg/kg
ORAL	RAT	LD50	2800	mg/kg

CITRIC ACID POWDER ANHYDROUS

DERMAL	RAT	LD50	>2000	mg/kg
ORL	MOUSE	LD50	5400	mg/kg
SCU	RAT	LD50	5500	mg/kg

SODIUM DODECYLBENZENESULPHONATE

DERMAL (Read across)	RAT	LD50	>2000	mg/kg
IV (Read across)	MUS	LD50	105 - 115	mg/kg
ORAL	RAT	LD50	500 - 2000	mg/kg

D-LIMONENE

ORL	MUS	LD50	5600	mg/kg
ORL	RAT	LD50	4400	mg/kg
SCU	MUS	LD50	3170	mg/kg

Relevant hazards for product:

Hazard	Route	Basis
Serious eye damage/irritation	OPT	Hazardous: calculated

Symptoms / routes of exposure

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest. Exposure may

cause coughing or wheezing.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

Section 12: Ecological information

DUZZIT FOAM FRESH - CITRUS ZEST

Page: 7

12.1. Toxicity

Hazardous ingredients:

SODIUM CARBONATE

BLUEGILL (Lepomis macrochirus)	96H LC50	300	mg/l
Ceriodaphnia sp.	48H EC50	200	mg/l

CITRIC ACID POWDER ANHYDROUS

ORFE (Leuciscus idus melanotus)	48H LC50	600	mg/l
Daphnia magna	24H EC50	1535	mg/l

SODIUM DODECYLBENZENESULPHONATE

COMMON MINNOWS (Phoxinus phoxinus))	24H LC50	5.4	mg/l
Daphnia magna	48H EC50	6.3	mg/l
RAINBOW TROUT (Oncorhynchus mykiss)	96H LC50	4.4	mg/l

12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Soluble in water.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal

company.

Disposal of packaging: Disposal should be in accordance with local authority regulations.

NB: The user's attention is drawn to the possible existence of regional or national

regulations regarding disposal.

Section 14: Transport information

Transport class: This product does not require a classification for transport.

DUZZIT FOAM FRESH - CITRUS ZEST

Page: 8

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: The surfactant(s) contained in this product complies (comply) with the criteria as laid

down in Regulation (EC) No.648/2004 on detergents.

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture

by the supplier.

Section 16: Other information

Other information

Other information: according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation

(EU) 2015/830

* indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and s.3: EUH208: Contains d-limonene. May produce an allergic reaction.

H226: Flammable liquid and vapour.

H302: Harmful if swallowed.

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H318: Causes serious eye damage.

H319: Causes serious eye irritation.

H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive

and shall be used only as a guide. This company shall not be held liable for any

damage resulting from handling or from contact with the above product.