

# **SAFETY DATA SHEET**

According to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Printing date: 2024.6.13

Version 1

Revision: 2024.6.13

## **Section 1. Identification of the substance / preparation and company**

### **1.1 Product identifier:**

**Product name** : Diffuser sds-LEMON BERGAMOT & BASIL  
**Code number** : 152692  
**UFI CODE** : No need

### **1.2 Relevant identified uses of the substance or mixture and uses advised against**

Relevant identified uses: : Consumer uses ,Aromatherapy  
Uses advised against : No data available

### **1.3 Details of the supplier of the safety data sheet**

**Company name** : Ogalas Unlimited  
**Address** : Unit 4 Parkway House, Ballymount| Drive, D12 ECR9  
**TEL** : +353 1 2238312  
SDS writing person in charge : xiyang@daliatalent.com  
*E-mail*

### **1.4 Emergency telephone number**

Emergency contact number : (only in office hours)

## **Section 2. Hazards Identification**

### **2.1 Classification of the substance or mixture**

#### **Classification according to Regulation (EC) No 1272/2008 (CLP)**

The product is not classified according to the CLP regulation.

### **2.2 Label elements**

Hazard pictograms	No data available
Signal words	No data available
Hazard statements	No data available
Precautionary statements	No data available

### **Additional information:**

EUH208 Contains 1,6-Octadien-3-ol, 3,7-Dimethyl-, 3-Acetate; Limonene; Linalool;  
(2E)-2-(Phenylmethylidene)Octanal; 3-Buten-2-one, 3-Methyl-4-(2,6,6-Trimethyl-2-  
Cyclohexen-1-yl)-; Octanal, 7-Hydroxy-3,7-Dimethyl-; 1,3-Benzodioxole-5-Propanal, .Alpha.-Methyl-;  
Cyclododecane, (Ethoxymethoxy)-; Bicyclo[3.1.1]Heptane, 6,6-Dimethyl-2-Methylene-, (1S)-; Citral;  
2H-1-Benzopyran-2-one; 1,3-Benzodioxole-5-Carboxaldehyde .May produce an allergic reaction.

# **SAFETY DATA SHEET**

According to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Printing date: 2024.6.13

Version 1

Revision: 2024.6.13

## **2.3 Other hazards**

Contains no PBT/vPvB substances  $\geq 0.1\%$  assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0.1 %

## **Section 3. Composition/Information on Ingredients**

### **3.1 Substances**

No data available, product is a mixture.

### **3.2 Mixtures**

#### **substances contained in the mixture:**

For the wording of the listed hazard statements refer to section 16.

Chemical name	CAS No EC No	Classification(CLP)	Concentration [%]
Dipropylene glycol monomethyl ether	34590-94-8 252-104-2	Not classified	< 100
1,6-Octadien-3-ol, 3,7-Dimethyl-, 3-Acetate	115-95-7 204-116-4	Skin Sensitization - Cat. 1B [H317] Skin Irritation - Cat. 2 [H315] Eye Irritation - Cat.2 [H319]	$\geq 0.6 < 0.9$
Limonene	5989-27-5 227-813-5	Aspiration Hazard - Cat. 1 [H304] Skin Sensitization - Cat. 1B [H317] Skin Irritation - Cat. 2 [H315] Environmental Hazard (acute) - Cat. 1 [H400] Environmental Hazard (chronic) - Cat. 3 [H412] Flammable Liquid - Cat. 3 [H226]	$\geq 0.6 < 0.9$
linalool	78-70-6 201-134-4	Skin Sensitization - Cat. 1B [H317] Skin Irritation - Cat. 2 [H315] Eye Irritation - Cat.2 [H319]	$\geq 0.6 < 0.9$
(2e)-2-(Phenylmethylidene)O ctanal	165184-98-5 639-566-4	Skin Sensitization - Cat. 1B [H317] Environmental Hazard (acute) - Cat. 1 [H400] Environmental Hazard (chronic) - Cat. 2 [H411]	$\geq 0.12 < 0.3$
3-Buten-2-One, 3-Methyl-4-(2,6,6-Trimethyl-2-Cyclohexen-1-Yl)-	127-51-5 204-846-3	Skin Sensitization - Cat. 1B [H317] Environmental Hazard (chronic) - Cat. 2 [H411]	$\geq 0.12 < 0.3$

# **SAFETY DATA SHEET**

According to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Printing date: 2024.6.13

Version 1

Revision: 2024.6.13

1,4-Cyclohexadiene, 1-Methyl-4-(1-Methylethyl)-	99-85-4 202-794-6	Reproductive Toxicity - Cat. 2 [H361] Aspiration Hazard - Cat. 1 [H304] Environmental Hazard (chronic) - Cat. 2 [H411] Flammable Liquid - Cat. 3 [H226]	$\geq 0.12 < 0.3$
Octanal, 7-Hydroxy-3,7-Dimethyl-	107-75-5 203-518-7	Skin Sensitization - Cat. 1B [H317] Eye Irritation - Cat.2 [H319]	$\geq 0.12 < 0.3$
1,3-Benzodioxole-5-Propanal, .Alpha.-Methyl-	1205-17-0 214-881-6	Reproductive Toxicity - Cat. 2 [H361] Skin Sensitization - Cat. 1B [H317] Environmental Hazard (chronic) - Cat. 2 [H411]	$\geq 0.6 < 0.12$
Cyclododecane, (Ethoxymethoxy)-	58567-11-6 261-332-1	Skin Sensitization - Cat. 1B [H317] Skin Irritation - Cat. 2 [H315] Environmental Hazard (chronic) - Cat. 2 [H411]	$\geq 0.6 < 0.12$
Hexahydrohexamethylindeno pyran	1222-05-5 214-946-9	Environmental Hazard (acute) - Cat. 1 [H400] Environmental Hazard (chronic) - Cat. 1 [H410]	$\geq 0.6 < 0.12$
Bicyclo[3.1.1]Heptane, 6,6-Dimethyl-2-Methylene-, (1s)-	18172-67-3 242-060-2	Aspiration Hazard - Cat. 1 [H304] Skin Sensitization - Cat. 1B [H317] Skin Irritation - Cat. 2 [H315] Environmental Hazard (acute) - Cat. 1 [H400] Environmental Hazard (chronic) - Cat. 1 [H410] Flammable Liquid - Cat. 3 [H226]	$\geq 0.6 < 0.12$
Citral	5392-40-5 226-394-6	Skin Sensitization - Cat. 1 [H317] Skin Irritation - Cat. 2 [H315] Eye Irritation - Cat.2 [H319]	$\geq 0.6 < 0.12$
2h-1-Benzopyran-2-One	91-64-5 202-086-7	Skin Sensitization - Cat. 1B [H317] Acute Toxicity (oral) - Cat. 4 [H302]	$\geq 0.6 < 0.12$
1,3-Benzodioxole-5-Carboxal dehyde	120-57-0 204-409-7	Skin Sensitization - Cat. 1B [H317]	$\geq 0.6 < 0.12$
Hexanoic Acid, 2-Propenyl Ester	123-68-2 204-642-4	Acute Toxicity (oral) - Cat. 3 [H301] Acute Toxicity (dermal) - Cat. 3 [H311] Acute Toxicity (inhalation) - Cat. 3 [H331] Environmental Hazard (acute) - Cat. 1 [H400] Environmental Hazard (chronic) - Cat. 3 [H412]	$\geq 0.6 < 0.12$

# **SAFETY DATA SHEET**

According to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Printing date: 2024.6.13

Version 1

Revision: 2024.6.13

Isopentyl Acetate	123-92-2 204-662-3	Flammable Liquid - Cat. 3 [H226]	$\geq 0.012 < 0.06$
-------------------	-----------------------	----------------------------------	---------------------

Note: Acute aquatic toxicity M-factor: 1  
Aquatic Chronic toxicity M-factor: 1

## **Section 4. First-aid Measures**

### **4.1 Description of first aid measures**

- General advice : Move out of dangerous area.  
Never give anything by mouth to an unconscious person.
- Skin contact : Symptoms: dry skin, irritation in case of repeated or prolonged exposure.  
May cause burn in case of contact with product at high temperature.  
Remove contaminated clothing and footwear and dispose of safely.  
Wash affected area thoroughly with soap and water.  
Seek medical attention if skin irritation, swelling or redness develops and persists.
- Eye contact : Symptoms: slight irritation (unspecific). May cause burn in case of contact with product at high temperature.  
Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do so. Continue rinsing.  
If irritation, blurred vision or swelling occurs and persists, obtain medical advice from a specialist.  
If hot product is splashed into the eye, it should be cooled immediately to dissipate heat, under cold running water.  
Immediately obtain specialist medical assessment and treatment for the casualty.
- Inhalation : At ambient temperature inhalation is unlikely because of the low vapour pressure of the substance.  
Symptoms: None expected at ambient temperature. Inhalation of fumes or oil mists produced at high temperatures may cause irritation of the respiratory tract.  
In case of symptoms arising from inhalation of fumes or mists or vapours: Remove casualty to a quiet and well ventilated place if safe to do so.  
If casualty is unconscious and  
- Not breathing – ensure that there is no obstruction to breathing and give artificial respiration by trained personnel. If necessary, give external cardiac massage and obtain medical assistance.  
- Breathing – place in the recovery position. Administer oxygen if necessary.  
Obtain medical assistance if breathing remains difficult.
- Ingestion : Symptoms: few or no symptoms expected. If any, nausea and diarrhoea might occur.

# **SAFETY DATA SHEET**

According to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Printing date: 2024.6.13

Version 1

Revision: 2024.6.13

Do not induce vomiting. Ask for medical assistance.  
Do not give anything by mouth to an unconscious person.

## **4.2 Most important symptoms and effects, both acute and delayed**

Symptoms : No data available

## **4.3 Indication of any immediate medical attention and special treatment needed**

Information to physician : No data available

## **Section 5. Fire Fighting Measures**

### **5.1 Extinguishing media:**

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable Extinguishing Media : Do not use direct water jets on the burning product; they could cause splattering and spread the fire.  
Simultaneous use of foam and water on the same surface is to be avoided as water destroys the foam.  
Incomplete combustion is likely to give rise to a complex mixture of airborne solid and liquid particulates and gases, including carbon monoxide and unidentified organic and inorganic compounds.

### **5.2 Special hazards arising from the substance or mixture**

Hazardous combustion products : Will cause combustion with high temperature, fire or oxidizing agent.

### **5.3 Advice for firefighters**

In case of a large fire or in confined or poorly ventilated spaces wear full fire resistant protective clothing and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

## **Section 6. Accidental release measures**

### **6.1 Personal precautions, protective equipment and emergency procedures**

#### **6.1.1 For non-emergency personnel**

Protective equipment : Keep non-involved personnel away from the area of spillage.

Emergency procedures : Alert emergency personnel. Except in case of small spillages, the feasibility of any actions should always be assessed and advised, if possible, by a trained, competent person in charge of managing the emergency. It is recommended to eliminate all ignition sources if safe to do so (e.g. electricity, sparks, fires, flares). If required, notify relevant authorities according to applicable regulations.

#### **6.1.2 For emergency responders**

Fully protective measures are necessary.

# **SAFETY DATA SHEET**

According to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Printing date: 2024.6.13

Version 1

Revision: 2024.6.13

---

## **6.2 Environmental precautions**

- Spillages onto land : If necessary dike the product with earth, sand or similar non-combustible materials. Let the material cool naturally.
- Environmental precautions : Should not be released into the environment.  
Avoid subsoil penetration.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.

## **6.3 Methods and material for containment and cleaning up**

- Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).  
Dam up.  
Wipe up with absorbent material (e.g. cloth, fleece)..
- Additional advice : Local authorities should be advised if significant spillages cannot be contained.  
Suppress (knock down) gases/vapours/mists with a water spray jet.
- Other information : Note: recommended measures are based on the most likely spillage scenarios for this material; however, local conditions (wind, air temperature, wave/current direction and speed) may influence the choice of appropriate actions. For this reason, local experts should be consulted when necessary. Local regulations may also prescribe or limit actions to be taken.

## **6.4 Reference to other sections**

- See Section 7 for information on safe handling.  
See Section 8 for information on personal protective equipment.  
See Section 13 for disposal information.

---

## **Section 7. Handling and Storage**

### **7.1 Precautions for safe handling**

- Protective measures : Ensure that all relevant regulations regarding handling and storage facilities of combustible products are followed.
- Measures to prevent fire : It is recommended to keep away from sparks/open flames/hot surfaces. No smoking  
Avoid contact with the hot product.
- Measures to protect the environment : Avoid release to the environment.
- Advice on general occupational hygiene : Ensure that proper housekeeping measures are in place.  
Contaminated materials should not be allowed to accumulate in the workplaces and should never be kept inside the pockets.
- Keep away from food and beverages.  
Do not eat, drink or smoke while using this product.

# **SAFETY DATA SHEET**

According to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Printing date: 2024.6.13

Version 1

Revision: 2024.6.13

---

Wash the hands thoroughly after handling.  
Change contaminated clothes at the end of working shift.

## **7.2 Conditions for safe storage, including any incompatibilities**

- |  |   |   |
|--|---|---|
| Technical measures and storage conditions  | : | Storage area layout, tank design, equipment and operating procedures must comply with the relevant European, national or local legislation.   |
| Packaging materials                        | : | Use materials that do not react with liquids.   |
| Requirements for storage rooms and vessels | : | Cleaning, inspection and maintenance of internal structure of storage tanks must be done only by properly equipped and qualified personnel as defined by national, local or company regulations.  |
| Storage class                              | : | Store separately from oxidising agents.   |
| Further information on storage conditions  | : | Protect drains from spills and prevent entry of molten material, since this may result in blockage on cooling.  |
| If the product is supplied in containers   | : | Keep only in the original container or in a suitable container for this kind of product.<br>Keep containers tightly closed and properly labelled.<br>Empty containers may contain combustible product residues. Do not weld, solder, drill, cut or perform similar operations on or near containers unless they have been properly cleaned. |

## **7.3 Specific end use(s):**

No further relevant information available.

## **Section 8. Exposure controls/personal protection**

### **8.1 Control parameters**

Additional information: The most current valid lists have been used as a basis for the production of this document.

- |                      |   |   |
|----------------------|---|---|
| Construction control | : | Pay attention to the air ventilation in closed working area   |
| Special issue        | : | If heat the paraffin close to the boiling point may send out stimulus/combustible gas. Although there is no significant health hazard, but in order to prevent the stimulation of respiratory by following good work habits and ensure the air ventilation in working area, maintain its minimum. |

### **8.2 Exposure controls**

#### **Engineering measures**

- |                                      |   |   |
|--------------------------------------|---|---|
| Control Engineering/Working Practice | : | If possible, keep the temperature low in storage and handling to reduce the production of smoke<br>Reduce exposure to smoke. Wax melting should be dealt with in a closed and ventilated place<br>Before confirm there is plenty of oxygen, don't come into the empty tank. |
|--------------------------------------|---|---|

# **SAFETY DATA SHEET**

According to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Printing date: 2024.6.13

Version 1

Revision: 2024.6.13

## **Individual Protection**

Respiratory Protection	:	No personal respiratory protective equipment normally required..
Hand protection	:	Wear chemicals-resistant gloves, e.g. safety gloves of chloroprene Level 2 or of butyl rubber Level 6.
Eye Protection	:	Chemical type goggles or face shield.
Protection clothes	:	Wear uniform.
Hand Protection	:	Impervious gloves
Others	:	No smoking in working area. Avoid long-term and repeatedly contact.

## **Section 9: Physical and chemical properties**

### **9.1 Information on basic physical and chemical properties**

#### **Appearance**

Appearance	:	liquid
Colour	:	Characteristic
Smelling	:	Characteristic

#### **Safety data**

pH	:	NA
Melting point/freezing point	:	NA
Initial boiling point and boiling range	:	NA
Flash point	:	>60°C
Evaporation rate	:	NA
Flammability (solid, gas)	:	NA
Upper/lower flammability or explosive limits	:	NA
Vapour pressure	:	NA
Vapour density	:	NA
Relative density	:	NA
Solubility(ies)	:	NA
Partition	:	NA
coefficientn-octanol/water	:	
Auto-ignition temperature	:	NA



# **SAFETY DATA SHEET**

According to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Printing date: 2024.6.13

Version 1

Revision: 2024.6.13

---

Decomposition temperature	:	NA
Viscosity	:	NA
Explosive properties	:	NA
Oxidising properties	:	NA

## **9.2 Other data**

No further relevant information available.

---

## **Section 10. Stability and Reactivity**

---

<b>10.1 Reactivity</b>	:	No known reaction with water.
<b>10.2 Chemical stability</b>	:	Product is stable under normal storage conditions
<b>10.3 Possibility of hazardous reactions</b>	:	No data available
<b>10.4 Conditions to avoid</b>	:	Keep away from heat and avoid direct sunlight.
<b>10.5 Incompatible materials to avoid</b>	:	No data available
<b>10.6 Hazardous decomposition products</b>	:	Combustion (incomplete) will likely generate oxides of carbon, sulphur and nitrogen, as well as additional undetermined organic compounds of the same elements.

---

## **Section 11. Toxicological Information**

---

### **11.1 Information on toxicological effects**

Acute oral toxicity	:	No data available
Acute inhalation toxicity	:	No data available
Acute dermal toxicity	:	No data available
Repeated dose toxicity	:	No data available
Acute toxicity (other routes of administration)	:	No data available
Skin irritation	:	No data available
Eye irritation	:	No data available
Sensitisation	:	No data available

# **SAFETY DATA SHEET**

According to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Printing date: 2024.6.13

Version 1

Revision: 2024.6.13

Mutagenicity	:	No data available
Carcinogenicity	:	No data available
Reproductive toxicity	:	No data available
Teratogenicity	:	No data available
Specific target organ toxicity	:	No data available
- single exposure		
Specific target organ toxicity	:	No data available
- repeated exposure		
Aspiration toxicity	:	No data available

## **Section 12. Ecological information**

<b>12.1 Toxicity</b>	:	No data available
<b>12.2 Persistence and degradability</b>	:	No data available
<b>12.3 Bioaccumulative potential</b>	:	No data available
<b>12.4 Mobility in soil</b>	:	No data available
<b>12.5 Results of PBT and vPvB assessment</b>	:	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## **Section 13. Disposal Considerations**

### **13.1 Waste treatment methods**

Product	:	Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations.
Contaminated packaging	:	Empty remaining contents. Dispose of as unused product.

## **Section 14. Transport Information**

# **SAFETY DATA SHEET**

According to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Printing date: 2024.6.13

Version 1

Revision: 2024.6.13

---

**14.1 UN number** : Not classified as hazardous for transport

**ADR, ADN, IMDG, IATA**

**14.2 UN proper shipping name** : Not classified as hazardous for transport

**ADR, ADN, IMDG, IATA**

**14.3 Transport hazard class(es)** : Not classified as hazardous for transport

**ADR, ADN, IMDG, IATA**

**14.4 Packing group** : Not applicable.

**ADR, ADN, IMDG, IATA**

**14.5 Environmental hazards** : Not applicable.

**14.6 Special precautions for user** : Not applicable.

**14.7 Transport in bulk according to Annex II of Marpol and the IBC Code** : Not classified as hazardous for transport

**UN "Model Regulation"** : No data available

---

## **Section 15. Regulatory Information**

### **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

No data available

### **15.2 Chemical Safety Assessment**

A Chemical Safety Assessment has not been carried out.

---

## **Section 16. Other Information**

### **Hazard statements (CLP):**

Hazard-Statements that may be mentioned in Sections 2 and 3:

H200 – Unstable explosives.

H201 – Explosive; mass explosion hazard.

H202 – Explosive, severe projection hazard.

# **SAFETY DATA SHEET**

According to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Printing date: 2024.6.13

Version 1

Revision: 2024.6.13

- 
- H203 – Explosive; fire, blast or projection hazard.
  - H204 – Fire or projection hazard.
  - H205 – May mass explode in fire.
  - H206 – Fire, blast or projection hazard; increased risk of explosion if desensitising agent is reduced.
  - H207 – Fire or projection hazard; increased risk of explosion if desensitising agent is reduced.
  - H208 – Fire hazard; increased risk of explosion if desensitising agent is reduced.
  - H220 – Extremely flammable gas.
  - H221 – Flammable gas.
  - H222 – Extremely flammable aerosol.
  - H223 – Flammable aerosol.
  - H224 – Extremely flammable liquid and vapour.
  - H225 – Highly flammable liquid and vapour.
  - H226 – Flammable liquid and vapour.
  - H228 – Flammable solid.
  - H229 – Pressurised container: May burst if heated.
  - H230 – May react explosively even in the absence of air.
  - H231 – May react explosively even in the absence of air at elevated pressure and/or temperature.
  - H232 – May ignite spontaneously if exposed to air.
  - H240 – Heating may cause an explosion.
  - H241 – Heating may cause a fire or explosion.
  - H242 – Heating may cause a fire.
  - H250 – Catches fire spontaneously if exposed to air.
  - H251 – Self-heating: may catch fire.
  - H252 – Self-heating in large quantities; may catch fire.
  - H260 – In contact with water releases flammable gases which may ignite spontaneously.
  - H261 – In contact with water releases flammable gases.
  - H270 – May cause or intensify fire; oxidiser.
  - H271 – May cause fire or explosion; strong oxidiser.
  - H272 – May intensify fire; oxidiser.
  - H280 – Contains gas under pressure; may explode if heated.
  - H281 – Contains refrigerated gas; may cause cryogenic burns or injury.

# **SAFETY DATA SHEET**

According to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Printing date: 2024.6.13

Version 1

Revision: 2024.6.13

- 
- H290 – May be corrosive to metals.
- H300 – Fatal if swallowed.
- H301 – Toxic if swallowed.
- H302 – Harmful if swallowed.
- H304 – May be fatal if swallowed and enters airways.
- H310 – Fatal in contact with skin.
- H311 – Toxic in contact with skin.
- H312 – Harmful in contact with skin.
- H314 – Causes severe skin burns and eye damage.
- H315 – Causes skin irritation.
- H317 – May cause an allergic skin reaction.
- H318 – Causes serious eye damage.
- H319 – Causes serious eye irritation.
- H330 – Fatal if inhaled.
- H331 – Toxic if inhaled.
- H332 – Harmful if inhaled.
- H334 – May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- H335 – May cause respiratory irritation.
- H336 – May cause drowsiness or dizziness.
- H340 – May cause genetic defects <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard >.
- H341 – Suspected of causing genetic defects <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.
- H350 – May cause cancer <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.
- H350i – May cause cancer by inhalation.
- H351 – Suspected of causing cancer <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.
- H360 – May damage fertility or the unborn child <state specific effect if known > <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.
- H360F – May damage fertility.

# **SAFETY DATA SHEET**

According to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Printing date: 2024.6.13

Version 1

Revision: 2024.6.13

- 
- H360D – May damage the unborn child.
- H360FD – May damage fertility. May damage the unborn child.
- H360Fd – May damage fertility. Suspected of damaging the unborn child.
- H360Df – May damage the unborn child. Suspected of damaging fertility.
- H361 – Suspected of damaging fertility or the unborn child <state specific effect if known> <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.
- H361f – Suspected of damaging fertility.
- H361d – Suspected of damaging the unborn child.
- H361fd – Suspected of damaging fertility. Suspected of damaging the unborn child.
- H362 – May cause harm to breast-fed children.
- H370 – Causes damage to organs <or state all organs affected, if known> <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.
- H371 – May cause damage to organs <or state all organs affected, if known> <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.
- H372 – Causes damage to organs <or state all organs affected, if known> through prolonged or repeated exposure <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.
- H373 – May cause damage to organs <or state all organs affected, if known> through prolonged or repeated exposure <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.
- H400 – Very toxic to aquatic life.
- H410 – Very toxic to aquatic life with long lasting effects.
- H411 – Toxic to aquatic life with long lasting effects.
- H412 – Harmful to aquatic life with long lasting effects.
- H413 – May cause long lasting harmful effects to aquatic life.

## **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EC: European Inventory of Existing Commercial Chemical Substances

# **SAFETY DATA SHEET**

According to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Printing date: 2024.6.13

Version 1

Revision: 2024.6.13

---

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

**Others:** The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.