

**ELBOW GREASE OVEN CLEANER** 

Page: 1

Compilation date: 17/12/2019

Revision date: 02/11/2020

Revision No: 2

# Section 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product name: ELBOW GREASE OVEN CLEANER

Product code: EG23

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: SU 21 - Consumer Uses.

## 1.3. Details of the supplier of the safety data sheet

Company name: 151 Products Ltd

The Old School House

39 Bengal Street

Manchester

M4 6AF

United Kingdom

Tel: +44 (0)161 839 5949

**Fax:** +44 (0)161 839 5493

Email: fereshteh@151.co.uk

# 1.4. Emergency telephone number

Emergency tel: +44 (0) 161 839 5949

+353 (0) 18092166 National Poison Centre -Ireland

(office hours only)

# **Section 2: Hazards identification**

### 2.1. Classification of the substance or mixture

Classification under CLP: Skin Corr. 1A: H314

Most important adverse effects: Causes severe skin burns and eye damage.

## 2.2. Label elements

Label elements:

UFI: 5JG1-60MY-700M-C2K3

Hazard statements: H314: Causes severe skin burns and eye damage.

Hazard pictograms: GHS05: Corrosion



### ELBOW GREASE OVEN CLEANER

Page: 2

Signal words: Danger

**Precautionary statements:** P102: Keep out of reach of children.

P103: Read label before use. P280: Wear protective gloves.

P264: Wash hands thoroughly after handling.

P305+P351+P338+P310: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a

doctor.

P405: Store locked up.

P301+P310: IF SWALLOWED: Immediately call a POISON CENTER or doctor.

P101: If medical advice is needed, have product container or label at hand.

P501: Dispose of contents/container to local authority regulations.

### 2.3. Other hazards

**PBT:** This product is not identified as a PBT/vPvB substance.

# Section 3: Composition/information on ingredients

### 3.2. Mixtures

# Hazardous ingredients:

# SODIUM HYDROXIDE

EINECS	CAS	PBT / WEL	CLP Classification	Percent			
215-185-5	1310-73-2	-	Skin Corr. 1A: H314	10-25%			
SODIUM LAURYL ETHER SULPHATE							
500-223-8	68585-34-2	-	Skin Irrit. 2: H315; Eye Irrit. 2: H319	5-10%			
SODIUM ALPHA	OLEFIN SULPH	ONATE					
931-534-0	68439-57-6	-	Skin Irrit. 2: H315; Eye Dam. 1: H318	3-5%			
COCAMIDOPRO	COCAMIDOPROPYL BETAINE						
263-058-8	61789-40-0	-	Skin Irrit. 2: H315; Eye Irrit. 2: H319;	1-3%			
			Aquatic Chronic 3: H412				

# Section 4: First aid measures

### 4.1. Description of first aid measures

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin.

Drench the affected skin with running water for 10 minutes or longer if substance is still

on skin. Transfer to hospital if there are burns or symptoms of poisoning.

Eye contact: Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist

examination.

Ingestion: Wash out mouth with water. Do not induce vomiting. Give 1 cup of water to drink every 10

minutes. If unconscious, check for breathing and apply artificial respiration if necessary.

### ELBOW GREASE OVEN CLEANER

Page: 3

If unconscious and breathing is OK, place in the recovery position. Transfer to hospital as soon as possible.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. If

unconscious and breathing is OK, place in the recovery position. If conscious, ensure the casualty sits or lies down. If breathing becomes bubbly, have the casualty sit and

provide oxygen if available. Transfer to hospital as soon as possible.

### 4.2. Most important symptoms and effects, both acute and delayed

Skin contact: Blistering may occur. Progressive ulceration will occur if treatment is not immediate.

**Eye contact:** Corneal burns may occur. May cause permanent damage.

Ingestion: Corrosive burns may appear around the lips. Blood may be vomited. There may be

bleeding from the mouth or nose.

Inhalation: There may be shortness of breath with a burning sensation in the throat. Exposure may

cause coughing or wheezing.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

### 4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Eye bathing equipment should be available on the premises.

## Section 5: Fire-fighting measures

## 5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray

to cool containers.

## 5.2. Special hazards arising from the substance or mixture

**Exposure hazards:** Corrosive. In combustion emits toxic fumes.

## 5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact

with skin and eyes.

### Section 6: Accidental release measures

## 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Notify the police and fire brigade immediately. If outside keep bystanders upwind and

away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Do not attempt to take action without suitable protective clothing - see section 8 of SDS. Turn leaking containers leak-side up to prevent the

escape of liquid.

## 6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

### ELBOW GREASE OVEN CLEANER

Page: 4

### 6.3. Methods and material for containment and cleaning up

Clean-up procedures: Clean-up should be dealt with only by qualified personnel familiar with the specific

substance. Absorb into dry earth or sand. Transfer to a closable, labelled salvage

container for disposal by an appropriate method.

### 6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

## Section 7: Handling and storage

## 7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.

Do not handle in a confined space. Avoid the formation or spread of mists in the air.

# 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

Suitable packaging: Must only be kept in original packaging.

## 7.3. Specific end use(s)

Specific end use(s): No data available.

## Section 8: Exposure controls/personal protection

# 8.1. Control parameters

## **Hazardous ingredients:**

## **SODIUM HYDROXIDE**

# Workplace exposure limits:

# Respirable dust:

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK		2 mg/m3	_	-

# **DNEL/PNEC Values**

## **Hazardous ingredients:**

### **SODIUM HYDROXIDE**

Туре	Exposure	Value	Population	Effect
DNEL	Inhalation (Long term exposure)	1mg/m3	Workers	Local
DNEL	Inhalation (Long term exposure)	1mg/m3	General Population	Local

## **SODIUM ALPHA OLEFIN SULPHONATE**

Туре	Exposure	Value	Population	Effect
DNEL	Inhalation (Long term)	152.22mg/m³	Workers	Systemic

### ELBOW GREASE OVEN CLEANER

Page: 5

DNEL	Dermal (Long term)	2 158.33mg/kg bw	Workers	Systemic
DNEL	Inhalation (Long term)	45.04mg/m³	General Population	Systemic
DNEL	Dermal (Long term)	1 295mg/kg bw	General Population	Systemic
DNEL	Oral (Long term)	12.95mg/kg bw	General Population	Systemic
PNEC	Fresh water	0.024mg/L	-	-
PNEC	Fresh water sediments	0.767mg/kg sediment	-	-
PNEC	Marine water	0.002mg/L	-	-
PNEC	Marine sediments	0.077mg/kg sediment	-	-
PNEC	Microorganisms in sewage treatment	4mg/L	-	-
PNEC	Soil	1.21mg/kg soil	-	-

# 8.2. Exposure controls

**Engineering measures:** Ensure there is sufficient ventilation of the area.

Respiratory protection: Self-contained breathing apparatus must be available in case of emergency.

Hand protection: Impermeable gloves.

Eye protection: Tightly fitting safety goggles. Ensure eye bath is to hand.

Skin protection: Impermeable protective clothing.

# Section 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

State: Liquid

Colour: Colourless

Odour: Barely perceptible odour

Solubility in water: Soluble

Boiling point/range°C: >35 pH: >11.5

## 9.2. Other information

Other information: No data available.

# Section 10: Stability and reactivity

## 10.1. Reactivity

**Reactivity:** Stable under recommended transport or storage conditions.

# 10.2. Chemical stability

Chemical stability: Stable under normal conditions.

# 10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

### **ELBOW GREASE OVEN CLEANER**

Page: 6

### 10.4. Conditions to avoid

Conditions to avoid: Heat.

# 10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

## 10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

## **Section 11: Toxicological information**

## 11.1. Information on toxicological effects

## **Hazardous ingredients:**

### **SODIUM HYDROXIDE**

IPR	MUS	LD50	40	mg/kg
ORL	RBT	LDLO	500	mg/kg

### **SODIUM LAURYL ETHER SULPHATE**

_	ODAL	DAT	1.050	. 0000		
(	ORAL	RAT	LD50	>2000	mg/kg	

### **SODIUM ALPHA OLEFIN SULPHONATE**

DERMAL	RAT	LD50	>5000	mg/kg
DUST/MIST	RAT	-	> 52	mg/l
ORAL	RAT	LD50	2310	mg/kg

## Relevant hazards for product:

Hazard	Route	Basis
Skin corrosion/irritation	DRM	Hazardous: calculated
Serious eye damage/irritation	OPT	Hazardous: calculated

# Symptoms / routes of exposure

**Skin contact:** Blistering may occur. Progressive ulceration will occur if treatment is not immediate.

Eye contact: Corneal burns may occur. May cause permanent damage.

Ingestion: Corrosive burns may appear around the lips. Blood may be vomited. There may be

bleeding from the mouth or nose.

Inhalation: There may be shortness of breath with a burning sensation in the throat. Exposure may

cause coughing or wheezing.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

# **Section 12: Ecological information**

### ELBOW GREASE OVEN CLEANER

Page: 7

### 12.1. Toxicity

### **Hazardous ingredients:**

### **SODIUM ALPHA OLEFIN SULPHONATE**

ALGAE (Skeletonema costatum)	72H ErC50	5.2	mg/l
WATER FLEA (Ceriodaphnia sp)	48H EC50	4.5	mg/l
ZEBRAFISH (Danio rerio)	96H LC50	4.2	mg/l

## 12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

# 12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

# 12.4. Mobility in soil

Mobility: Readily absorbed into soil.

### 12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

# 12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

## Section 13: Disposal considerations

### 13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal

company.

**Disposal of packaging:** Disposal should be in accordance with local authority regulations.

NB: The user's attention is drawn to the possible existence of regional or national

regulations regarding disposal.

## **Section 14: Transport information**

### 14.1. UN number

UN number: UN1824

## 14.2. UN proper shipping name

Shipping name: SODIUM HYDROXIDE SOLUTION

## 14.3. Transport hazard class(es)

Transport class: 8

## 14.4. Packing group

Packing group: III

### ELBOW GREASE OVEN CLEANER

Page: 8

## 14.5. Environmental hazards

Environmentally hazardous: No Marine pollutant: No

# 14.6. Special precautions for user

Special precautions: No special precautions.

Tunnel code: E
Transport category: 3

## **Section 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

# 15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture

by the supplier.

### **Section 16: Other information**

### Other information

Other information: according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation

(EU) 2015/830

\* indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and s.3: H314: Causes severe skin burns and eye damage.

H315: Causes skin irritation.

H318: Causes serious eye damage.H319: Causes serious eye irritation.

H412: Harmful to aquatic life with long lasting effects.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive

and shall be used only as a guide. This company shall not be held liable for any

damage resulting from handling or from contact with the above product.