

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]



HG Power gel brush oven cleaner 250ml

Material number 483025106

Version: 1.0
Replaces version: 0.0

Revision date: 25/10/2023
Date of print: 14/12/2023

Page: 1 of 10
Language: en-GB

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: HG Power gel brush oven cleaner 250ml

1.2 Relevant identified uses of the substance or mixture and uses advised against

General use: Cleaning agent

1.3 Details of the supplier of the safety data sheet

Company name: ORO-Produkte Marketing International GmbH
Street/POB-No.: Im Hengstfeld 47
Postal Code, city: 32657 Lemgo
Germany
WWW: www.oro-marketing.de
E-mail: info@oro-marketing.de
Telephone: +49 (0)5261 28893-0
Telefax: +49 (0)5261 28893-48

Department responsible for information:
Quality management: +49 (0)5261 28893-0

1.4 Emergency telephone number

Great Britain:

In case of a medical emergency following exposure to a chemical, the public should call NHS Direct in England or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 24 (UK only).
+49 (0)5261 28893-0 Only available during office hours. (08:00 - 16:00)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to EC regulation 1272/2008 (CLP)

Met. Corr. 1; H290 May be corrosive to metals.
Skin Corr. 1A; H314 Causes severe skin burns and eye damage.
Eye Dam. 1; H318 Causes serious eye damage.

2.2 Label elements

Labelling (CLP)



Signal word: **Danger**

Hazard statements: H290 May be corrosive to metals.
H314 Causes severe skin burns and eye damage.

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]



HG Power gel brush oven cleaner 250ml

Material number 483025106

Version: 1.0
Replaces version: 0.0

Revision date: 25/10/2023
Date of print: 14/12/2023

Page: 2 of 10
Language: en-GB

Precautionary statements:	P101	If medical advice is needed, have product container or label at hand.
	P102	Keep out of reach of children.
	P234	Keep only in original packaging.
	P280	Wear protective gloves and eye protection.
	P301+P330+P331	IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
	P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
	P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	P310	Immediately call a POISON CENTER/doctor.
	P501	Dispose of contents/container in accordance with local/regional/national/international regulation.

Special labelling

Text for labelling: Contains:
Caustic soda
N,N-dimethyltetradecylamine N-oxide
Labelling for contents according to regulation (EC) No 648/2004, annex VII:
Contains:
- less than 5% non-ionic surfactant
- Perfumes

2.3 Other hazards

Special danger of slipping by leaking/spilling product.

Endocrine disrupting properties, Results of PBT and vPvB assessment:

No data available

SECTION 3: Composition/information on ingredients

3.1 Substances: not applicable

3.2 Mixtures

Chemical characterisation: Aqueous solution
Mixture of the substances listed below with non-hazardous additions:

Hazardous ingredients:

Identifiers	Designation Classification	Content
REACH 01-2119457892-27-xxxx EC No. 215-185-5 CAS 1310-73-2	Sodium hydroxide Met. Corr. 1; H290. Skin Corr. 1A; H314. Specific concentration limits (SCL): Skin Corr. 1A; H314: $C \geq 5\%$ / Skin Corr. 1B; H314: $2\% \leq C < 5\%$ / Skin Irrit. 2; H315: $0.5\% \leq C < 2\%$ / Eye Irrit. 2; H319: $0.5\% \leq C < 2\%$	< 15 %
REACH 01-2119949262-37-xxxx EC No. 222-059-3 CAS 3332-27-2	N,N-dimethyltetradecylamine N-oxide Acute Tox. 4; H302. Skin Irrit. 2; H315. Eye Dam. 1; H318. Aquatic Acute 1; H400. Aquatic Chronic 2; H411.	< 2.5 %

Full text of H- and EUH-statements: see section 16.

Additional information: Labelling for contents according to regulation (EC) No 648/2004, annex VII:
Contains:
- less than 5% non-ionic surfactant
- Perfumes

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]



HG Power gel brush oven cleaner 250ml

Material number 483025106

Version: 1.0
Replaces version: 0.0

Revision date: 25/10/2023
Date of print: 14/12/2023

Page: 3 of 10
Language: en-GB

SECTION 4: First aid measures

4.1 Description of first aid measures

General information:	First aider: Pay attention to self-protection! If medical advice is needed, have product container or label at hand. Take off immediately all contaminated clothing and wash it before reuse.
In case of inhalation:	If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Seek medical attention.
Following skin contact:	Immediately clean with water and soap followed by thorough rinsing. In case of skin reactions, consult a physician.
After eye contact:	Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing. Subsequently seek the immediate attention of an ophthalmologist.
After swallowing:	Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person. Do not induce vomiting. Immediately get medical attention.

4.2 Most important symptoms and effects, both acute and delayed

Causes severe skin burns and eye damage.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Extinguishing media which must not be used for safety reasons:

Full water jet

5.2 Special hazards arising from the substance or mixture

May form dangerous gases and vapours in case of fire. Furthermore, there may develop carbon monoxide and carbon dioxide.

5.3 Advice for firefighters

Special protective equipment for firefighters:

Use a breathing apparatus independent of the ambient air (isolated apparatus) and a full protection outfit (suit) against chemicals.

Additional information:

Hazchem-Code: 2X

Use fine water spray to cool endangered containers.

Do not allow water used to extinguish fire to enter drains, ground or waterways.

Fire residuals and contaminated extinguishing water must be disposed of in accordance with the regulations of the local authorities.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Do not breathe mist/vapours/spray. Avoid contact with the substance.

If possible, eliminate leakage. Provide adequate ventilation.

Wear appropriate protective equipment. Keep unprotected people away.

Take off immediately all contaminated clothing and wash it before reuse.

6.2 Environmental precautions

Do not allow to enter into ground-water, surface water or drains.

If necessary notify appropriate authorities.

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]



HG Power gel brush oven cleaner 250ml

Material number 483025106

Version: 1.0
Replaces version: 0.0

Revision date: 25/10/2023
Date of print: 14/12/2023

Page: 4 of 10
Language: en-GB

6.3 Methods and material for containment and cleaning up

Absorb spillage to prevent material damage.
Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents) and place in closed containers for disposal.
Apply neutralizing agents. Never return spills in original containers for re-use.

Additional information: Special danger of slipping by leaking/spilling product.

6.4 Reference to other sections

Refer additionally to section 8 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advices on safe handling: Provide adequate ventilation, and local exhaust as needed. Do not breathe mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Wear appropriate protective equipment. Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Take off immediately all contaminated clothing and wash it before reuse. Work place should be equipped with a shower and an eye rinsing apparatus.

Precautions against fire and explosion:

Keep away from heat.
When handling larger quantities, take precautionary measures against electrostatic charging.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storerooms and containers:

Keep container tightly closed and in a well-ventilated place.
Keep container dry. Keep only in the original container.
Protect from heat and direct sunlight.
Store containers in upright position. Protect from frost.
Unsuitable materials: Light metals

Hints on joint storage:

Keep away from food, drink and animal feedingstuffs.
Do not store together with: Strong acids

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values:

CAS No.	Designation	Type	Limit value
1310-73-2	Sodium hydroxide	Great Britain: WEL-STEL	2 mg/m ³

8.2 Exposure controls

Provide for good ventilation or exhaust system or work with completely self-contained equipment.

Personal protection equipment

Occupational exposure controls

Respiratory protection: In case of inadequate ventilation wear respiratory protection. Respiratory protection must be worn whenever the WEL levels have been exceeded. The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]



HG Power gel brush oven cleaner 250ml

Material number 483025106

Version: 1.0
Replaces version: 0.0

Revision date: 25/10/2023
Date of print: 14/12/2023

Page: 5 of 10
Language: en-GB

Hand protection: Protective gloves according to BS EN 374
Observe glove manufacturer's instructions concerning penetrability and breakthrough time.

Eye protection: Tightly sealed goggles according to BS EN ISO 16321-1:2022.

Body protection: Wear suitable protective clothing.

General protection and hygiene measures:
Do not breathe mist/vapours/spray. Do not get in eyes, on skin, or on clothing.
Take off immediately all contaminated clothing and wash it before reuse.
Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling.
Work place should be equipped with a shower and an eye rinsing apparatus.

Environmental exposure controls

Refer to "6.2 Environmental precautions".

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance: Physical state at 20 °C and 101.3 kPa: liquid
Colour: colourless

Odour: lemon

Odour threshold: No data available

pH: at 20 °C: 13.4

Melting point/freezing point: No data available

Initial boiling point and boiling range: No data available

Flash point/flash point range: > 60 °C (c.c.)

Evaporation rate: No data available

Flammability: No data available

Explosion limits: No data available

Vapour pressure: No data available

Vapour density: No data available

Density: at 20 °C: approx. 1.0 g/mL

Solubility: No data available

Partition coefficient: n-octanol/water: No data available

Auto-ignition temperature: No data available

Decomposition temperature: No data available

Viscosity, dynamic: at 20 °C: 360 mPa*s (Brookfield)

Explosive properties: No data available

Oxidizing characteristics: No data available

9.2 Other information

Additional information: No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

May be corrosive to metals.

10.2 Chemical stability

Stable under recommended storage conditions.

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]



HG Power gel brush oven cleaner 250ml

Material number 483025106

Version: 1.0
Replaces version: 0.0

Revision date: 25/10/2023
Date of print: 14/12/2023

Page: 6 of 10
Language: en-GB

10.3 Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4 Conditions to avoid

Keep away from heat sources, sparks and open flames.
Protect from direct sunlight. Protect from frost.

10.5 Incompatible materials

Strong acids

10.6 Hazardous decomposition products

No hazardous decomposition products when regulations for storage and handling are observed.
Thermal decomposition: No data available

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Toxicological effects: The statements are derived from the properties of the single components. No toxicological data is available for the product as such.

Acute toxicity (oral): Lack of data.

Acute toxicity (dermal): Lack of data.

Acute toxicity (inhalative): Lack of data.

Skin corrosion/irritation: Skin Corr. 1A; H314 = Causes severe skin burns and eye damage.

Serious eye damage/irritation: Eye Dam. 1; H318 = Causes serious eye damage.

Sensitisation to the respiratory tract: Lack of data.

Skin sensitisation: Lack of data.

Germ cell mutagenicity/Genotoxicity: Lack of data.

Carcinogenicity: Lack of data.

Reproductive toxicity: Lack of data.

Effects on or via lactation: Lack of data.

Specific target organ toxicity (single exposure): Lack of data.

Specific target organ toxicity (repeated exposure): Lack of data.

Aspiration hazard: Lack of data.

Other information: Information about N,N-dimethyltetradecylamine N-oxide:
LD50 Rat, oral: 1,495 mg/kg
LD50 Rat, dermal: > 2,000 mg/kg

Symptoms

In case of inhalation: Burns of mucous membranes, cough and shortage of breath.

In case of ingestion: Burns in the mouth, pharynx, oesophagus, and gastrointestinal tract.

Risk of perforation in the oesophagus and stomach.

After eye contact: Upon direct contact with eyes may cause burning, tearing, redness.

Prolonged eye contact may damage the cornea.

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]



HG Power gel brush oven cleaner 250ml

Material number 483025106

Version: 1.0
Replaces version: 0.0

Revision date: 25/10/2023
Date of print: 14/12/2023

Page: 7 of 10
Language: en-GB

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: Harmful effects by modification of pH-value.
Information about N,N-dimethyltetradecylamine N-oxide:
Fish toxicity:
LC50: 2.4 mg/L/96h (OECD 203)
NOEC: 0.42 mg/L/302d
Daphnia toxicity:
LC50: 2.64 mg/L/48h (OECD 202)
NOEC: 0.7 mg/L/21d (OECD 211)
Algae toxicity:
LC50: 0.19 mg/L/72h (OECD 201)
NOEC: 0.078 mg/L/72h (OECD 201)

12.2 Persistence and degradability

Further details: Information about N,N-dimethyltetradecylamine N-oxide:
Anaerobic degradation: 73% / 57d (OECD 314C). Readily biodegradable (according to OECD criteria).
The surfactants contained in this mixture comply with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.

12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water:
No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

No data available

12.6 Other adverse effects

General information: Do not allow to penetrate into soil, waterbodies or drains.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste key number: 20 01 29* = Municipal wastes: Detergents containing hazardous substances
* = Evidence for disposal must be provided.

Recommendation: Do not dispose of with household waste. Dispose of waste according to applicable legislation.

Package

Recommendation: Empty carefully and completely, if possible. Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself. Dispose of waste according to applicable legislation.

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]



HG Power gel brush oven cleaner 250ml

Material number 483025106

Version: 1.0
Replaces version: 0.0

Revision date: 25/10/2023
Date of print: 14/12/2023

Page: 8 of 10
Language: en-GB

SECTION 14: Transport information

14.1 UN number

ADR/RID, IMDG, IATA-DGR: UN 3266

14.2 UN proper shipping name

ADR/RID, IMDG, IATA-DGR: UN 3266, CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Sodium hydroxide)

14.3 Transport hazard class(es)

ADR/RID: Class 8, Code: C5
IMDG: Class 8, Subrisk -
IATA-DGR: Class 8



14.4 Packing group

ADR/RID, IMDG, IATA-DGR: II

14.5 Environmental hazards

Marine pollutant: no

14.6 Special precautions for user

Land transport (ADR/RID)

Warning board: ADR/RID: Kemmler-number 88, UN number UN 3266
Hazard label: 8
Special Provisions: 274
Limited quantities: 0
EQ: E0
Package - Instructions: P001
Special provisions for packing together: MP8 MP17
Portable tanks - Instructions: T14
Portable tanks - Special Provisions: TP2 TP27
Tank coding: L10BH
Tunnel restriction code: E

Sea transport (IMDG)

EmS: F-A, S-B
Special Provisions: 274
Limited quantities: 0
Excepted quantities: E0
Package - Instructions: P001
Package - Provisions: -
IBC - Instructions: -
IBC - Provisions: -
Tank instructions - IMO: -
Tank instructions - UN: T14
Tank instructions - Provisions: TP2, TP27
Stowage and handling: Category B. SW2
Segregation: SG35
Properties and observations: Reacts violently with acids. Causes burns to skin, eyes and mucous membranes.
Segregation group: 18

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]



HG Power gel brush oven cleaner 250ml

Material number 483025106

Version: 1.0
Replaces version: 0.0

Revision date: 25/10/2023
Date of print: 14/12/2023

Page: 9 of 10
Language: en-GB

Air transport (IATA)

Hazard label:	Corrosive
Excepted Quantity Code:	E0
Passenger and Cargo Aircraft: Ltd.Qty.:	Forbidden
Passenger and Cargo Aircraft:	Pack.Instr. 850 - Max. Net Qty/Pkg. 0.5 L
Cargo Aircraft only:	Pack.Instr. 854 - Max. Net Qty/Pkg. 2.5 L
Special Provisions:	A3 A803
Emergency Response Guide-Code (ERG):	8L

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations - Great Britain

Hazchem-Code: 2X
No data available

National regulations - EC member states

Further regulations, limitations and legal requirements:
Use restriction according to REACH annex XVII, no.: 3, 75

15.2 Chemical Safety Assessment

For this mixture a chemical safety assessment is not required.

SECTION 16: Other information

Further information

Wording of the H-phrases under paragraph 2 and 3:

H290 = May be corrosive to metals.
H302 = Harmful if swallowed.
H314 = Causes severe skin burns and eye damage.
H315 = Causes skin irritation.
H318 = Causes serious eye damage.
H400 = Very toxic to aquatic life.
H411 = Toxic to aquatic life with long lasting effects.

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]



HG Power gel brush oven cleaner 250ml

Material number 483025106

Version: 1.0
Replaces version: 0.0

Revision date: 25/10/2023
Date of print: 14/12/2023

Page: 10 of 10
Language: en-GB

Abbreviations and acronyms: Acute Tox.: Acute toxicity
ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
Aquatic Acute: Hazardous to the aquatic environment - acute
Aquatic Chronic: Hazardous to the aquatic environment - chronic
AS/NZS: Australian Standards/New Zealand Standards
CAS: Chemical Abstracts Service
CFR: Code of Federal Regulations
CLP: Classification, Labelling and Packaging
DMEL: Derived minimal effect level
DNEL: Derived no-effect level
EC: European Community
EN: European Standard
EQ: Excepted quantities
Eye Dam.: Eye damage
Eye Irrit.: Eye irritation
IATA: International Air Transport Association
IATA-DGR: International Air Transport Association – Dangerous Goods Regulations
IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
IMDG Code: International Maritime Dangerous Goods Code
LC50: Median lethal concentration
LD50: Lethal dose 50%
MARPOL: Maritime Pollution: The International Convention for the Prevention of Pollution from Ships
Met. Corr.: Corrosive to metals
NOEC: No Observed Effect Concentration
OECD: Organisation for Economic Co-operation and Development
OEL: Occupational Exposure Limit Value
OSHA: Occupational Safety and Health Administration
PBT: Persistent, bioaccumulative and toxic
PNEC: Predicted no-effect concentration
REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals
RID: Regulations Concerning the International Carriage of Dangerous Goods by Rail
Skin Corr.: Skin corrosion
Skin Irrit.: Skin irritation
TLV: Threshold Limit Value
TRGS: Technical Rules for Hazardous Substances
UN: United Nations
vPvB: Very persistent and very bioaccumulative
WEL: Workplace Exposure Limit

Date of first version: 23/10/2023

Department issuing data sheet

Contact person: see section 1: Department responsible for information

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.

