

# SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]



## HG Power gel brush grout cleaner 250ml

Material number 485025106

Version: 1.0  
Replaces version: 0.0

Revision date: 23/10/2023  
Date of print: 26/10/2023

Page: 1 of 8  
Language: en-GB

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name: HG Power gel brush grout cleaner 250ml

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

General use: Cleaning agent

#### 1.3 Details of the supplier of the safety data sheet

Company name: ORO-Produkte Marketing International GmbH  
Street/POB-No.: Im Hengstfeld 47  
Postal Code, city: 32657 Lemgo  
Germany  
WWW: www.oro-marketing.de  
E-mail: info@oro-marketing.de  
Telephone: +49 (0)5261 28893-0  
Telefax: +49 (0)5261 28893-48

Department responsible for information:  
Quality management: +49 (0)5261 28893-0

#### 1.4 Emergency telephone number

##### Great Britain:

In case of a medical emergency following exposure to a chemical, the public should call NHS Direct in England or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 24 (UK only).  
+49 (0)5261 28893-0 Only available during office hours. (08:00 - 16:00)

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

Classification according to EC regulation 1272/2008 (CLP)

Eye Irrit. 2; H319 Causes serious eye irritation.

#### 2.2 Label elements

##### Labelling (CLP)



Signal word:

**Warning**

Hazard statements:

H319 Causes serious eye irritation.

Precautionary statements:

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P264 Wash hands and face thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

# SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]



## HG Power gel brush grout cleaner 250ml

Material number 485025106

Version: 1.0  
Replaces version: 0.0

Revision date: 23/10/2023  
Date of print: 26/10/2023

Page: 2 of 8  
Language: en-GB

### Special labelling

Text for labelling: Labelling for contents according to regulation (EC) No 648/2004, annex VII:  
Contains  
- less than 5% non-ionic surfactant, phosphates  
- Perfumes (Limonene)

### 2.3 Other hazards

Special danger of slipping by leaking/spilling product.

Endocrine disrupting properties, Results of PBT and vPvB assessment:

The product does not contain any substances classified as PBT or vPvB.

## SECTION 3: Composition/information on ingredients

3.1 Substances: not applicable

### 3.2 Mixtures

Chemical characterisation: Mixture of the substances listed below with non-hazardous additions

Hazardous ingredients:

Identifiers	Designation Classification	Content
REACH 01-2119475104-44-xxxx EC No. 203-961-6 CAS 112-34-5	2-(2-Butoxyethoxy)ethanol Eye Irrit. 2; H319.	< 10 %
EC No. 500-027-2 CAS 9043-30-5	Fatalcohol ethoxylate C13 + 6 EO Acute Tox. 4; H302. Eye Dam. 1; H318.	< 3 %
EC No. 230-785-7 CAS 7320-34-5	Tetrapotassium pyrophosphate Eye Irrit. 2; H319.	< 2 %

Full text of H- and EUH-statements: see section 16.

Additional information: Labelling for contents according to regulation (EC) No 648/2004, annex VII:  
Contains  
- less than 5% non-ionic surfactant, phosphates  
- Perfumes (Limonene)

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

General information: If medical advice is needed, have product container or label at hand.  
Take off contaminated clothing and wash it before reuse.

In case of inhalation: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Seek medical attention if problems persist.

Following skin contact: Immediately clean with water and soap followed by thorough rinsing. In case of skin reactions, consult a physician.

After eye contact: Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing. Seek the attention of an ophthalmologist immediately.

After swallowing: Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person. Do not induce vomiting. Seek medical attention.

### 4.2 Most important symptoms and effects, both acute and delayed

Causes serious eye irritation.

# SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]



## HG Power gel brush grout cleaner 250ml

Material number 485025106

Version: 1.0  
Replaces version: 0.0

Revision date: 23/10/2023  
Date of print: 26/10/2023

Page: 3 of 8  
Language: en-GB

### 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media: Water spray jet, extinguishing powder, foam, carbon dioxide.

Extinguishing media which must not be used for safety reasons:

Full water jet

### 5.2 Special hazards arising from the substance or mixture

May form dangerous gases and vapours in case of fire. Furthermore, there may develop: nitrogen oxides (NOx), carbon monoxide and carbon dioxide.

### 5.3 Advice for firefighters

Special protective equipment for firefighters:

Wear a self-contained breathing apparatus and chemical protective clothing.

Additional information:

Hazchem-Code: -

Use fine water spray to cool endangered containers.

Do not allow water used to extinguish fire to enter drains, ground or waterways.

Fire residuals and contaminated extinguishing water must be disposed of in accordance with the regulations of the local authorities.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Do not breathe mist/vapours/spray. Avoid contact with the substance.

If possible, eliminate leakage. Provide adequate ventilation.

Wear appropriate protective equipment. Keep unprotected people away.

Take off contaminated clothing and wash it before reuse.

### 6.2 Environmental precautions

Do not allow to enter into ground-water, surface water or drains.

If necessary notify appropriate authorities.

### 6.3 Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents) and place in closed containers for disposal.

Never return spills in original containers for re-use.

Additional information:

Special danger of slipping by leaking/spilling product.

### 6.4 Reference to other sections

Refer additionally to section 8 and 13.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Advices on safe handling:

Provide adequate ventilation, and local exhaust as needed. Do not breathe mist/vapours/spray.

Do not get in eyes, on skin, or on clothing. Wear appropriate protective equipment.

Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling.

Take off contaminated clothing and wash it before reuse. Have eye wash bottle or eye rinse ready at work place.

# SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]



## HG Power gel brush grout cleaner 250ml

Material number 485025106

Version: 1.0  
Replaces version: 0.0

Revision date: 23/10/2023  
Date of print: 26/10/2023

Page: 4 of 8  
Language: en-GB

Precautions against fire and explosion:

Keep away from heat.  
When handling larger quantities, take precautionary measures against electrostatic charging.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storerooms and containers:

Keep container tightly closed and in a well-ventilated place.  
Keep container dry. Keep only in the original container.  
Protect from heat and direct sunlight.  
Store containers in upright position.

Hints on joint storage: Keep away from food, drink and animal feedingstuffs.

### 7.3 Specific end use(s)

No information available.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

Occupational exposure limit values:

CAS No.	Designation	Type	Limit value
112-34-5	2-(2-Butoxyethoxy)ethanol	Great Britain: WEL-STEL	101.2 mg/m <sup>3</sup> ; 15 ppm
		Great Britain: WEL-TWA	67.5 mg/m <sup>3</sup> ; 10 ppm

### 8.2 Exposure controls

Provide good ventilation and/or an exhaust system in the work area.

### Personal protection equipment

#### Occupational exposure controls

Respiratory protection: Respiratory protection must be worn whenever the WEL levels have been exceeded. The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product.

Hand protection: Protective gloves according to BS EN 374  
Observe glove manufacturer's instructions concerning penetrability and breakthrough time.

Eye protection: Tightly sealed goggles according to BS EN ISO 16321-1:2022.

Body protection: Wear suitable protective clothing.

General protection and hygiene measures:

Do not breathe mist/vapours/spray. Do not get in eyes, on skin, or on clothing.  
Take off contaminated clothing and wash it before reuse.  
Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling.  
Have eye wash bottle or eye rinse ready at work place.

### Environmental exposure controls

Refer to "6.2 Environmental precautions".

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Appearance: Physical state at 20 °C and 101.3 kPa: liquid

Colour: light blue

Odour: lemon-like

Odour threshold: No data available

# SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]



## HG Power gel brush grout cleaner 250ml

Material number 485025106

Version: 1.0  
Replaces version: 0.0

Revision date: 23/10/2023  
Date of print: 26/10/2023

Page: 5 of 8  
Language: en-GB

pH:	at 20 °C: approx. 11
Melting point/freezing point:	No data available
Initial boiling point and boiling range:	No data available
Flash point/flash point range:	> 60 °C (c.c.)
Evaporation rate:	No data available
Flammability:	No data available
Explosion limits:	No data available
Vapour pressure:	No data available
Vapour density:	No data available
Density:	at 20 °C: approx. 1.0 g/mL
Solubility:	No data available
Partition coefficient: n-octanol/water:	No data available
Auto-ignition temperature:	No data available
Decomposition temperature:	No data available
Viscosity, dynamic:	at 20 °C: 1420 mPa*s (Brookfield)
Explosive properties:	No data available
Oxidizing characteristics:	No data available

### 9.2 Other information

Additional information: No data available

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Refer to subsection "Possibility of hazardous reactions".

### 10.2 Chemical stability

Stable under recommended storage conditions.

### 10.3 Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

### 10.4 Conditions to avoid

Keep away from heat sources, sparks and open flames.  
Protect from direct sunlight.

### 10.5 Incompatible materials

No data available

### 10.6 Hazardous decomposition products

No hazardous decomposition products when regulations for storage and handling are observed.  
Thermal decomposition: No data available

# SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]

## HG Power gel brush grout cleaner 250ml

Material number 485025106



Version: 1.0  
Replaces version: 0.0

Revision date: 23/10/2023  
Date of print: 26/10/2023

Page: 6 of 8  
Language: en-GB

### SECTION 11: Toxicological information

#### 11.1 Information on toxicological effects

Toxicological effects: The statements are derived from the properties of the single components. No toxicological data is available for the product as such.

Acute toxicity (oral): Lack of data.

Acute toxicity (dermal): Lack of data.

Acute toxicity (inhalative): Lack of data.

Skin corrosion/irritation: Lack of data.

Serious eye damage/irritation: Eye Irrit. 2; H319 = Causes serious eye irritation.

Sensitisation to the respiratory tract: Lack of data.

Skin sensitisation: Lack of data.

Germ cell mutagenicity/Genotoxicity: Lack of data.

Carcinogenicity: Lack of data.

Reproductive toxicity: Lack of data.

Effects on or via lactation: Lack of data.

Specific target organ toxicity (single exposure): Lack of data.

Specific target organ toxicity (repeated exposure): Lack of data.

Aspiration hazard: Lack of data.

#### Symptoms

After eye contact: Upon direct contact with eyes may cause burning, tearing, redness.

### SECTION 12: Ecological information

#### 12.1 Toxicity

Further details: No data available

#### 12.2 Persistence and degradability

Further details: The surfactants contained in this mixture comply with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.

#### 12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water:  
No data available

#### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

The product does not contain any substances classified as PBT or vPvB.

#### 12.6 Other adverse effects

General information: Do not allow to penetrate into soil, waterbodies or drains.

# SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]

## HG Power gel brush grout cleaner 250ml

Material number 485025106



Version: 1.0  
Replaces version: 0.0

Revision date: 23/10/2023  
Date of print: 26/10/2023

Page: 7 of 8  
Language: en-GB

### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

##### Product

Waste key number: 20 01 29\* = Municipal wastes: Detergents containing hazardous substances  
\* = Evidence for disposal must be provided.

Recommendation: Do not dispose of with household waste. Dispose of waste according to applicable legislation.

##### Package

Recommendation: Empty carefully and completely, if possible. Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself. Dispose of waste according to applicable legislation.

### SECTION 14: Transport information

#### 14.1 UN number

ADR/RID, IMDG, IATA-DGR: not applicable

#### 14.2 UN proper shipping name

ADR/RID, IMDG, IATA-DGR: Not restricted

#### 14.3 Transport hazard class(es)

ADR/RID, IMDG, IATA-DGR: not applicable

#### 14.4 Packing group

ADR/RID, IMDG, IATA-DGR: not applicable

#### 14.5 Environmental hazards

Marine pollutant: no

#### 14.6 Special precautions for user

No dangerous good in sense of these transport regulations.

#### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

No data available

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

##### National regulations - Great Britain

Hazchem-Code: -  
No data available

##### National regulations - EC member states

Further regulations, limitations and legal requirements:  
Use restriction according to REACH annex XVII, no.: 3, 55, 75

#### 15.2 Chemical Safety Assessment

For this mixture a chemical safety assessment is not required.

# SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]



## HG Power gel brush grout cleaner 250ml

Material number 485025106

Version: 1.0  
Replaces version: 0.0

Revision date: 23/10/2023  
Date of print: 26/10/2023

Page: 8 of 8  
Language: en-GB

### SECTION 16: Other information

#### Further information

Wording of the H-phrases under paragraph 2 and 3:

- H302 = Harmful if swallowed.
- H318 = Causes serious eye damage.
- H319 = Causes serious eye irritation.

Abbreviations and acronyms:

- Acute Tox.: Acute toxicity
- ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
- ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
- AS/NZS: Australian Standards/New Zealand Standards
- CAS: Chemical Abstracts Service
- CFR: Code of Federal Regulations
- CLP: Classification, Labelling and Packaging
- DMEL: Derived minimal effect level
- DNEL: Derived no-effect level
- EC: European Community
- EN: European Standard
- EQ: Excepted quantities
- Eye Dam.: Eye damage
- Eye Irrit.: Eye irritation
- IATA: International Air Transport Association
- IATA-DGR: International Air Transport Association – Dangerous Goods Regulations
- IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
- IMDG Code: International Maritime Dangerous Goods Code
- MARPOL: Maritime Pollution: The International Convention for the Prevention of Pollution from Ships
- OEL: Occupational Exposure Limit Value
- OSHA: Occupational Safety and Health Administration
- PBT: Persistent, bioaccumulative and toxic
- PNEC: Predicted no-effect concentration
- REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals
- RID: Regulations Concerning the International Carriage of Dangerous Goods by Rail
- TLV: Threshold Limit Value
- TRGS: Technical Rules for Hazardous Substances
- vPvB: Very persistent and very bioaccumulative
- WEL: Workplace Exposure Limit

Date of first version: 23/10/2023

#### Department issuing data sheet

Contact person: see section 1: Department responsible for information

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.

