

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

| 1.1. Product identifier Trade name or designation of the mixture | Home Inspiration Exotic Fruits Reed Diffuser - 1745733E |
|--|---|
| Registration number | - |
| Synonyms | None. |
| Product code | 1745733E |
| Issue date | 25-October-2023 |
| Version number | 01 |
| 1.2. Relevant identified uses of t | he substance or mixture and uses advised against |
| Identified uses | Air Care Products |
| Uses advised against | None known. |
| 1.3. Details of the supplier of the | e safety data sheet |
| Company name | Yankee Candle Company (Europe) Limited |
| Company Address | Poplar Way East, Cabot Park |
| | Avonmouth |
| | Bristol |
| | United Kingdom |
| | BS11 0YH |
| 4.4. Emergency tologic provide | |

| I.4. Emergency telephone number | | |
|---------------------------------|------------------|--|
| Newell - UK 0800 234 6169 | | |
| Europe - Newell | 008 008 658 8466 | |
| NHS | 111 | |

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

| Physical hazards | | |
|-----------------------------------|------------|--|
| Flammable liquids | Category 2 | H225 - Highly flammable liquid and vapour. |
| Health hazards | | |
| Serious eye damage/eye irritation | Category 2 | H319 - Causes serious eye irritation. |

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Hazard pictograms



Signal word Hazard statements

> H225 H319

Highly flammable liquid and vapour. Causes serious eye irritation.

and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

Precautionary statements

Prevention

P102 P210 Keep out of reach of children. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

Response

P305 + P351 + P338

P337 + P313

Material name: Home Inspiration Exotic Fruits Reed Diffuser - 1745733E 1745733E Version #: 01 Issue date: 25-October-2023

| Storage | Not applicable. |
|--------------------------------|--|
| Disposal | Not applicable. |
| Supplemental label information | EUH208 - Contains d-Limonene. May produce an allergic reaction. EUH208 - Contains Linalool, d-Limonene, Rose Ketone-4, delta-Damascone. May produce an allergic reaction. |
| 2.3. Other hazards | This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII. The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. |

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

| Chemical name | | % | CAS-No. / EC No. | REACH Registration No | o. Index No. | Notes |
|---|--|--|--|--|--------------------|---------|
| Ethanol | | 60 - 70 | 64-17-5 200-578-6 | - | 603-002-00-5 | # |
| | Classification: | Flam. Liq. 3 | 2;H225, Eye Irrit. 2;H | 319 | | |
| (2,2-Dimethyl-1,3-die nol | oxolan-4-yl)metha | 5 - 10 | 100-79-8 202-888-7 | - | - | |
| | Classification: | Flam. Liq. 2 | 2;H225, Eye Irrit. 2;H | 319 | | |
| d-Limonene | | ≤ 0.2 | 5989-27-5 227-813-5 | - | 601-096-00-2 | |
| | | | | H315, Skin Sens. 1;H317, Aquatic Chronic 1;H410 | Asp. Tox. | С |
| Linalool | | ≤ 0.2 | 78-70-6 201-134-4 | 01-2119474016-42 | 603-235-00-2 | |
| | Classification: | Skin Irrit. 2 | ;H315, Eye Irrit. 2;H3 | 319, Skin Sens. 1B;H317 | | |
| delta-Damascone | | ≤ 0.1 | 57378-68-4 260-709-8 | - | - | |
| | | | 4;H302, Skin Irrit. 2; juatic Chronic 1;H41 | H315, Skin Sens. 1A;H31 0 | 7, Aquatic Acute | |
| Rose Ketone-4 | | ≤ 0.1 | 23696-85-7 245-833-2 | - | - | |
| | Classification: | Skin Irrit. 2 | ;H315, Skin Sens. 1/ | A;H317, Aquatic Chronic 2 | ;H411 | |
| t of abbreviations ar ATE: Acute toxicity e M: M-factor PBT: persistent, bioa vPvB: very persister All concentrations an | estimate. accumulative and t and very bioaccu re in percent by we | oxic substa imulative si ight unless | ance. ubstance. s ingredient is a gas. | Gas concentrations are in | percent by volume. | #: This |
| substance has been | assigned Union w | orkplace e | xposure limit(s). | | | |

SECTION 4: First aid measures

| General information | Take off all contaminated clothing immediately. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse. | |
|---|---|--|
| 4.1. Description of first aid meas | sures | |
| Inhalation | Move to fresh air. Call a physician if symptoms develop or persist. | |
| Skin contact | Take off immediately all contaminated clothing. Rinse skin with water/shower. Get medical attention if irritation develops and persists. | |
| Eye contact | Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists. | |
| Ingestion | Rinse mouth. Get medical attention if symptoms occur. | |
| 4.2. Most important symptoms and effects, both acute and delayed | Headache. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Coughing. | |
| 4.3. Indication of any immediate medical attention and special treatment needed | Provide general supportive measures and treat symptomatically. Thermal burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim under observation. Symptoms may be delayed. | |

SECTION 5: Firefighting measures

| 0 0 | |
|---|---|
| General fire hazards | Highly flammable liquid and vapour. |
| 5.1. Extinguishing media Suitable extinguishing media | Water fog. Alcohol resistant foam. Dry chemical powder. Carbon dioxide (CO2). |
| Unsuitable extinguishing media | Do not use water jet as an extinguisher, as this will spread the fire. |
| 5.2. Special hazards arising from the substance or mixture | Vapours may form explosive mixtures with air. Vapours may travel considerable distance to a source of ignition and flash back. During fire, gases hazardous to health may be formed. |
| 5.3. Advice for firefighters | |
| Special protective equipment for firefighters | Self-contained breathing apparatus and full protective clothing must be worn in case of fire. |
| Special fire fighting procedures | In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk. |
| Specific methods | Use standard firefighting procedures and consider the hazards of other involved materials. |
| SECTION 6: Accidental rel | ease measures |
| 6.1. Personal precautions, protect | ctive equipment and emergency procedures |
| For non-emergency personnel | Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. |
| For emergency responders | Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during clean-up. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. Use personal protection recommended in Section 8 of the SDS. |
| 6.2. Environmental precautions | Avoid discharge into drains, water courses or onto the ground. |
| 6.3. Methods and material for containment and cleaning up | Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil etc) away from spilled material. Take precautionary measures against static discharge. Use only non-sparking tools. |
| | Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water. |
| | Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. |
| | Never return spills to original containers for re-use. |
| 6.4. Reference to other sections | For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS. |
| SECTION 7: Handling and | storage |
| - | De not handle, store er enen neer en enen fleme, egursee of heat er egursee of ignition. Drotect |

| 7.1. Precautions for safe handling | Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. When using do not smoke. Explosion-proof general and local exhaust ventilation. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Use non-sparking tools and explosion-proof equipment. Avoid contact with eyes. Avoid prolonged exposure. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. |
|---|---|
| 7.2. Conditions for safe storage, including any incompatibilities | Keep away from heat, sparks and open flame. Prevent electrostatic charge build-up by using common bonding and grounding techniques. Store in a cool, dry place out of direct sunlight. Keep container tightly closed. Store in a well-ventilated place. Keep in an area equipped with sprinklers. Store away from incompatible materials (see Section 10 of the SDS). |
| 7.3. Specific end use(s) | Not available. |

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

| Occupational exposure limits | | | | | |
|---|--|------------|--|--|--|
| UK. EH40 Workplace Exposure Limits (WELs) | | | | | |
| Components | Туре | Value | | | |
| Ethanol (CAS 64-17-5) | TWA | 1920 mg/m3 | | | |
| | | 1000 ppm | | | |
| Biological limit values | No biological exposure limits noted for the ingredient(s). | | | | |
| Recommended monitoring procedures | Follow standard monitoring procedures. | | | | |

| Derived no effect levels (DNELs) | Not available. | | |
|---|---|--|--|
| Predicted no effect concentrations (PNECs) | Not available. | | |
| 8.2. Exposure controls | | | |
| Appropriate engineering controls | Explosion-proof general and local exhaust ventilation. Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station and safety shower. | | |
| Individual protection measures, | such as personal protective equipment | | |
| General information | Use personal protective equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment. | | |
| Eye/face protection | Wear safety glasses with side shields (or goggles). | | |
| Skin protection | | | |
| - Hand protection | Wear appropriate chemical resistant gloves. | | |
| - Other | Wear suitable protective clothing. | | |
| Respiratory protection | If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. | | |
| Thermal hazards | Wear appropriate thermal protective clothing, when necessary. | | |
| Hygiene measures | When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. | | |
| Environmental exposure controls | Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to acceptable levels. | | |

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| Appearance | |
|--|----------------------------------|
| Physical state | Liquid. |
| Form | Not available. |
| Colour | Orange |
| Odour | Not available. |
| Odour threshold | Not available. |
| рН | Not available. |
| Melting point/freezing point | -114 °C (-173.2 °F) estimated |
| Initial boiling point and boiling range | 78.4 °C (173.12 °F) estimated |
| Flash point | 13 °C (55.4 °F) estimated |
| Evaporation rate | Not available. |
| Flammability (solid, gas) | Not applicable. |
| Upper/lower flammability or exp | losive limits |
| Explosive limit - lower (%) | Not available. |
| Explosive limit – upper (%) | Not available. |
| Vapour pressure | 33.344227 hPa estimated |
| Vapour density | Not available. |
| Relative density | Not available. |
| Solubility(ies) | |
| Solubility (water) | Not available. |
| Partition coefficient (n-octanol/water) | Not available. |
| Auto-ignition temperature | 365 °C (689 °F) estimated |
| Decomposition temperature | Not available. |
| Viscosity | Not available. |
| Explosive properties | Not explosive. |
| Material name: Home Inspiration Exet | ic Fruits Pood Diffusor 1745733E |

Material name: Home Inspiration Exotic Fruits Reed Diffuser - 1745733E 1745733E Version #: 01 Issue date: 25-October-2023

| Oxidising properties | Not oxidising. | |
|------------------------|-----------------------|--|
| 9.2. Other information | | |
| Density | 0.842 g/cm3 estimated | |
| Percent volatile | 90.49 % estimated | |
| Specific gravity | 0.8419 estimated | |
| VOC | 67.82 % estimated | |

SECTION 10: Stability and reactivity

| 10.1. Reactivity | The product is stable and non-reactive under normal conditions of use, storage and transport. |
|---|--|
| 10.2. Chemical stability | Material is stable under normal conditions. |
| 10.3. Possibility of hazardous reactions | No dangerous reaction known under conditions of normal use. |
| 10.4. Conditions to avoid | Avoid heat, sparks, open flames and other ignition sources. Contact with incompatible materials. |
| 10.5. Incompatible materials | Strong oxidising agents. |
| 10.6. Hazardous decomposition products | No hazardous decomposition products are known. |

SECTION 11: Toxicological information

Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

General information

| Inhalation | May cause allergy or asthma symptoms or breathing difficulties if inhaled. Prolonged inhalation may be harmful. | |
|--|---|--|
| Skin contact | May cause an allergic skin reaction. | |
| Eye contact | Causes serious eye irritation. | |
| Ingestion | May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of occupational exposure. | |
| Symptoms | Headache. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Coughing. | |
| 11.1. Information on toxicological effects | | |
| Acute toxicity | Not known. | |
| Skin corrosion/irritation | Due to partial or complete lack of data the classification is not possible | |

| Acute toxicity | Not known. | |
|--|---|--|
| Skin corrosion/irritation | Due to partial or complete lack of data the classification is not possible. | |
| Serious eye damage/eye irritation | Causes serious eye irritation. | |
| Respiratory sensitisation | Due to partial or complete lack of data the classification is not possible. | |
| Skin sensitisation | Due to partial or complete lack of data the classification is not possible. | |
| Germ cell mutagenicity | Due to partial or complete lack of data the classification is not possible. | |
| Carcinogenicity | Due to partial or complete lack of data the classification is not possible. | |
| IARC Monographs. Overall E | Evaluation of Carcinogenicity | |
| d-Limonene (CAS 5989-2 | 7-5) 3 Not classifiable as to carcinogenicity to humans. | |
| Reproductive toxicity | Due to partial or complete lack of data the classification is not possible. | |
| Specific target organ toxicity - single exposure | Due to partial or complete lack of data the classification is not possible. | |
| Specific target organ toxicity - repeated exposure | Due to partial or complete lack of data the classification is not possible. | |
| Aspiration hazard | Due to partial or complete lack of data the classification is not possible. | |
| Mixture versus substance information | No information available. | |

Other information May cause allergic respiratory and skin reactions.

SECTION 12: Ecological information

| 12.1. Toxicity | | The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment. | | |
|----------------------------|---------------------|--|---|--|
| Components | | Species | Test Results | |
| (2,2-Dimethyl-1,3-dioxolar | n-4-yl)methanol (CA | S 100-79-8) | | |
| Aquatic | | | | |
| Acute | | | | |
| Fish | LC50 | Fathead minnow (Pimer | ohales promelas) 15200 - 18300 mg/l, 96 hours | |

| Components | | Species | Test Results |
|--|--|---|------------------------------|
| d-Limonene (CAS 5989-27-5) | | | |
| Aquatic | | | |
| Acute | | | |
| Crustacea | EC50 | Water flea (Daphnia pulex) | 69.6 mg/l, 48 hours |
| Fish | LC50 | Fathead minnow (Pimephales promelas) | 0.619 - 0.796 mg/l, 96 hours |
| Ethanol (CAS 64-17-5) | | | |
| Aquatic | | | |
| Acute | | | |
| Crustacea | EC50 | Water flea (Daphnia magna) | 7.7 - 11.2 mg/l, 48 hours |
| Fish | LC50 | Rainbow trout,donaldson trout (Oncorhynchus mykiss) | 42 mg/l, 4 days |
| 12.2. Persistence and degradability | No data is available on the degradability of any ingredients in the mixture. | | |
| 12.3. Bioaccumulative potentia | I | | |
| Partition coefficient | | | |
| n-octanol/water (log Kow) | | | |
| (2,2-Dimethyl-1,3-dioxolan-4-yl)methanol | | 0.3 | |
| delta-Damascone | | 3.4 4.2 | |
| d-Limonene | | 4.2 | |
| Ethanol | | -0.31 | |
| Linalool | | 2.97 | |
| Rose Ketone-4 | | 4.8 | |
| Bioconcentration factor (BCF) | Not available | e. | |
| 12.4. Mobility in soil | No data ava | ilable. | |
| 12.5. Results of PBT and vPvB assessment | | This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII. | |
| 12.6. Other adverse effects | | No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component. | |

SECTION 13: Disposal considerations

| 13.1. Waste treatment methods | |
|-------------------------------|---|
| Residual waste | Not available. |
| Contaminated packaging | Not available. |
| EU waste code | Not available. |
| Disposal methods/information | Dispose of contents/container in accordance with local/regional/national/international regulations. |

SECTION 14: Transport information

| 14.2 nan | | UN1993 FLAMMABLE LIQUID, N.O.S. (vapour pressure at 50 °C more than 110 kPa) (Ethanol, Isopropylideneglycerol) | |
|-------------|----------------------------------|--|--|
| 14. | 14.3. Transport hazard class(es) | | |
| | Class | 3 | |
| | Subsidiary risk | - | |
| | Label(s) | 3 | |
| | Hazard No. (ADR) | 33 | |
| | Tunnel restriction code | D/E | |
| 14.4 | 4. Packing group | | |
| 14. | 5. Environmental hazards | No. | |
| 14.6 | 6. Special precautions | Not assigned. | |
| for | user | | |
| RID | | | |
| 14.1 | 1. UN number | UN1993 | |
| 14.2 nan | 2. UN proper shipping ne | FLAMMABLE LIQUID, N.O.S. (vapour pressure at 50 °C more than 110 kPa) (Ethanol, Isopropylideneglycerol) | |
| 14.3 | 14.3. Transport hazard class(es) | | |
| | Class | 3 | |
| | Subsidiary risk | - | |
| | Label(s) | 3 | |
| 14.4 | 4. Packing group | II | |
| 14. | 5. Environmental hazards | No. | |

14.6. Special precautions Not assigned. for user ADN 14.1. UN number UN1993 FLAMMABLE LIQUID, N.O.S. (Ethanol, Isopropylideneglycerol) 14.2. UN proper shipping name 14.3. Transport hazard class(es) Class 3 Subsidiary risk -3 Label(s) Ш 14.4. Packing group 14.5. Environmental hazards No. 14.6. Special precautions Not assigned. for user IATA UN1993 14.1. UN number 14.2. UN proper shipping Flammable liquid, n.o.s. (Ethanol, Isopropylideneglycerol) name 14.3. Transport hazard class(es) Class 3 Subsidiary risk -Ш 14.4. Packing group 14.5. Environmental hazards Yes **ERG Code** 3H 14.6. Special precautions Not assigned. for user Other information Passenger and cargo Allowed with restrictions. aircraft Cargo aircraft only Allowed with restrictions. IMDG 14.1. UN number UN1993 FLAMMABLE LIQUID, N.O.S. (Ethanol, Isopropylideneglycerol), MARINE POLLUTANT 14.2. UN proper shipping name 14.3. Transport hazard class(es) Class 3 Subsidiary risk _ 14.4. Packing group Ш 14.5. Environmental hazards Marine pollutant Yes EmS F-E, S-E 14.6. Special precautions Not assigned. for user d-Limonene Not established. 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code ADN; ADR; IATA; IMDG; RID





SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Retained direct EU regulations

- Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended Not listed.
- Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended Not listed.
- Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed.
- Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.
- Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.
- Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.
- Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended Not listed.
- Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

strictions on us

Restrictions on use

- Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended Ethanol (CAS 64-17-5) Linalool (CAS 78-70-6)

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

d-Limonene (CAS 5989-27-5) Ethanol (CAS 64-17-5)

Other regulations

Not available.

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

List of abbreviations

ADN: European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways.
ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.
CAS: Chemical Abstract Service.
CEN: European Committee for Standardization.
IATA: International Air Transport Association.
IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk.
IMDG: International Maritime Dangerous Goods.
MARPOL: International Convention for the Prevention of Pollution from Ships.
PBT: Persistent, bioaccumulative and toxic.
RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.
STEL: Short term exposure limit.
TWA: Time Weighted Average.
vPvB: Very persistent and very bioaccumulative.

| References | Not available. |
|---|--|
| Information on evaluation method leading to the classification of mixture | Not available. |
| Full text of any statements, which are not written out in full under sections 2 to 15 | H225 Highly flammable liquid and vapour. H226 Flammable liquid and vapour. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. |
| Revision information | Product and Company Identification: Product Review Composition / Information on Ingredients: Ingredients HazReg Data: International Inventories |
| Training information | Not available. |