

# SAFETY DATA SHEET

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation Home Inspiration Sugared Blossom Reed Diffuser - 1745737E

of the mixture

Registration number

**Synonyms** None. **Product code** 1745737E

Issue date 25-October-2023

Version number 02

**Revision date** 10-December-2023 25-October-2023 Supersedes date

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Air Care Products Uses advised against None known. 1.3. Details of the supplier of the safety data sheet

Yankee Candle Company (Europe) Limited Company name

Poplar Way East, Cabot Park **Company Address** 

> Avonmouth Bristol

United Kingdom **BS11 0YH** 

1.4. Emergency telephone number

Newell - UK (Emergency 0800 234 6169

**Health Response)** 

008 008 658 8466 **Europe - Newell** 

NHS 111

#### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

## Classification according to Regulation (EC) No 1272/2008 as amended

Physical hazards

Flammable liquids Category 2 H225 - Highly flammable liquid and

vapour.

**Health hazards** 

H319 - Causes serious eye Serious eye damage/eye irritation Category 2

irritation.

### 2.2. Label elements

## Label according to Regulation (EC) No. 1272/2008 as amended

Hazard pictograms



Danger Signal word

**Hazard statements** 

Highly flammable liquid and vapour. H225 Causes serious eye irritation. H319

**Precautionary statements** 

Prevention

Keep out of reach of children. P102

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P210

Material name: Home Inspiration Sugared Blossom Reed Diffuser - 1745737E 1745737E Version #: 02 Revision date: 10-December-2023 Issue date: 25-October-2023

SDS GREAT BRITAIN

Response

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/attention.

Storage Not applicable.

Disposal

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Supplemental label information EUH208 - Contains Benzyl salicylate, Cyclododecane, (ethoxymethoxy)-, Linalool. May produce

an allergic reaction.

2.3. Other hazards

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation

(EC) No 1907/2006, Annex XIII. The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. The mixture does not contain any substances included in the list established in accordance with REACH Article 59(1) for having endocrine disrupting properties at a concentration equal to or greater than 0.1% by weight.

# **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

### **General information**

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Ethanol	60 - 70	64-17-5 200-578-6	-	603-002-00-5	#
Classification:	Flam. Liq.	2;H225, Eye Irrit. 2;H	319		
(2,2-Dimethyl-1,3-dioxolan-4-yl)metha nol	3 - 5	100-79-8 202-888-7	-	-	
Classification:	Flam. Liq.	2;H225, Eye Irrit. 2;H	319		
Benzyl salicylate	≤ 0.2	118-58-1 204-262-9	01-2119969442-31	607-754-00-5	
Classification:	Eye Irrit. 2	;H319, Skin Sens. 1B	;H317, Aquatic Chronic 3;F	1412	
Cyclododecane, (ethoxymethoxy)-	≤ 0.2	58567-11-6 261-332-1	-	-	
Classification:	Skin Irrit. 2	2;H315, Skin Sens. 1	3;H317, Aquatic Chronic 2;l	H411	
Linalool	≤ 0.2	78-70-6 201-134-4	01-2119474016-42	603-235-00-2	
Classification:	Skin Irrit. 2	2;H315, Eye Irrit. 2;H3	19, Skin Sens. 1B;H317		
Other components below reportable	27				

#### List of abbreviations and symbols that may be used above

ATE: Acute toxicity estimate.

M: M-factor

levels

vPvB: very persistent and very bioaccumulative substance.

PBT: persistent, bioaccumulative and toxic substance.

#: This substance has been assigned Union workplace exposure limit(s).

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

**Composition comments** The full text for all H-statements is displayed in section 16.

### **SECTION 4: First aid measures**

General information Take off all contaminated clothing immediately. Ensure that medical personnel are aware of the

material(s) involved, and take precautions to protect themselves. Wash contaminated clothing

before reuse.

4.1. Description of first aid measures

**Inhalation** Move to fresh air. Call a physician if symptoms develop or persist.

**Skin contact** Take off immediately all contaminated clothing. Rinse skin with water/shower. Get medical

attention if irritation develops and persists.

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

**Ingestion** Rinse mouth. Get medical attention if symptoms occur.

4.2. Most important symptoms

and effects, both acute and

delayed

Headache. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and

blurred vision. Coughing.

Material name: Home Inspiration Sugared Blossom Reed Diffuser - 1745737E

SDS GREAT BRITAIN

4.3. Indication of any immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Thermal burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim under observation. Symptoms may be delayed.

## **SECTION 5: Firefighting measures**

General fire hazards

Highly flammable liquid and vapour.

5.1. Extinguishing media

Suitable extinguishing

media

Water fog. Alcohol resistant foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

Vapours may form explosive mixtures with air. Vapours may travel considerable distance to a source of ignition and flash back. During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Special protective equipment for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Special fire fighting procedures

In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.

For emergency responders

Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during clean-up. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. Use personal protection recommended in Section 8 of the SDS.

6.2. Environmental precautions

6.3. Methods and material for containment and cleaning up

Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil etc) away from spilled material. Take precautionary measures against static discharge. Use only non-sparking tools. Prevent entry into waterways, sewer,

basements or confined areas.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.

Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use.

Avoid discharge into drains, water courses or onto the ground.

6.4. Reference to other sections

For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

# **SECTION 7: Handling and storage**

7.1. Precautions for safe handling

Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. When using do not smoke. Explosion-proof general and local exhaust ventilation. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Use non-sparking tools and explosion-proof equipment. Avoid contact with eyes. Avoid prolonged exposure. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities

Keep away from heat, sparks and open flame. Prevent electrostatic charge build-up by using common bonding and grounding techniques. Store in a cool, dry place out of direct sunlight. Store in tightly closed container. Store in a well-ventilated place. Keep in an area equipped with sprinklers. Store away from incompatible materials (see Section 10 of the SDS).

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

ANNEX 1, PART 1 Categories of dangerous substances

Hazard categories in accordance with Regulation (EC) No 1272/2008

- P5a, b or c FLAMMABLE LIQUIDS (Lower-tier requirements = 50 tonnes; Upper-tier requirements = 200 tonnes)

7.3. Specific end use(s)

Observe industrial sector guidance on best practices.

# **SECTION 8: Exposure controls/personal protection**

# 8.1. Control parameters

### Occupational exposure limits

UK. OELs. Workplace Exposure Limits (WELs) (EH40/2005 (Fourth Edition 2020)), Table 1 Components Type Value

Ethanol (CAS 64-17-5) TWA 1920 mg/m3

Biological limit values

No biological exposure limits noted for the ingredient(s).

Recommended monitoring

procedures

Follow standard monitoring procedures.

Derived no effect levels

(DNELs)

Not available.

Predicted no effect concentrations (PNECs)

8.2. Exposure controls

Not available.

Appropriate engineering

controls

Explosion-proof general and local exhaust ventilation. Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station and safety shower.

Individual protection measures, such as personal protective equipment

**General information** Use personal protective equipment as required. Personal protection equipment should be chosen

according to the CEN standards and in discussion with the supplier of the personal protective

equipment.

**Eye/face protection** Wear safety glasses with side shields (or goggles).

Skin protection

- Hand protection Wear appropriate chemical resistant gloves.

- Other Wear suitable protective clothing.

Respiratory protection If engineering controls do not maintain airborne concentrations below recommended exposure

limits (where applicable) or to an acceptable level (in countries where exposure limits have not

been established), an approved respirator must be worn.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

Hygiene measures When using do not smoke. Always observe good personal hygiene measures, such as washing

after handling the material and before eating, drinking, and/or smoking. Routinely wash work

clothing and protective equipment to remove contaminants.

**Environmental exposure** 

controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or

engineering modifications to the process equipment may be necessary to reduce emissions to

acceptable levels.

## **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

**Appearance** 

Physical state Liquid.
Form Liquid.
Colour Light pink.

Odour Not available.
Odour threshold Not available.
pH Not available.

Melting point/freezing point -114 °C (-173.2 °F) estimated Initial boiling point and boiling 78.4 °C (173.12 °F) estimated

range

Flash point 13 °C (55.4 °F) estimated

Evaporation rate Not available.
Flammability (solid, gas) Not applicable.
Upper/lower flammability or explosive limits

Explosive limit - lower (%) Not available.

Explosive limit - upper Not available.

(%)

Vapour pressure

33.338061 hPa estimated

Vapour density Not available.

4/9

Not available. Relative density

Solubility(ies)

Not available. Solubility (water) **Partition coefficient** Not available.

(n-octanol/water)

**Auto-ignition temperature** 365 °C (689 °F) estimated

**Decomposition temperature** Not available. Not available. **Viscosity Explosive properties** Not explosive. Oxidising properties Not oxidising.

9.2. Other information

0.84 g/cm3 estimated Density Percent volatile 89.69 % estimated Specific gravity 0.84032 estimated VOC 67.75 % estimated

# **SECTION 10: Stability and reactivity**

The product is stable and non-reactive under normal conditions of use, storage and transport. 10.1. Reactivity

10.2. Chemical stability Material is stable under normal conditions.

10.3. Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

10.4. Conditions to avoid Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the

flash point. Contact with incompatible materials.

10.5. Incompatible materials

10.6. Hazardous

decomposition products

Strong oxidising agents.

No hazardous decomposition products are known.

## **SECTION 11: Toxicological information**

Occupational exposure to the substance or mixture may cause adverse effects. **General information** 

Information on likely routes of exposure

Inhalation May cause allergy or asthma symptoms or breathing difficulties if inhaled. Prolonged inhalation

may be harmful.

Skin contact May cause an allergic skin reaction.

Causes serious eye irritation. **Eve contact** 

Ingestion May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of

occupational exposure.

Headache. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and **Symptoms** 

blurred vision. Coughing.

#### 11.1. Information on toxicological effects

**Acute toxicity** No data available

Skin corrosion/irritation Due to partial or complete lack of data the classification is not possible.

Serious eye damage/eye

irritation

Causes serious eye irritation.

Respiratory sensitisation Due to partial or complete lack of data the classification is not possible. Due to partial or complete lack of data the classification is not possible. Skin sensitisation Due to partial or complete lack of data the classification is not possible. Germ cell mutagenicity Carcinogenicity Due to partial or complete lack of data the classification is not possible. Reproductive toxicity Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity -

single exposure

Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity -

repeated exposure

Due to partial or complete lack of data the classification is not possible.

**Aspiration hazard** Due to partial or complete lack of data the classification is not possible.

Mixture versus substance

information

No information available.

Other information May cause allergic respiratory and skin reactions.

Material name: Home Inspiration Sugared Blossom Reed Diffuser - 1745737E

## **SECTION 12: Ecological information**

12.1. Toxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

**Test Results** Components **Species** 

(2.2-Dimethyl-1.3-dioxolan-4-yl)methanol (CAS 100-79-8)

Aquatic

Acute

LC50 Fathead minnow (Pimephales promelas) 15200 - 18300 mg/l, 96 hours Fish

Ethanol (CAS 64-17-5)

**Aquatic** 

Acute

EC50 Crustacea Water flea (Daphnia magna) 7.7 - 11.2 mg/l. 48 hours

Fish LC50 Rainbow trout.donaldson trout 42 mg/l, 4 days

(Oncorhynchus mykiss)

12.2. Persistence and

No data is available on the degradability of any ingredients in the mixture.

degradability

12.3. Bioaccumulative potential

Partition coefficient

n-octanol/water (log Kow)

(2,2-Dimethyl-1,3-dioxolan-4-yl)methanol 0.3 Benzyl salicylate 4 5.4 Cyclododecane, (ethoxymethoxy)-Ethanol -0.31Linalool 2.97

Not available **Bioconcentration factor (BCF)** 

12.4. Mobility in soil No data available. 12.5. Results of PBT and vPvB

assessment

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation

(EC) No 1907/2006, Annex XIII.

12.6. Other adverse effects The product contains volatile organic compounds which have a photochemical ozone creation

potential.

**SECTION 13: Disposal considerations** 

13.1. Waste treatment methods

Residual waste Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Since emptied containers may retain product residue, follow label warnings even after container is Contaminated packaging

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

**EU** waste code The Waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Discourage Disposal methods/information

sewage disposal. Waste should not be disposed of by release to sewers. Dispose of contents/container in accordance with local/regional/national/international regulations.

Special precautions Dispose in accordance with all applicable regulations.

**SECTION 14: Transport information** 

**ADR** 

14.1. UN number UN1993

14.2. UN proper shipping FLAMMABLE LIQUID, N.O.S. (vapour pressure at 50 °C more than 110 kPa) (Ethanol,

(2,2-Dimethyl-1,3-dioxolan-4-yl)methanol) name

14.3. Transport hazard class(es)

3 Class **Subsidiary hazard** Label(s) 3 Hazard No. (ADR) 33 **Tunnel restriction code** D/F 14.4. Packing group Ш 14.5. Environmental hazards No.

14.6. Special precautions

Read safety instructions, SDS and emergency procedures before handling. for user

**RID** 

14.1. UN number UN1993

```
14.2. UN proper shipping
                                 FLAMMABLE LIQUID, N.O.S. (vapour pressure at 50 °C more than 110 kPa) (Ethanol,
                                 (2,2-Dimethyl-1,3-dioxolan-4-yl)methanol)
    14.3. Transport hazard class(es)
        Class
                                 3
        Subsidiary hazard
                                 3
        Label(s)
    14.4. Packing group
                                 Ш
    14.5. Environmental hazards No.
                                 Read safety instructions, SDS and emergency procedures before handling.
    14.6. Special precautions
    for user
ADN
    14.1. UN number
                                 UN1993
    14.2. UN proper shipping
                                 FLAMMABLE LIQUID, N.O.S. (Ethanol, (2,2-Dimethyl-1,3-dioxolan-4-yl)methanol)
    14.3. Transport hazard class(es)
                                 3
        Class
        Subsidiary hazard
                                 3
        Label(s)
    14.4. Packing group
                                 Ш
    14.5. Environmental hazards No.
    14.6. Special precautions
                                 Read safety instructions. SDS and emergency procedures before handling.
    for user
IATA
    14.1. UN number
                                 UN1993
                                 Flammable liquid, n.o.s. (Ethanol, (2,2-Dimethyl-1,3-dioxolan-4-yl)methanol)
    14.2. UN proper shipping
    name
    14.3. Transport hazard class(es)
                                 3
        Class
        Subsidiary hazard
                                 Ш
    14.4. Packing group
    14.5. Environmental hazards Yes
    ERG Code
                                 3H
    14.6. Special precautions
                                 Read safety instructions, SDS and emergency procedures before handling.
    for user
    Other information
                                 Allowed with restrictions.
        Passenger and cargo
        aircraft
                                 Allowed with restrictions.
        Cargo aircraft only
IMDG
                                 UN1993
    14.1. UN number
                                 FLAMMABLE LIQUID, N.O.S. (Ethanol, (2,2-Dimethyl-1,3-dioxolan-4-yl)methanol), MARINE
    14.2. UN proper shipping
                                 POLLUTANT
    name
    14.3. Transport hazard class(es)
                                 3
        Subsidiary hazard
    14.4. Packing group
                                 Ш
    14.5. Environmental hazards
        Marine pollutant
                                 Yes
    EmS
    14.6. Special precautions
                                 Read safety instructions, SDS and emergency procedures before handling.
    for user
14.7. Transport in bulk
                                 Not established.
according to Annex II of
MARPOL 73/78 and the IBC
```

Code



#### Marine pollutant



**General information** 

IMDG Regulated Marine Pollutant.

## **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Retained direct EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended Not listed.

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

## **Authorisations**

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

#### Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use, as amended - Conditions of restriction given for the associated entry number should be considered

Ethanol (CAS 64-17-5)

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

ANNEX 1, PART 1 Categories of dangerous substances

Hazard categories in accordance with Regulation (EC) No 1272/2008

- P5a, b or c FLAMMABLE LIQUIDS

## Other regulations

This product is classified and labelled in accordance with the retained CLP Regulation (EC) No 1272/2008, as amended for Great Britain. This Safety Data Sheet is compiled in accordance with REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758.

Follow the requirements of the Control of Substances Hazardous to Health Regulations 2002 [SI 2002/2677], as amended, when using this material.

15.2. Chemical safety

assessment

No Chemical Safety Assessment has been carried out.

#### **SECTION 16: Other information**

#### List of abbreviations

ADN: European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways.

ADR: Agreement concerning the International Carriage of Dangerous Goods by Road.

CAS: Chemical Abstract Service.

CEN: European Committee for Standardization. IATA: International Air Transport Association.

IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous

Chemicals in Bulk.

Not available.

IMDG: International Maritime Dangerous Goods.

MARPOL: International Convention for the Prevention of Pollution from Ships.

PBT: Persistent, bioaccumulative and toxic.

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.

STEL: Short term exposure limit. TWA: Time Weighted Average.

vPvB: Very persistent and very bioaccumulative.

### References

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

Full text of any statements, which are not written out in full under sections 2 to 15

H225 Highly flammable liquid and vapour.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H319 Causes serious eye irritation.

H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

Revision information Training information Disclaimer This document has undergone significant changes and should be reviewed in its entirety.

Follow training instructions when handling this material.

Yankee Candle s.r.o. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.

Material name: Home Inspiration Sugared Blossom Reed Diffuser - 1745737E