

RD/MISTY WILD

Version 1.0

Revision Date 13 NOV 2023

Print Date 13 NOV 2023

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product identifier

Sales No. : MISTY WILD

Relevant identified uses of the substance or mixture and uses advised against

Intended Use Fragrances : Perfume compound

Details of the supplier of the safety data sheet

Company :
Givaudan Fragrances (Guangzhou) Ltd.
East Section of GETDD
No.66, Hongjing Road
GUANGZHOU
510760 GUANGDONG
CHINA

Telephone : +862062985000
Telefax : +862062985010
E-mail address :
Responsible/issuing person

Emergency Call

Givaudan 24/7 call : +8653283889090

Please refer to section 16 for a full list of emergency phone numbers, from Givaudan's 24/7 provider.

SECTION 2. HAZARDS IDENTIFICATION

Classification according to GOST 32419

Flammable liquids : Category 4
Skin corrosion/irritation : Category 2
Serious eye damage/eye irritation : Category 2A
Skin sensitisation : Category 1
Short-term (acute) aquatic hazard : Category 2

Administrative information:
Report Information: SDS_RU/EN/GHS_SDS_RU/09
Sales & Distribution Information: GZ03/FR/CN13/01
Shipping Order Information: 28 520 177/24 080 712

RD/MISTY WILD 雾野寻踪

Version 1.0

Revision Date 13 NOV 2023

Print Date 13 NOV 2023

Long-term (chronic) aquatic hazard : Category 3

Labelling according to GOST 31340

Hazard pictograms :



Signal word : Warning

Hazard statements : H227 Combustible liquid.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H401 Toxic to aquatic life.
H412 Harmful to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P261 Avoid breathing mist or vapours.
P264 Wash skin thoroughly after handling.
P272 Contaminated work clothing should not be allowed out of the workplace.
P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
Response:
P302 + P352 IF ON SKIN: Wash with plenty of water.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.
P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.
Storage:
P403 Store in a well-ventilated place.
Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

Administrative information:
Report Information: SDS_RU/EN/GHS_SDS_RU/09
Sales & Distribution Information: GZ03/FR/CN13/01
Shipping Order Information: 28 520 177/24 080 712

RD/MISTY WILD 雾野寻踪

Version 1.0

Revision Date 13 NOV 2023

Print Date 13 NOV 2023

Other hazards

Hazards not Otherwise Classified. : None

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture : Mixture

Components

Chemical name	CAS-No. EC-No.	Classification	MPC value mg/m3 /ASLl	Concentration (% w/w)
(2-Methoxymethylethoxy)propanol	34590-94-8 252-104-2	Flam. Liq.4; H227	TWA: 50 ppm 308 mg/m3 Identifies the possibility of significant uptake through the skin, Indicative Data Source: 2000/39/EC	>= 70 - < 90
2,6-dimethyl-7-octen-2-ol	18479-58-8 242-362-4	Flam. Liq.4; H227 Acute Tox.5; H303 2; H315 2A; H319 Aquatic Acute3; H402	no data available	>= 1 - < 5
3,7-dimethyloctan-3-ol	78-69-3 201-133-9	Flam. Liq.4; H227 2; H315 2A; H319 Skin Sens.1B; H317 Aquatic Acute2; H401	no data available	>= 1 - < 5
2-hexyl-3-phenyl-2-propenal (trans & cis)	101-86-0 165184-98-5 639-566-4	Acute Tox.5; H303 3; H316 Skin Sens.1B; H317 Aquatic Acute1; H400 Aquatic Chronic2; H411	no data available	>= 1 - < 5

Administrative information:

Report Information: SDS_RU/EN/GHS_SDS_RU/09
Sales & Distribution Information: GZ03/FR/CN13/01
Shipping Order Information: 28 520 177/24 080 712

SAFETY DATA SHEET
According to GOST 30333-2022

Givaudan

RD/MISTY WILD 雾野寻踪

Version 1.0

Revision Date 13 NOV 2023

Print Date 13 NOV 2023

3,4,5,6,6-pentamethylhept-3-en-2-one (main isomer)	81786-73-4 2020341-69-7 279-822-9	Flam. Liq.4; H227 Skin Sens.1B; H317 Aquatic Acute2; H401 Aquatic Chronic2; H411	no data available	>= 1 - < 5
Benzyl acetate	140-11-4 205-399-7	Acute Tox.5; H303 Aquatic Acute2; H401 Aquatic Chronic3; H412	MPC-STEL: 5 mg/m3 Class 3 - Moderately dangerous Data Source: RU OEL	>= 1 - < 5
3,7-dimethyl-6-octen-1-ol (= citronellol)	106-22-9 203-375-0	Acute Tox.5; H303 Acute Tox.5; H313 2; H315 2A; H319 Skin Sens.1B; H317 Aquatic Acute2; H401	no data available	>= 1 - < 5
2-Ethyl-4-(2,2,3-trimethyl-3-cyclopenten -1-yl)-2-buten-1-ol (main component)	28219-61-6 248-908-8	2; H315 2A; H319 Aquatic Acute2; H401 Aquatic Chronic2; H411	no data available	>= 1 - < 5
2-tert-butylcyclohexyl acetate	88-41-5 20298-69-5 20298-70-8 201-828-7 243-718-1 243-719-7	Flam. Liq.4; H227 Acute Tox.5; H303 3; H316 Aquatic Acute2; H401 Aquatic Chronic2; H411	no data available	>= 1 - < 5
2H-1-benzopyran-2-one (=coumarin)	91-64-5 202-086-7	Acute Tox.3; H301 Skin Sens.1B; H317 Aquatic Acute3; H402	no data available	>= 0,1 - < 1
2-propenyl 2(3)-methylbutoxyacetate	67634-00-8 67634-01-9 916-328-0	Flam. Liq.4; H227 Acute Tox.4; H302	no data available	>= 0,1 - < 1

Administrative information:

Report Information: SDS_RU/EN/GHS_SDS_RU/09
Sales & Distribution Information: GZ03/FR/CN13/01
Shipping Order Information: 28 520 177/24 080 712

RD/MISTY WILD 雾野寻踪

Version 1.0

Revision Date 13 NOV 2023

Print Date 13 NOV 2023

		Acute Tox.2; H330 Acute Tox.4; H312 Aquatic Acute1; H400		
--	--	---	--	--

For explanation of abbreviations see section 16.

SECTION 4. FIRST AID MEASURES

- General advice : Move out of dangerous area.
Show this safety data sheet to the doctor in attendance.
Consult physician or Poison Control Center.
- If inhaled : If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician.
- In case of skin contact : Immediately seek medical attention if chemical entered ear canal.
If skin irritation persists, call a physician.
If on skin, rinse well with water.
If on clothes, remove clothes.
- In case of eye contact : Protect unharmed eye.
Remove contact lenses.
Immediately flush eye(s) with plenty of water.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
- If swallowed : Immediately consult Poison Control Center or physician.
Keep respiratory tract clear.
Do NOT induce vomiting.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
- Most important symptoms and effects, both acute and delayed : Causes skin irritation.
May cause an allergic skin reaction.
Causes serious eye irritation.
- Notes to physician : Treat symptomatically.

SECTION 5. FIREFIGHTING MEASURES

Flammable properties

- Flash point : 80 °C
Method: Grabner miniflash closed cup
- Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during firefighting : Do not allow run-off from fire fighting to enter drains or water courses.

Administrative information:
Report Information: SDS_RU/EN/GHS_SDS_RU/09
Sales & Distribution Information: GZ03/FR/CN13/01
Shipping Order Information: 28 520 177/24 080 712

RD/MISTY WILD 雾野寻踪

Version 1.0

Revision Date 13 NOV 2023

Print Date 13 NOV 2023

- Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
For safety reasons in case of fire, cans should be stored separately in closed containments.
Use a water spray to cool fully closed containers.
- Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Keep people away from and upwind of spill/leak.
In the case of vapour formation use a respirator with an approved filter.
For emergency conditions, use an approved positive-pressure self-contained breathing apparatus.
Material can create slippery conditions.
Use personal protective equipment.
- Environmental precautions : Prevent product from entering drains.
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Clean contaminated floors and objects thoroughly while observing environmental regulations.
Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).
Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Keep away from heat and sources of ignition.
Do not spray on a naked flame or any incandescent material.
Keep away from open flames, hot surfaces and sources of ignition.
- Advice on safe handling : Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.
Avoid formation of aerosol.
Do not breathe vapours/dust.
Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Provide sufficient air exchange and/or exhaust in work rooms.
Open drum carefully as content may be under pressure.

Administrative information:
Report Information: SDS_RU/EN/GHS_SDS_RU/09
Sales & Distribution Information: GZ03/FR/CN13/01
Shipping Order Information: 28 520 177/24 080 712

RD/MISTY WILD 雾野寻踪

Version 1.0

Revision Date 13 NOV 2023

Print Date 13 NOV 2023

Dispose of rinse water in accordance with local and national regulations.
Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.

Conditions for safe storage : No smoking.
Keep in a well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Observe label precautions.
Electrical installations / working materials must comply with the technological safety standards.

Further information on storage conditions : Ambient / 10-30°C (50-85°F)
Dry, well ventilated, preferably full, hermetically sealed

Advice on common storage : Protect against light.
Other data : No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Data Source
(2-Methoxymethylethoxy)prop anol	34590-94-8	TWA	50 ppm 308 mg/m3	2000/39/EC
	Further information: Identifies the possibility of significant uptake through the skin, Indicative			
Benzyl acetate	140-11-4	MPC-STEL (vapour and/or gas)	5 mg/m3	RU OEL
	Further information: Class 3 - Moderately dangerous			
linalool	78-70-6	MPC-STEL (vapour and/or gas)	5 mg/m3	RU OEL
	Further information: Class 3 - Moderately dangerous			

Exposure controls

Exposure assessment: Exposures are dependent on the product being handled, the potential for chemical release, and any resulting airborne concentrations or dermal contact. Since product handling and release scenarios vary, and no two workplaces are exactly alike, it is recommended that the potential for exposure be assessed prior to the product's use or introduction. Exposure assessments should be performed by an occupational hygienist, industrial hygienist, or other qualified occupational or environmental health professional. An exposure assessment should be conducted to determine the efficacy of any ventilation and the need for additional PPE. The PPE

Administrative information:
Report Information: SDS_RU/EN/GHS_SDS_RU/09
Sales & Distribution Information: GZ03/FR/CN13/01
Shipping Order Information: 28 520 177/24 080 712

RD/MISTY WILD 雾野寻踪

Version 1.0

Revision Date 13 NOV 2023

Print Date 13 NOV 2023

indicated below are recommendations for worst-case scenario exposures. An exposure assessment will identify more applicable measures to be implemented. EN and ANSI standards are mentioned in the following recommendations, consult equivalent local standards when required.

PPE is always the last resort to avoid exposure. In any case technical and organisational measures have to be explored and used prior to the selection of PPE. The PPE selection is for operators trained to work with chemicals according to good industrial hygiene and safety practice. Operators have to be trained on the use of PPE.

Engineering measures

Use engineering controls to maintain airborne levels below exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, use the product only with adequate ventilation.

Personal protective equipment

- Eye/face protection** : Use safety goggles and faceshield tested according to EN 166/ ANSI Z87.1 or equivalent local standard.
- Hand protection** : Use gloves when handling substance in open systems. Inspect gloves prior to use. Train operators for proper use. If only incidental exposure is expected: (work without direct contact to substance) use gloves tested according to EN 16523-1/ASTM F739 or equivalent local standard breakthrough times at least 10 minutes, tested for chemicals indicated in chapter 3 of this SDS. Change gloves frequently.
If direct skin contact is expected: use gloves tested according to EN 16523-1/ASTM F739 or equivalent local standard, tested for chemicals indicated in chapter 3 of this SDS. Permeation time must exceed contact time.
- Other skin protection** : Wear working clothes covering arms and legs. The type of protective equipment must be selected according to the concentration and amount of the hazardous substance at the specific workplace. Use apron and sleeve covers or complete chemical suit if exposure is expected.
- Respiratory protection** : Respiratory protection should be worn when workplace exposures exceed exposure limit requirements or guidelines. If there are no applicable exposure limits or guidelines, use an approved respirator where there is a potential for adverse effects, including but not limited to respiratory irritation or odor, or where indicated by the exposure assessment. Selection of air-purifying or positive-pressure supplied-air will depend on the results of the exposure assessment which includes an evaluation of the specific operations and the potential airborne concentrations. For emergency conditions, use an approved positive-pressure self-contained breathing apparatus.

Administrative information:
Report Information: SDS_RU/EN/GHS_SDS_RU/09
Sales & Distribution Information: GZ03/FR/CN13/01
Shipping Order Information: 28 520 177/24 080 712

RD/MISTY WILD 雾野寻踪

Version 1.0

Revision Date 13 NOV 2023

Print Date 13 NOV 2023

In case a risk analysis proved the cartridge respirator as acceptable, use type:
ABEK-P3 (EN 14387) OR Combination Multi-gas/P100 (42CFR84.193; ANSI Z88.7 or equivalent local standard) as a backup to engineering controls.

In absence of engineering controls, use self-contained breathing apparatus or full face supplied air respirators. Use respirators and components tested and approved under appropriate government standards such as CEN (EU) or NIOSH 42 CFR 84(US).

Thermal hazards : Wear appropriate thermal protective clothing, when necessary.

Hygiene measures : Remove contaminated clothing and protective equipment before entering eating areas.
Do not eat, drink or smoke during work.
Wash hands any time after handling the product.

Environmental exposure controls

General advice : Prevent product from entering drains.
If the product contaminates rivers and lakes or drains inform respective authorities.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : liquid
Form : liquid
Colour : colorless to Pale yellow
Taste : not determined
Odour : Fern-like, Green, aromatic
Odour Threshold : Not applicable
Flash point : 80 °C Method: Grabner miniflash closed cup
Lower explosion limit : not determined
Upper explosion limit : not determined
Flammability : Not applicable
Particle size : no data available
Oxidizing properties : no data available
Auto-ignition temperature : not determined
Decomposition temperature : no data available
pH : not determined
Vapour pressure : 0,3159 hPa at 20 °C Calculated (99,9 %)
Density : 941,30 kg/m³ at 20 °C
Bulk density : Not applicable
Water solubility : not determined
Solubility/qualitative : practically insoluble
Partition coefficient: n-octanol/water : Not applicable
Viscosity, kinematic : no data available

Administrative information:

Report Information: SDS_RU/EN/GHS_SDS_RU/09

Sales & Distribution Information: GZ03/FR/CN13/01

Shipping Order Information: 28 520 177/24 080 712

RD/MISTY WILD 雾野寻踪

Version 1.0

Revision Date 13 NOV 2023

Print Date 13 NOV 2023

Relative vapour density : no data available
Evaporation rate : no data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity

No decomposition if stored and applied as directed.

Chemical stability

No decomposition if stored and applied as directed.

Possibility of hazardous reactions

Hazardous reactions : No decomposition if stored and applied as directed. Vapours may form explosive mixture with air.

Conditions to avoid

Conditions to avoid : Extremes of temperature and direct sunlight. Heat, flames and sparks.

Incompatible materials

Materials to avoid : no data available

Hazardous decomposition products

Hazardous decomposition products : no data available
Thermal decomposition : no data available

SECTION 11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

Acute toxicity

Product:

Acute oral toxicity : Acute toxicity estimate: > 5 000 mg/kg
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 40 mg/l
Exposure time: 4 h
Test atmosphere: vapour
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 5 000 mg/kg
Method: Calculation method

Administrative information:
Report Information: SDS_RU/EN/GHS_SDS_RU/09
Sales & Distribution Information: GZ03/FR/CN13/01
Shipping Order Information: 28 520 177/24 080 712

RD/MISTY WILD 雾野寻踪

Version 1.0

Revision Date 13 NOV 2023

Print Date 13 NOV 2023

Components:

(2-Methoxymethylethoxy)propanol:

Acute oral toxicity : LD50 (Rat): 5 130,00 mg/kg

Acute dermal toxicity : LD50 (Rabbit): 19 000,00 mg/kg

2,6-dimethyl-7-octen-2-ol:

Acute oral toxicity : LD50 (Rat): 3 600,00 mg/kg

3,7-dimethyloctan-3-ol:

Acute oral toxicity : LD50 (Rat): > 5 000,00 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 5 000,00 mg/kg

2-hexyl-3-phenyl-2-propenal (trans & cis):

Acute oral toxicity : LD50 (Rat): 3 100,00 mg/kg

3,4,5,6,6-pentamethylhept-3-en-2-one (main isomer):

Acute dermal toxicity : LD50 (Rabbit): > 5 000,00 mg/kg

Benzyl acetate:

Acute oral toxicity : LD50 (Rat): 2 490,00 mg/kg

3,7-dimethyl-6-octen-1-ol (= citronellol):

Acute oral toxicity : LD50 (Rat): 3 450,00 mg/kg

Acute dermal toxicity : LD50 (Rabbit): 2 650,00 mg/kg

2-Ethyl-4-(2,2,3-trimethyl-3-cyclopenten -1-yl)-2-buten-1-ol (main component):

Acute dermal toxicity : LD50 (Rat): > 5 000,00 mg/kg

2-tert-butylcyclohexyl acetate:

Acute oral toxicity : LD50 (Rat): 4 600,00 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 5 000,00 mg/kg

2H-1-benzopyran-2-one (=coumarin):

Acute oral toxicity : LD50 (Rat): 290 mg/kg

2-propenyl 2(3)-methylbutoxyacetate:

Acute oral toxicity : LD50 (Rat): 730,00 mg/kg

Administrative information:

Report Information: SDS_RU/EN/GHS_SDS_RU/09

Sales & Distribution Information: GZ03/FR/CN13/01

Shipping Order Information: 28 520 177/24 080 712

RD/MISTY WILD 雾野寻踪

Version 1.0

Revision Date 13 NOV 2023

Print Date 13 NOV 2023

Skin corrosion/irritation

Product:

Remarks : May cause skin irritation and/or dermatitis.

Serious eye damage/eye irritation

Product:

Remarks : Vapours may cause irritation to the eyes, respiratory system and the skin.

Respiratory or skin sensitisation

Respiratory sensitisation

Not classified based on available information.

Skin sensitisation

May cause an allergic skin reaction.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

Phototoxicity

Phototoxicity : No data is available on the product itself.

Further information

Product:

Remarks : no data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

alpha-hexylcinnamaldehyde:

Administrative information:
Report Information: SDS_RU/EN/GHS_SDS_RU/09
Sales & Distribution Information: GZ03/FR/CN13/01
Shipping Order Information: 28 520 177/24 080 712

RD/MISTY WILD 雾野寻踪

Version 1.0

Revision Date 13 NOV 2023

Print Date 13 NOV 2023

M-Factor (Acute aquatic toxicity) : 1

allyl (2-methylbutoxy)acetate:

M-Factor (Acute aquatic toxicity) : 1

Persistence and degradability

no data available

Bioaccumulative potential

no data available

Mobility in soil

no data available

Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Toxic to aquatic life.
Harmful to aquatic life with long lasting effects.

Hygienic standards:

(Allowable concentration in air, water, including fishery waters, soil)

Components	Air	Water	Soil	Data Source
(2-Methoxymethylethoxy) propanol 34590-94-8	no data available	MPC: 1 Milligrams per cubed decimeter Limiting health hazard indicator: sanitary and toxicological effects Hazard class: 3	no data available	List 5
Benzyl acetate 140-11-4	MPC - maximum: 0,01 mg/m3 Limiting health hazard indicator: reflectory Hazard class: Class 4 - low hazard	no data available	no data available	List 1
3,7-dimethyl-6-octen-1-ol (= citronellol) 106-22-9	TSEL: 0,05 mg/m3	no data available	no data available	List 2

For explanation of abbreviations see section 16.

Administrative information:
Report Information: SDS_RU/EN/GHS_SDS_RU/09
Sales & Distribution Information: GZ03/FR/CN13/01
Shipping Order Information: 28 520 177/24 080 712

RD/MISTY WILD 雾野寻踪

Version 1.0

Revision Date 13 NOV 2023

Print Date 13 NOV 2023

SECTION 13. DISPOSAL CONSIDERATIONS

Waste treatment methods

- Product : Dispose of in accordance with local, state and federal regulations.
The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.
- Contaminated packaging : Do not expose containers to high temperatures such as in hot work processes.
Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.
Do not burn, or use a cutting torch on, the empty drum.
- Dispose of in accordance with local regulations.

SECTION 14. TRANSPORT INFORMATION

14.1 UN number

N/A

14.2 UN proper shipping name

Not regulated as a dangerous good

14.3 Transport hazard class(es)

N/A

14.4 Packing group

N/A

14.5 Environmental hazards

N/A

14.6 Special precautions for user

IMDG

IMDG Code Segregation : None
Group

14.7 Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Administrative information:

Report Information: SDS_RU/EN/GHS_SDS_RU/09

Sales & Distribution Information: GZ03/FR/CN13/01

Shipping Order Information: 28 520 177/24 080 712

RD/MISTY WILD 雾野寻踪

Version 1.0

Revision Date 13 NOV 2023

Print Date 13 NOV 2023

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso III: Directive 2012/18/EU : Not applicable of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

SECTION 16. OTHER INFORMATION

16. Other information

Full text of H-Statements

H227	Combustible liquid.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H303	May be harmful if swallowed.
H312	Harmful in contact with skin.
H313	May be harmful in contact with skin.
H315	Causes skin irritation.
H316	Causes mild skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H400	Very toxic to aquatic life.
H401	Toxic to aquatic life.
H402	Harmful to aquatic life.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Full list of Emergency response numbers worldwide.

	Country	Phone nr		Country	Phone nr
Europe	All Europe	+44 1235 239670	APAC	All East/South East Asia	+65 3158 1074
	France	+33 1 72 11 00 03		Sri Lanka	+65 3158 1195
	Germany	+49 89 220 61012		Taiwan	+886 2 8793 3212
	Spain	+34 91 114 2520		Japan	0120 015 230
	Italy	800 699 792		Indonesia	007 803 011 0293
	Netherlands	+31 10 713 8195		Malaysia	+60 3 6207 4347
	Turkey	0800 621 2139 +44 1235 239670		Thailand	001 800 120 666 751

Administrative information:
Report Information: SDS_RU/EN/GHS_SDS_RU/09
Sales & Distribution Information: GZ03/FR/CN13/01
Shipping Order Information: 28 520 177/24 080 712

RD/MISTY WILD 雾野寻踪

Version 1.0

Revision Date 13 NOV 2023

Print Date 13 NOV 2023

	Norway	+47 2103 4452		India	+65 3158 1198 000 800 100 7479
	Greece	+30 21 1198 3182		Pakistan	+65 3158 1329
	Portugal	+351 30880 4750		Bangladesh	+65 3158 1200
	Denmark	+45 8988 2286		Philippines	+63 2 8231 2149
	Sweden	+46 8 566 42573		Vietnam	+84 28 4458 2388
	Poland	+48 22 307 3690		Korea	+65 3158 1285
	Czech republic	+420 228 882 830		South Korea	+82 2 3479 8401
	Finland	+358 9 7479 0199		Australia	+61 2 8014 4558
Middle East/Africa	All Middle East/Africa	+44 1235 239671		New Zealand	+64 9 929 1483
	Bahrain and Middle East	+44 1235 239671		China	+86 532 8388 9090
	Africa/South Africa	+27 21 300 2732		Mexico	+52 55 5004 8763
NOAM	USA and Canada	+1 866 928 0789	LATAM	Brazil	+55 11 3197 5891
	USA and Canada	+1 215 207 0061		Chile	+56 2 2582 9336
	USA and Canada	+1 202 464 2554		Colombia	+57 1 508 7337
Global	Global	+44 1865 407333		Argentina	+54 11 5984 3690

Full text of other abbreviations

- 2000/39/EC : Europe. Commission Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values
- RU OEL : SanPiN 1.2.3685-21 Table 2.1, Table 2.8, Table 2.16 & Table 2.17 Maximum permissible concentrations (MPC) in the air of the working area
- 2000/39/EC / TWA : Limit Value - eight hours
- RU OEL / MPC-STEL : Maximum Permissible Concentration - Short Term Exposure
- List 5 : Order of the Russian Federal Fisheries Agency "Standards of maximum permissible concentrations of harmful substances in fishery water bodies"

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the

Administrative information:

Report Information: SDS_RU/EN/GHS_SDS_RU/09
Sales & Distribution Information: GZ03/FR/CN13/01
Shipping Order Information: 28 520 177/24 080 712

RD/MISTY WILD 雾野寻踪

Version 1.0

Revision Date 13 NOV 2023

Print Date 13 NOV 2023

Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Information displayed in section 3 (Composition/information on ingredients) is additional information to understand the hazards of the product and ensure safe handling, storage and transportation. This information, including CAS numbers, is not meant to be used for registration, notification or any other purposes. Any additional information and documentation needed may be provided by Givaudan.

Administrative information:

Report Information: SDS_RU/EN/GHS_SDS_RU/09

Sales & Distribution Information: GZ03/FR/CN13/01

Shipping Order Information: 28 520 177/24 080 712