SAFETY DATA SHEET



Version #: 03

Issue date: 22-December-2022 Revision date: 14-March-2023 Supersedes date: 23-February-2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation

of the mixture

YC AMBER & SANDALWOOD PAPER CAR JAR 1633278E

Registration number

Synonyms None. 1633278E **Product code**

1.2. Relevant identified uses of the substance or mixture and uses advised against

General Public Use Identified uses None known. Uses advised against

1.3. Details of the supplier of the safety data sheet Company name Yankee Candle Company (Europe) Limited

Company Address Poplar Way East, Cabot Park

> Avonmouth **Bristol**

United Kingdom **BS11 0YH**

1.4. Emergency telephone number

General in EU 112 (Available 24 hours a day. SDS/Product information may not be available for

the Emergency Service.)

Austria National Poisons +431 406 4343 (Available 24 hours a day. SDS/Product information may not be Information Centre

available for the Emergency Service.)

Belgium National Poisons 070 245 245 (Available 24 hours a day. SDS/Product information may not be **Control Center**

available for the Emergency Service.)

Bulgaria National Toxicological Information

Centre

+359 2 9154233 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Czech Republic National Poisons Information

Centre

+420 224 919 293, or +420 224 915 402 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

Denmark National Poisons

Control Center

+45 82 12 12 12 (Available 24 hours a day. SDS/Product information may not be

Estonia National Poisons

Information Centre

available for the Emergency Service.)

16662 or abroad: (+372) 626 9390 (Monday 9:00AM to Saturday 9:00AM (closed on Sundays and on national holidays). SDS/Product information may not be

available for the Emergency Service.)

Finland National Poison Information Center

(09) 471 977 (direct) or (09) 4711 (exchange) (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

France National Poisons Control Center

ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Hungary National Emergency Phone Number

36 80 20 11 99 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Lithuania Neatidėliotina informacija apsinuodijus +370 5 236 20 52 or +37068753378 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

Malta Accident and **Emergency Department**

2545 4030 (Hours of operation not provided, SDS/Product information may not be available for the Emergency Service.)

Netherlands National Poisons Information Center (NVIC)

030-274 88 88 (Only for the purpose of informing medical personnel in cases of acute intoxications)

Norway Norwegian Poison Information Center

22 59 13 00 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Material name: YC AMBER & SANDALWOOD PAPER CAR JAR 1633278E 1633278E Version #: 03 Revision date: 14-March-2023 Issue date: 22-December-2022 1.4. Emergency telephone number

Portugal Poison Centre 800 250 250 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Romania Biroul RSI si Informare Toxicologica

available for the Emergency Service.)

Slovakia National

Toxicological Information

Centre

021.318.36.06 (Available 8:00AM-3:00PM. SDS/Product information may not be

+421 2 5477 4166 (Available 24 hours a day, SDS/Product information may not

be available for the Emergency Service.)

Sweden National Poison Information Center

112 - and ask for Poison Information (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Switzerland Tox Info Suisse

145 (Available 24 hours a day. SDS/Product information may not be available for

the Emergency Service.)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

Health hazards

Skin sensitisation Category 1B H317 - May cause an allergic skin

reaction.

Environmental hazards

long-term aquatic hazard

Hazardous to the aquatic environment, Category 2 H411 - Toxic to aquatic life with

long lasting effects.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Austria: M2QW-RE3P-EP4G-4XQ0 Belgium: M2QW-RE3P-EP4G-4XQ0 Bulgaria: M2QW-RE3P-EP4G-4XQ0 Croatia: M2QW-RE3P-EP4G-4XQ0 Cyprus: M2QW-RE3P-EP4G-4XQ0

Czech Republic: M2QW-RE3P-EP4G-4XQ0 Denmark: M2QW-RE3P-EP4G-4XQ0 Estonia: M2QW-RE3P-EP4G-4XQ0 EU: M2QW-RE3P-EP4G-4XQ0 Finland: M2QW-RE3P-EP4G-4XQ0 France: M2QW-RE3P-EP4G-4XQ0 Germany: M2QW-RE3P-EP4G-4XQ0 Great Britain: M2QW-RE3P-EP4G-4XQ0 Greece: M2QW-RE3P-EP4G-4XQ0 Hungary: M2QW-RE3P-EP4G-4XQ0 Iceland: M2QW-RE3P-EP4G-4XQ0 Ireland: M2QW-RE3P-EP4G-4XQ0 Italy: M2QW-RE3P-EP4G-4XQ0 Latvia: M2QW-RE3P-EP4G-4XQ0 Lithuania: M2QW-RE3P-EP4G-4XQ0 Luxembourg: M2QW-RE3P-EP4G-4XQ0 Malta: M2QW-RE3P-EP4G-4XQ0 Netherlands: M2QW-RE3P-EP4G-4XQ0 Norway: M2QW-RE3P-EP4G-4XQ0 Poland: M2QW-RE3P-EP4G-4XQ0 Portugal: M2QW-RE3P-EP4G-4XQ0 Romania: M2QW-RE3P-EP4G-4XQ0 Slovakia: M2QW-RE3P-EP4G-4XQ0

Dihydro pentamethylindanone, Isocyclemone E, Linalool, Linalyl acetate, Terpenes and Contains:

Slovenia: M2QW-RE3P-EP4G-4XQ0 Spain: M2QW-RE3P-EP4G-4XQ0 Sweden: M2QW-RE3P-EP4G-4XQ0

terpenoids, lemon-oil

Hazard pictograms

Signal word Warning

Hazard statements

May cause an allergic skin reaction. H317

Toxic to aquatic life with long lasting effects. H411

Precautionary statements

Prevention

Keep out of reach of children. P102

Response

If on skin: Wash with plenty of water. P302 + P350

If skin irritation or rash occurs: Get medical advice/attention. P333 + P313

Storage Not applicable.

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations. P501

Supplemental label information None.

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation 2.3. Other hazards

(EC) No 1907/2006, Annex XIII. The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or

Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Isocyclemone E	3 - 5	54464-57-2 259-174-3	-	-	
Classification:	Skin Irrit.	2;H315, Skin Sens. 1	B;H317, Aquatic Chronic 1;h	H410	
Oxacyclohexadec-12-en-2-one, (12E)-	1 - 3	111879-80-2 422-320-3	-	-	
Classification	Aquatic A	cute 1;H400, Aquatic	Chronic 2;H411		
Cyclopentanone, 2-(2-(4-methyl-3-cyclohexen-1-yl)prop yl)-	≤ 1	95962-14-4 404-240-0	-	-	
Classification:	Eye Irrit. 2	2;H319, Aquatic Acute	1;H400, Aquatic Chronic 3	;H412	
Oils, cedarwood	≤ 1	8000-27-9 616-769-6	-	-	
Classification	Asp. Tox.	1;H304, Aquatic Acut	e 1;H400, Aquatic Chronic	1;H410	
Linalyl acetate	≤ 0,3	115-95-7 204-116-4	-	-	
Classification	Skin Irrit.	2;H315, Eye Irrit. 2;H	319, Skin Sens. 1B;H317		
Terpenes and terpenoids, lemon-oil	≤ 0,3	68917-33-9 614-796-8	-	-	
Classification		. 3;H226, Skin Irrit. 2;I 1;H304, Aquatic Chro	H315, Skin Sens. 1;H317, R onic 2;H411	epr. 2;H361,	
4-Penten-2-ol, 3,3-dimethyl-5-(2,2,3-trimethyl-3-cyclo penten-1-yl)-	≤ 0,2	107898-54-4 411-580-3	-	603-150-00-0	
Classification:	Skin Irrit.	2;H315, Aquatic Acut	e 1;H400, Aquatic Chronic 1	;H410	
Dihydro pentamethylindanone	≤ 0,2	33704-61-9 251-649-3	-	-	
Classification	Skin Irrit. Chronic 2		319, Skin Sens. 1B;H317, A	quatic	
Linalool	≤ 0,2	78-70-6 201-134-4	-	603-235-00-2	

List of abbreviations and symbols that may be used above

#: This substance has been assigned Union workplace exposure limit(s).

M: M-factor

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

The full text for all H-statements is displayed in section 16. **Composition comments**

SECTION 4: First aid measures

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves. Wash contaminated clothing before reuse.

4.1. Description of first aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Remove contaminated clothing immediately and wash skin with soap and water. In case of Skin contact

eczema or other skin disorders: Seek medical attention and take along these instructions.

Eve contact Rinse with water. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. Get medical attention if symptoms occur. 4.2. Most important symptoms May cause an allergic skin reaction. Dermatitis. Rash. and effects, both acute and

delayed

4.3. Indication of any immediate medical attention and special treatment needed Provide general supportive measures and treat symptomatically. Keep victim under observation.

Symptoms may be delayed.

SECTION 5: Firefighting measures

General fire hazards No unusual fire or explosion hazards noted.

5.1. Extinguishing media

Suitable extinguishing

media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing media

5.2. Special hazards arising

Do not use water jet as an extinguisher, as this will spread the fire.

from the substance or mixture

During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Special protective equipment for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Special fire fighting procedures

Move containers from fire area if you can do so without risk.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.

For emergency responders

Keep unnecessary personnel away. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the

6.2. Environmental precautions

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up Prevent product from entering drains. Stop the flow of material, if this is without risk. Following product recovery, flush area with water.

6.4. Reference to other sections

For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

7.3. Specific end use(s) Not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Denmark. Exposure Limit Values

Components Value Type Terpenes and terpenoids, TLV 25 ppm lemon-oil (CAS 68917-33-9)

Components	Type	Value			
Terpenes and terpenoids, lemon-oil (CAS 68917-33-9)	STEL	300 mg/m3			
,		50 ppm			
	TWA	150 mg/m3			
		25 ppm			
Lithuania. OELs. Limit Value	es for Chemical Substances, Genera	al Requirements			
Components	Туре	Value			
Terpenes and terpenoids, lemon-oil (CAS 68917-33-9)	STEL	300 mg/m3			
		50 ppm			
	TWA	150 mg/m3			
		25 ppm			
Sweden. OELs. Work Environments	nment Authority (AV), Occupational Type	Exposure Limit Values (AFS 2015:7) Value			
Terpenes and terpenoids, lemon-oil (CAS 68917-33-9)	STEL	300 mg/m3			
(= = = = = = = = = = = = = = = = = = =		50 ppm			
	TWA	150 mg/m3			
		25 ppm			
logical limit values	No biological exposure limits noted for	• •			
commended monitoring	Follow standard monitoring procedur				
cedures					
ived no effect levels ELs)	Not available.				
dicted no effect centrations (PNECs)	Not available.				
Exposure controls					
propriate engineering trols	Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.				
vidual protection measures, General information		d be chosen according to the CEN standards and in			
Eye/face protection	discussion with the supplier of the pe	rsonal protective equipment. s (or goggles). Face shield is recommended.			
•	Wear salety glasses with side silicid.	or goggies). I ace shield is recommended.			
Skin protection	Suitable aloves can be recommended	d by the glove cumplier			
- Hand protection - Other	Suitable gloves can be recommended by the glove supplier. Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.				
		·			
Respiratory protection Thermal hazards	In case of insufficient ventilation, wea				
	Wear appropriate thermal protective				
iene measures	and before eating, drinking, and/or sr	ne measures, such as washing after handling the materia moking. Routinely wash work clothing and protective Contaminated work clothing should not be allowed out of			
rironmental exposure trols	Inform appropriate managerial or supervisory personnel of all environmental releases. Emissio from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to acceptable levels.				
CTION 9: Physical and	chemical properties				
Information on basic physic	· ·				
sical state	Solid.				
m	Solid.				

SE

Phy Form Solid. Colour Not available.

Odour Not available.

Melting point/freezing point -25,2 °C (-13,36 °F) estimated Boiling point or initial boiling

point and boiling range

200 °C (392 °F) estimated

Flammability (solid, gas)

Not available.

98.3 °C (208.94 °F) estimated Flash point 225 °C (437 °F) estimated Auto-ignition temperature

Decomposition temperature Not available. Not available. На

Solubility(ies)

Not available. Solubility (water) Partition coefficient Not available.

(n-octanol/water) Vapour pressure

0.138002 hPa estimated

Vapour density Not available. Not available Relative density Not available. Particle characteristics

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No relevant additional information available.

9.2.2. Other safety characteristics

Density 0,916 g/cm3 estimated

Explosive properties Not explosive. Not oxidising. **Oxidising properties** 0.35 % estimated Percent volatile Specific gravity 0,91611 estimated

SECTION 10: Stability and reactivity

10.1. Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability Material is stable under normal conditions.

10.3. Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

10.4. Conditions to avoid Avoid temperatures exceeding the flash point. Contact with incompatible materials.

10.5. Incompatible materials Strong oxidising agents.

10.6. Hazardous

No hazardous decomposition products are known.

decomposition products

SECTION 11: Toxicological information

Occupational exposure to the substance or mixture may cause adverse effects. **General information**

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful. May cause an allergic skin reaction. Skin contact

Direct contact with eyes may cause temporary irritation. Eve contact

Ingestion May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of

occupational exposure.

May cause an allergic skin reaction. Dermatitis. Rash. **Symptoms**

11.1. Information on toxicological effects

Acute toxicity Not known.

Skin corrosion/irritation Due to partial or complete lack of data the classification is not possible. Due to partial or complete lack of data the classification is not possible. Serious eye damage/eye

Respiratory sensitisation

irritation

Due to partial or complete lack of data the classification is not possible.

Skin sensitisation May cause an allergic skin reaction.

Germ cell mutagenicity Due to partial or complete lack of data the classification is not possible. Due to partial or complete lack of data the classification is not possible. Carcinogenicity

Hungary. 26/2000 EüM Ordinance on protection against and preventing risk relating to exposure to carcinogens at work (as amended)

Not listed.

Reproductive toxicity Due to partial or complete lack of data the classification is not possible.

Material name: YC AMBER & SANDALWOOD PAPER CAR JAR 1633278E

Specific target organ toxicity single exposure

Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity -

repeated exposure

Due to partial or complete lack of data the classification is not possible.

Due to partial or complete lack of data the classification is not possible. Aspiration hazard

Mixture versus substance

information

No information available.

11.2. Information on other hazards

Endocrine disrupting properties

The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU)

2018/605 at levels of 0.1% or higher.

Not available. Other information

SECTION 12: Ecological information

Toxic to aquatic life with long lasting effects. Based on available data, the classification criteria are 12.1. Toxicity

not met for hazardous to the aquatic environment, acute hazard.

12.2. Persistence and

degradability

No data is available on the degradability of any ingredients in the mixture.

12.3. Bioaccumulative potential

Partition coefficient n-octanol/water (log Kow)

4-Penten-2-ol,	4,989
3,3-dimethyl-5-(2,2,3-trimethyl-3-cyclopenten-1-yl)-	
Cyclopentanone, 2-(2-(4-methyl-3-cyclohexen-1-yl)propyl)-	4,8
Dihydro pentamethylindanone	4,2
Linalool	2,97
Linalyl acetate	3,9
	3,93
Oils, cedarwood	6,12
Oxacyclohexadec-12-en-2-one, (12E)-	5,45

Not available. **Bioconcentration factor (BCF)** 12.4. Mobility in soil No data available.

12.5. Results of PBT and vPvB

assessment

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation

(EC) No 1907/2006, Annex XIII.

12.6. Endocrine disrupting

properties

The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU)

2018/605 at levels of 0.1% or higher.

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation 12.7. Other adverse effects

potential, endocrine disruption, global warming potential) are expected from this component.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

The Waste code should be assigned in discussion between the user, the producer and the waste EU waste code

disposal company.

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow Disposal methods/information

this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches

with chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Dispose in accordance with all applicable regulations. Special precautions

SECTION 14: Transport information

ADR

name

14.1. UN number

14.2. UN proper shipping

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

14.3. Transport hazard class(es)

Class 9 Subsidiary risk Label(s) 9 Hazard No. (ADR) 90

Material name: YC AMBER & SANDALWOOD PAPER CAR JAR 1633278E

Tunnel restriction code E

14.4. Packing group ||||

14.5. Environmental hazards Yes

14.6. Special precautions Read safety instructions, SDS and emergency procedures before handling.

for user

RID

14.1. UN number UN3077

14.2. UN proper shipping ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

name

14.3. Transport hazard class(es)

Class 9
Subsidiary risk Label(s) 9
14.4. Packing group III
14.5. Environmental hazards Yes

14.6. Special precautions Read safety instructions, SDS and emergency procedures before handling.

for user

ADN

14.1. UN number UN3077

14.2. UN proper shipping ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

name

14.3. Transport hazard class(es)

 Class
 9

 Subsidiary risk

 Label(s)
 9

 14.4. Packing group
 III

 14.5. Environmental hazards
 Yes

14.6. Special precautions Read safety instructions, SDS and emergency procedures before handling.

for user

IATA


14.1. - 14.6.: Not regulated as dangerous goods.

IMDG

14.1. - 14.6.: Not regulated as dangerous goods.

14.7. Maritime transport in bulk Not applicable. according to IMO instruments

ADN; ADR; RID



Marine pollutant



SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended Not listed.

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Not listed.

- Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed.
- Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.
- Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.
- Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.
- Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended Not listed.
- Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

UFI:

Austria: M2QW-RE3P-EP4G-4XQ0 Belgium: M2QW-RE3P-EP4G-4XQ0 Bulgaria: M2QW-RE3P-EP4G-4XQ0 Croatia: M2QW-RE3P-EP4G-4XQ0 Cyprus: M2QW-RE3P-EP4G-4XQ0

Czech Republic: M2QW-RE3P-EP4G-4XQ0 Denmark: M2QW-RE3P-EP4G-4XQ0 Estonia: M2QW-RE3P-EP4G-4XQ0 EU: M2QW-RE3P-EP4G-4XQ0 Finland: M2QW-RE3P-EP4G-4XQ0 France: M2QW-RE3P-EP4G-4XQ0 Germany: M2QW-RE3P-EP4G-4XQ0 Great Britain: M2QW-RE3P-EP4G-4XQ0 Greece: M2QW-RE3P-EP4G-4XQ0 Hungary: M2QW-RE3P-EP4G-4XQ0 Iceland: M2QW-RE3P-EP4G-4XQ0 Ireland: M2QW-RE3P-EP4G-4XQ0 Italy: M2QW-RE3P-EP4G-4XQ0 Latvia: M2QW-RE3P-EP4G-4XQ0 Lithuania: M2QW-RE3P-EP4G-4XQ0 Luxembourg: M2QW-RE3P-EP4G-4XQ0 Malta: M2QW-RE3P-EP4G-4XQ0 Netherlands: M2QW-RE3P-EP4G-4XQ0 Norway: M2QW-RE3P-EP4G-4XQ0 Poland: M2QW-RE3P-EP4G-4XQ0 Portugal: M2QW-RE3P-EP4G-4XQ0 Romania: M2QW-RE3P-EP4G-4XQ0 Slovakia: M2QW-RE3P-EP4G-4XQ0 Slovenia: M2QW-RE3P-EP4G-4XQ0

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

Spain: M2QW-RE3P-EP4G-4XQ0 Sweden: M2QW-RE3P-EP4G-4XQ0

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended 4-Penten-2-ol, 3,3-dimethyl-5-(2,2,3-trimethyl-3-cyclopenten-1-yl)- (CAS 107898-54-4) Linalool (CAS 78-70-6)

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

4-Penten-2-ol, 3,3-dimethyl-5-(2,2,3-trimethyl-3-cyclopenten-1-yl)- (CAS 107898-54-4)

Other regulations The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP

Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation

(EC) No 1907/2006, as amended.

National regulations Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as

amended

15.2. Chemical safety

assessment

No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

List of abbreviations

ADN: European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways.

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

AGW: Occupational threshold limit value (Arbeitsplatzgrenzwert – Germany).

CAS: Chemical Abstract Service.

CEN: European Committee for Standardization.

IATA: International Air Transport Association.

IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous

Chemicals in Bulk.

IMDG: International Maritime Dangerous Goods.

MAC: Maximum Allowed Concentration.

MARPOL: International Convention for the Prevention of Pollution from Ships.

PBT: Persistent, bioaccumulative and toxic.

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.

STEL: Short term exposure limit. TLV: Threshold Limit Value. TWA: Time Weighted Average. VLE: Exposure Limit Value. VME: Exposure Average Value.

vPvB: Very persistent and very bioaccumulative.

References

Information on evaluation method leading to the classification of mixture

Full text of any H-statements not written out in full under Sections 2 to 15 Not available.

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H361 Suspected of damaging fertility or the unborn child.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

Revision information

Training information

Disclaimer

SECTION 2: Hazards identification: Storage

Follow training instructions when handling this material.

Yankee Candle s.r.o. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.