home fragrance

SAFETY DATA SHEET

Version #: 01

Issue date: 28-June-2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation

of the mixture

YC AMBER & SANDALWOOD REED DIFFUSER 1745720E

Registration number

Synonyms None 1745720E Product code

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Air Care Products Uses advised against None known 1.3. Details of the supplier of the safety data sheet

Yankee Candle Company (Europe) Limited Company name

Poplar Way East, Cabot Park **Company Address**

> Avonmouth **Bristol**

United Kingdom **BS11 0YH**

1.4. Emergency telephone number

General in EU 112 (Available 24 hours a day. SDS/Product information may not be available for

the Emergency Service.)

Austria National Poisons Information Centre

+431 406 4343 (Available 24 hours a day. SDS/Product information may not be

070 245 245 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Belgium National Poisons Control Centre

available for the Emergency Service.)

Bulgaria National

Toxicological Information Centre

+359 2 9154233 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Czech Republic National Poisons Information

Centre

+420 224 919 293, or +420 224 915 402 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

Denmark National Poisons Control Centre

+45 82 12 12 12 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Estonia National Poisons Information Centre

16662 or abroad: (+372) 626 9390 (Monday 9:00AM to Saturday 9:00AM (closed on Sundays and on national holidays). SDS/Product information may not be available for the Emergency Service.)

Finland National Poison Information Centre

(09) 471 977 (direct) or (09) 4711 (exchange) (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

France National Poisons Control Centre

ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Hungary National Emergency Phone Number 36 80 20 11 99 (Available 24 hours a day, SDS/Product information may not be available for the Emergency Service.)

Lithuania Neatidėliotina informacija apsinuodijus +370 5 236 20 52 or +37068753378 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

Malta Accident and **Emergency Department** 2545 4030 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

Netherlands National Poisons Information Centre (NVIC)

030-274 88 88 (Only for the purpose of informing medical personnel in cases of

acute intoxications)

1.4. Emergency telephone number

Norway Norwegian Poison

22 59 13 00 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.) **Information Centre**

800 250 250 (Available 24 hours a day. SDS/Product information may not be **Portugal Poison Centre**

available for the Emergency Service.)

Romania Biroul RSI si Informare Toxicologica 021.318.36.06 (Available 8:00AM-3:00PM. SDS/Product information may not be

available for the Emergency Service.)

Slovakia National Toxicological Information

Centre

+421 2 5477 4166 (Available 24 hours a day, SDS/Product information may not

be available for the Emergency Service.)

Sweden National Poison Information Centre

112 - and ask for Poison Information (Available 24 hours a day. SDS/Product

information may not be available for the Emergency Service.)

Switzerland Tox Info

145 (Available 24 hours a day, SDS/Product information may not be available for

the Emergency Service.) Suisse

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

Physical hazards

Flammable liquids Category 2 H225 - Highly flammable liquid and

vapour.

Health hazards

Serious eye damage/eye irritation Category 2 H319 - Causes serious eye

irritation.

2.2 Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

UFI:

Austria: 051W-NCX8-MW62-NVXV Belgium: 051W-NCX8-MW62-NVXV Bulgaria: 051W-NCX8-MW62-NVXV Croatia: 051W-NCX8-MW62-NVXV Cyprus: 051W-NCX8-MW62-NVXV

Czech Republic: 051W-NCX8-MW62-NVXV Denmark: 051W-NCX8-MW62-NVXV Estonia: 051W-NCX8-MW62-NVXV EU: 051W-NCX8-MW62-NVXV Finland: 051W-NCX8-MW62-NVXV France: 051W-NCX8-MW62-NVXV Germany: 051W-NCX8-MW62-NVXV Great Britain: 051W-NCX8-MW62-NVXV

Greece: 051W-NCX8-MW62-NVXV Hungary: 051W-NCX8-MW62-NVXV Iceland: 051W-NCX8-MW62-NVXV Ireland: 051W-NCX8-MW62-NVXV Italy: 051W-NCX8-MW62-NVXV Latvia: 051W-NCX8-MW62-NVXV Lithuania: 051W-NCX8-MW62-NVXV Luxembourg: 051W-NCX8-MW62-NVXV Malta: 051W-NCX8-MW62-NVXV Netherlands: 051W-NCX8-MW62-NVXV Norway: 051W-NCX8-MW62-NVXV Poland: 051W-NCX8-MW62-NVXV Portugal: 051W-NCX8-MW62-NVXV Romania: 051W-NCX8-MW62-NVXV Slovakia: 051W-NCX8-MW62-NVXV

Slovenia: 051W-NCX8-MW62-NVXV Spain: 051W-NCX8-MW62-NVXV Sweden: 051W-NCX8-MW62-NVXV

Hazard pictograms

Signal word Danger

Hazard statements

H225 Highly flammable liquid and vapour. H319 Causes serious eye irritation.

Precautionary statements

Prevention

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Response

P305 + P351 + P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/attention.

Storage Not applicable.

Disposal

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Supplemental label information

EUH208 - Contains Isocyclemone E, Linalyl acetate. May produce an allergic reaction.

2.3. Other hazards

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII. The mixture does not contain any substances included in the list

established in accordance with REACH Article 59(1) for having endocrine disrupting properties at a

concentration equal to or greater than 0.1% by weight.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Ethanol	60 - 70	64-17-5 200-578-6	-	603-002-00-5	
	Classification: Flam. Liq.	2;H225, Eye Irrit. 2;H	1319		
Isocyclemone E	≤ 1	54464-57-2 259-174-3	-	-	
	Classification: Skin Irrit.	2;H315, Skin Sens. 1	B;H317, Aquatic Chronic 2;l	H411	
Linalyl acetate	≤ 0,2	115-95-7 204-116-4	-	-	
	Classification: Skin Irrit.	2;H315, Eye Irrit. 2;H3	319, Skin Sens. 1B;H317		

Other components below reportable 31.42 levels

List of abbreviations and symbols that may be used above

ATE: Acute toxicity estimate.

M: M-factor

vPvB: very persistent and very bioaccumulative substance.

PBT: persistent, bioaccumulative and toxic substance.

#: This substance has been assigned Union workplace exposure limit(s).

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

Composition comments The full text for all H-statements is displayed in section 16.

SECTION 4: First aid measures

General information Take off all contaminated clothing immediately. Ensure that medical personnel are aware of the

material(s) involved, and take precautions to protect themselves. Wash contaminated clothing

before reuse.

4.1. Description of first aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Take off immediately all contaminated clothing. Rinse skin with water/shower. Get medical

attention if irritation develops and persists.

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. Get medical attention if symptoms occur.

4.2. Most important symptoms and effects, both acute and delayed

Headache. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and

blurred vision. Coughing.

4.3. Indication of any immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Thermal burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim under observation.

Symptoms may be delayed.

SECTION 5: Firefighting measures

General fire hazards

Highly flammable liquid and vapour.

5.1. Extinguishing media

Suitable extinguishing

media

Water fog. Alcohol resistant foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

Avoid discharge into drains, water courses or onto the ground.

5.2. Special hazards arising from the substance or mixture

Vapours may form explosive mixtures with air. Vapours may travel considerable distance to a source of ignition and flash back. During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Special protective equipment for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Special fire fighting procedures

In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.

For emergency responders

Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during clean-up. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. Use personal protection recommended in Section 8 of the SDS.

6.2. Environmental precautions

6.3. Methods and material for containment and cleaning up

Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil etc) away from spilled material. Take precautionary measures against static discharge. Use only non-sparking tools. Prevent entry into waterways, sewer,

basements or confined areas.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.

Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use.

6.4. Reference to other sections

For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. When using do not smoke. Explosion-proof general and local exhaust ventilation. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Use non-sparking tools and explosion-proof equipment. Avoid contact with eyes. Avoid prolonged exposure. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities

Keep away from heat, sparks and open flame. Prevent electrostatic charge build-up by using common bonding and grounding techniques. Store in a cool, dry place out of direct sunlight. Store in tightly closed container. Store in a well-ventilated place. Keep in an area equipped with sprinklers. Store away from incompatible materials (see Section 10 of the SDS).

7.3. Specific end use(s) Observe industrial sector guidance on best practices.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Austria. MAK List, OEL Ordinance (GwV), BGBI. II, no. 184/2001			
Components	Туре	Value	
Ethanol (CAS 64-17-5)	Ceiling	3800 mg/m3	
		2000 ppm	
	MAK	1900 mg/m3	
		1000 ppm	

Belgium. Exposure Limit Value Components	Туре	Value
Ethanol (CAS 64-17-5)	TWA	1907 mg/m3
		1000 ppm
Bulgaria. OELs. Regulation No Components	13 on protection of workers aga Type	inst risks of exposure to chemical agents at work Value
Ethanol (CAS 64-17-5)	TWA	1000 mg/m3
Croatia. Dangerous Substance Components	Exposure Limit Values in the W	orkplace (ELVs), Annexes 1 and 2, Narodne Novine, 13/0 Value
Ethanol (CAS 64-17-5)	MAC	1900 mg/m3
		1000 ppm
Czech Republic. OELs. Govern Components	nment Decree 361 Type	Value
Ethanol (CAS 64-17-5)	Ceiling	3000 mg/m3
Ethanor (CAS 04-17-5)	TWA	1000 mg/m3
Danmark Evnagura Limit Valu		roco mg/mo
Denmark. Exposure Limit Valu Components	es Type	Value
Ethanol (CAS 64-17-5)	TLV	1900 mg/m3
,		1000 ppm
Estonia. OELs. Occupational E	exposure Limits of Hazardous Su	ubstances (Regulation No. 105/2001, Annex), as amended
Components	Туре	Value
Ethanol (CAS 64-17-5)	STEL	1900 mg/m3
		1000 ppm
	TWA	1000 mg/m3
		500 ppm
Finland. Workplace Exposure L Components	Limits Type	Value
Ethanol (CAS 64-17-5)	STEL	2500 mg/m3
,		1300 ppm
	TWA	1900 mg/m3
		1000 ppm
France. Threshold Limit Values Components	s (VLEP) for Occupational Expos Type	ure to Chemicals in France, INRS ED 984 Value
Ethanol (CAS 64-17-5)	VLE	9500 mg/m3
Pogulatory status Indias	ative limit (VL)	
Regulatory status: Indica		5000 ppm
•		
	ative limit (VL)	4000 / 0
Regulatory status: Indica	VME	1900 mg/m3
Regulatory status: Indica	, ,	· ·
Regulatory status: Indica	VME	1900 mg/m3 1000 ppm
Regulatory status: Indica Regulatory status: Indica Regulatory status: Indica Germany. DFG MAK List (advis	VME ative limit (VL) ative limit (VL)	· ·
Regulatory status: Indica Regulatory status: Indica Regulatory status: Indica Germany. DFG MAK List (advision the Work Area (DFG)	VME ative limit (VL) ative limit (VL)	1000 ppm
Regulatory status: Indica Regulatory status: Indica Regulatory status: Indica Germany. DFG MAK List (advision the Work Area (DFG) Components	VME ative limit (VL) ative limit (VL) sory OELs). Commission for the l	1000 ppm Investigation of Health Hazards of Chemical Compounds
Regulatory status: Indica Regulatory status: Indica Regulatory status: Indica	VME ative limit (VL) ative limit (VL) sory OELs). Commission for the l	1000 ppm Investigation of Health Hazards of Chemical Compounds Value
Regulatory status: Indica Regulatory status: Indica Regulatory status: Indica Regulatory status: Indica Germany. DFG MAK List (advision the Work Area (DFG) Components Ethanol (CAS 64-17-5)	VME ative limit (VL) ative limit (VL) sory OELs). Commission for the l	1000 ppm Investigation of Health Hazards of Chemical Compounds Value 380 mg/m3 200 ppm
Regulatory status: Indica Regulatory status: Indica Regulatory status: Indica Regulatory status: Indica Germany. DFG MAK List (advision the Work Area (DFG) Components Ethanol (CAS 64-17-5) Germany. TRGS 900, Limit Value	VME ative limit (VL) sory OELs). Commission for the I Type TWA	1000 ppm Investigation of Health Hazards of Chemical Compounds Value 380 mg/m3 200 ppm
Regulatory status: Indica Regulatory status: Indica Regulatory status: Indica Regulatory status: Indica Germany. DFG MAK List (advision the Work Area (DFG) Components Ethanol (CAS 64-17-5)	VME ative limit (VL) sory OELs). Commission for the I Type TWA	1000 ppm Investigation of Health Hazards of Chemical Compounds Value 380 mg/m3 200 ppm

Components	Туре	Value
Ethanol (CAS 64-17-5)	TWA	1900 mg/m3
		1000 ppm
Hungary. OELs. Joint Decree on Chemical	Safety of Workplaces	
Components	Туре	Value
Ethanol (CAS 64-17-5)	STEL	3800 mg/m3
	TWA	1900 mg/m3
Iceland. OELs. Regulation 154/1999 on oc	cupational exposure limits	
Components	Туре	Value
Ethanol (CAS 64-17-5)	TWA	1900 mg/m3
		1000 ppm
Ireland. Occupational Exposure Limits		
Components	Туре	Value
Ethanol (CAS 64-17-5)	STEL	1000 ppm
Italy. Occupational Exposure Limits		
Components	Туре	Value
Ethanol (CAS 64-17-5)	STEL	1000 ppm
Latvia. OELs. Occupational exposure limit	values of chemical substances	in work environment
Components	Type	Value
Ethanol (CAS 64-17-5)	TWA	1000 mg/m3
Lithuania. OELs. Limit Values for Chemic	al Substances General Require	•
Components	ar Substances, General Require	Value
Ethanol (CAS 64-17-5)	STEL	1900 mg/m3
		1000 ppm
	TWA	1000 mg/m3
		500 ppm
Netherlands. OELs (binding)		••
Components	Туре	Value
Ethanol (CAS 64-17-5)	STEL	1900 mg/m3
	TWA	260 mg/m3
Norway Administrative Norms for Contam		_00g/c
Norway. Administrative Norms for Contam Components	Type	Value
Ethanol (CAS 64-17-5)	TLV	950 mg/m3
		500 ppm
Poland. Ordinance of the Minister of Labo	ur and Social Ballov on 6 lune (
concentrations and intensities of harmful		
Components	Туре	Value
Ethanol (CAS 64-17-5)	TWA	1900 mg/m3
Portugal. VLEs. Norm on occupational ex	posure to chemical agents (NP 1	1796)
Components	Туре	Value
Ethanol (CAS 64-17-5)	TWA	1000 ppm
Romania. OELs. Protection of workers fro	m exposure to chemical agents	at the workplace
Components	Type	Value
Ethanol (CAS 64-17-5)	STEL	9500 mg/m3
•		5000 ppm
		3000 ppm
	TWA	1900 mg/m3

Components	Туре	Value		
Ethanol (CAS 64-17-5)	STEL	1920 mg/m3		
		1000 ppm		
	TWA	960 mg/m3		
		500 ppm		
		against risks due to exposure to chemicals while work		
(Official Gazette of the Re Components	public of Slovenia) Type	Value		
Ethanol (CAS 64-17-5)	TWA	960 mg/m3		
Ethanor (O/10 04-17-0)	1777	500 ppm		
Spain. Occupational Expo	ours Limits	обо ррш		
Components	Type	Value		
Ethanol (CAS 64-17-5)	STEL	1910 mg/m3		
,		1000 ppm		
Sweden, OELs. Work Envi	ronment Authority (AV). Occupations	al Exposure Limit Values (AFS 2015:7)		
Components	Туре	Value		
Ethanol (CAS 64-17-5)	STEL	1900 mg/m3		
		1000 ppm		
	TWA	1000 mg/m3		
		500 ppm		
Switzerland. SUVA Grenzy	verte am Arbeitsplatz			
Components	Туре	Value		
Ethanol (CAS 64-17-5)	STEL	1920 mg/m3		
		1000 ppm		
	TWA	960 mg/m3		
		500 ppm		
UK. EH40 Workplace Expo	,			
Components	Type	Value		
Ethanol (CAS 64-17-5)	TWA	1920 mg/m3		
		1000 ppm		
logical limit values	· ·	No biological exposure limits noted for the ingredient(s).		
commended monitoring	Follow standard monitoring procedures.			
ived no effect levels ELs)	Not available.			
dicted no effect centrations (PNECs)	Not available.			
osure guidelines				
Netherlands OELs (bindin				
Ethanol (CAS 64-17-5)	Can	be absorbed through the skin.		
Exposure controls	Evaluation proof general and least a	whough ventilation. Good general ventilation should be ween		
propriate engineering trols	Explosion-proof general and local exhaust ventilation. Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommende exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station and safety shower.			
vidual protection measure	s, such as personal protective equip	-		
General information		as required. Personal protection equipment should be chos		

Wear safety glasses with side shields (or goggles).

Wear appropriate chemical resistant gloves.

Wear suitable protective clothing.

Material name: YC AMBER & SANDALWOOD REED DIFFUSER 1745720E 1745720E Version #: 01 Issue date: 28-June-2023

Eye/face protection

Skin protection

- Other

- Hand protection

Respiratory protection If engineering controls do not maintain airborne concentrations below recommended exposure

limits (where applicable) or to an acceptable level (in countries where exposure limits have not

been established), an approved respirator must be worn.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

Hygiene measures When using do not smoke. Always observe good personal hygiene measures, such as washing

after handling the material and before eating, drinking, and/or smoking. Routinely wash work

clothing and protective equipment to remove contaminants.

Environmental exposure

controls

Emissions from ventilation or work process equipment should be checked to ensure they comply

with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to

acceptable levels.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Liquid.

Form Liquid.

Colour Not available.

Odour Not available.

Melting point/freezing point
Boiling point or initial boiling
point and boiling range

-114 °C (-173,2 °F) estimated 78,4 °C (173,12 °F) estimated

Flammability Not applicable.

Flash point 13 °C (55,4 °F) estimated Auto-ignition temperature 365 °C (689 °F) estimated

Decomposition temperatureNot available.pHNot available.Kinematic viscosityNot available.

Solubility

Solubility (water) Not available.

Partition coefficient Not available.

(n-octanol/water) (log value)

Vapour pressure 33,336048 hPa estimated

Density and/or relative density

Density 0,841 g/cm3 estimated

Vapour density Not available.

Particle characteristics Not available.

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No relevant additional information available.

9.2.2. Other safety characteristics

Percent volatile 89,77 % estimated Specific gravity 0,84062 estimated VOC 67,71 % estimated

SECTION 10: Stability and reactivity

10.1. Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability Material is stable under normal conditions

10.3. Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

10.4. Conditions to avoid Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the

flash point. Contact with incompatible materials.

10.5. Incompatible materials Strong oxidising agents.

10.6. Hazardous No hazardous decomposition products are known.

decomposition products

SECTION 11: Toxicological information

General information Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

Inhalation May cause allergy or asthma symptoms or breathing difficulties if inhaled. Prolonged inhalation

may be harmful.

Skin contact May cause an allergic skin reaction.

Eye contact Causes serious eye irritation.

Ingestion May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of

occupational exposure.

Symptoms Headache. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and

blurred vision. Coughing.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Not known.

Skin corrosion/irritationDue to partial or complete lack of data the classification is not possible.

Serious eye damage/eye

irritation

Causes serious eye irritation.

Respiratory sensitisation

Due to partial or complete lack of data the classification is not possible.

Skin sensitisation

Due to partial or complete lack of data the classification is not possible.

Germ cell mutagenicity

Due to partial or complete lack of data the classification is not possible.

Carcinogenicity

Due to partial or complete lack of data the classification is not possible.

Hungary. 26/2000 EüM Ordinance on protection against and preventing risk relating to exposure to carcinogens at work (as amended)

Not listed.

Reproductive toxicity Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity -

single exposure

Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity -

repeated exposure

Due to partial or complete lack of data the classification is not possible.

Aspiration hazardDue to partial or complete lack of data the classification is not possible.

Mixture versus substance

information

No information available.

11.2. Information on other hazards

Endocrine disrupting

properties

This mixture does not contain any substances having endocrine disrupting properties with respect to human health as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or greater than

0.1% by weight.

Other information May cause allergic respiratory and skin reactions.

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met for hazardous to the aquatic

environment.

Components Species Test Results

Ethanol (CAS 64-17-5)

Aquatic

Acute

Crustacea EC50 Water flea (Daphnia magna) 7,7 - 11,2 mg/l, 48 hours

Fish LC50 Rainbow trout, donaldson trout 42 mg/l, 4 days

(Oncorhynchus mykiss)

No data is available on the degradability of any ingredients in the mixture.

degradability

12.3. Bioaccumulative potential

Partition coefficient n-octanol/water (log Kow)

12.2. Persistence and

Ethanol -0,31 Linalyl acetate 3,9 3,93

Bioconcentration factor (BCF)

Not available.

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation

12.5. Results of PB1 and vPvB assessment

(EC) No 1907/2006, Annex XIII.

12.6. Endocrine disrupting

properties

This mixture does not contain any substances having endocrine disrupting properties with respect to the environment as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or greater than

0.1% by weight.

12.7. Other adverse effects The product contains volatile organic compounds which have a photochemical ozone creation

potential.

12.8. Additional information

Estonia Dangerous substances in soil Data

Ethanol (CAS 64-17-5) Chemical pesticides (As the total sum of the active substances)

0.5 mg/kg

Chemical pesticides (As the total sum of the active substances) 20

mg/kg

Chemical pesticides (As the total sum of the active substances) 5

mg/kg

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

EU waste codeThe Waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Disposal methods/information Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

Special precautionsDispose in accordance with all applicable regulations.

SECTION 14: Transport information

ADR

14.1. UN number UN1170

14.2. UN proper shipping ETHANOL (ETHYL ALCOHOL) or ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)

ame (Ethanol)

14.3. Transport hazard class(es)

Class 3
Subsidiary risk Label(s) 3
Hazard No. (ADR) 33
Tunnel restriction code D/E
14.4. Packing group II
14.5. Environmental hazards No.

14.6. Special precautions

14.6. Special precautions for user

Read safety instructions, SDS and emergency procedures before handling.

RID

14.1. UN number UN1170

14.2. UN proper shipping ETHANOL (ETHYL ALCOHOL) or ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)

name (Ethanol)

14.3. Transport hazard class(es)

Class 3
Subsidiary risk Label(s) 3
14.4. Packing group ||
14.5. Environmental hazards No.

14.6. Special precautions Read safety instructions, SDS and emergency procedures before handling.

for user

ADN

14.1. UN number UN1170

14.2. UN proper shipping ETHANOL (ETHYL ALCOHOL) or ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)

name (Ethanol)

14.3. Transport hazard class(es)

Class 3
Subsidiary risk Label(s) 3
14.4. Packing group ||
14.5. Environmental hazards No.

14.6. Special precautions Read safety instructions, SDS and emergency procedures before handling.

for user

IATA

14.1. UN number UN1170

14.2. UN proper shipping Ethanol solution (Ethanol)

name

14.3. Transport hazard class(es)

Class Subsidiary risk Ш 14.4. Packing group 14.5. Environmental hazards Yes **ERG Code**

14.6. Special precautions

for user

Read safety instructions, SDS and emergency procedures before handling.

Other information

Passenger and cargo

Allowed with restrictions.

aircraft

Cargo aircraft only Allowed with restrictions.

IMDG

14.1. UN number UN1170

ETHANOL (ETHYL ALCOHOL) or ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION) 14.2. UN proper shipping

(Ethanol), MARINE POLLUTANT name

14.3. Transport hazard class(es)

Class 3 Subsidiary risk П 14.4. Packing group 14.5. Environmental hazards Marine pollutant Yes

EmS F-E. S-D

14.6. Special precautions

for user

Read safety instructions, SDS and emergency procedures before handling.

14.7. Maritime transport in bulk according to IMO instruments

Not established.

ADN; ADR; IATA; IMDG; RID



Marine pollutant



General information IMDG Regulated Marine Pollutant.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture **EU** regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended Not listed.

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

UFI:

Austria: 051W-NCX8-MW62-NVXV Belgium: 051W-NCX8-MW62-NVXV Bulgaria: 051W-NCX8-MW62-NVXV Croatia: 051W-NCX8-MW62-NVXV Cyprus: 051W-NCX8-MW62-NVXV Czech Republic: 051W-NCX8-MW62-NVXV Denmark: 051W-NCX8-MW62-NVXV Estonia: 051W-NCX8-MW62-NVXV EU: 051W-NCX8-MW62-NVXV Finland: 051W-NCX8-MW62-NVXV France: 051W-NCX8-MW62-NVXV Germany: 051W-NCX8-MW62-NVXV Great Britain: 051W-NCX8-MW62-NVXV Greece: 051W-NCX8-MW62-NVXV Hungary: 051W-NCX8-MW62-NVXV Iceland: 051W-NCX8-MW62-NVXV

Latvia: 051W-NCX8-MW62-NVXV Lithuania: 051W-NCX8-MW62-NVXV Luxembourg: 051W-NCX8-MW62-NVXV Malta: 051W-NCX8-MW62-NVXV Netherlands: 051W-NCX8-MW62-NVXV Norway: 051W-NCX8-MW62-NVXV Poland: 051W-NCX8-MW62-NVXV Portugal: 051W-NCX8-MW62-NVXV Romania: 051W-NCX8-MW62-NVXV Slovakia: 051W-NCX8-MW62-NVXV Slovenia: 051W-NCX8-MW62-NVXV

Ireland: 051W-NCX8-MW62-NVXV Italy: 051W-NCX8-MW62-NVXV

Spain: 051W-NCX8-MW62-NVXV Sweden: 051W-NCX8-MW62-NVXV

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended Ethanol (CAS 64-17-5)

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Ethanol (CAS 64-17-5)

The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP Other regulations

Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation

(EC) No 1907/2006, as amended.

Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as **National regulations**

amended.

15.2. Chemical safety

assessment

No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

List of abbreviations

ADN: European Agreement Concerning the International Carriage of Dangerous Goods by Inland

Waterways.

ADR: Agreement concerning the International Carriage of Dangerous Goods by Road.

AGW: Occupational threshold limit value (Arbeitsplatzgrenzwert - Germany).

CAS: Chemical Abstract Service.

CEN: European Committee for Standardization.

Material name: YC AMBER & SANDALWOOD REED DIFFUSER 1745720E

1745720E Version #: 01 Issue date: 28-June-2023

IATA: International Air Transport Association.

IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous

Chemicals in Bulk.

Not available.

IMDG: International Maritime Dangerous Goods.

MAC: Maximum Allowed Concentration.

MARPOL: International Convention for the Prevention of Pollution from Ships.

PBT: Persistent, bioaccumulative and toxic.

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.

STEL: Short term exposure limit. TLV: Threshold Limit Value. TWA: Time Weighted Average. VLE: Exposure Limit Value. VME: Exposure Average Value.

vPvB: Very persistent and very bioaccumulative.

References

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

Full text of any statements, which are not written out in full under sections 2 to 15

H225 Highly flammable liquid and vapour.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H319 Causes serious eye irritation.

H411 Toxic to aquatic life with long lasting effects.

Revision information

Training information

Disclaimer

None.

Follow training instructions when handling this material.

Yankee Candle s.r.o. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.

Material name: YC AMBER & SANDALWOOD REED DIFFUSER 1745720E 1745720E Version #: 01 Issue date: 28-June-2023