

Version #: 03

Issue date: 26-May-2023

Revision date: 09-September-2024

Supersedes date: 26-May-2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation of the mixture YC AMBER & SANDALWOOD SCENTPLUG REFILL 1633667E

Registration number -

UFI:

Austria: VEEN-WMFP-P95X-VWDT
 Belgium: VEEN-WMFP-P95X-VWDT
 Bulgaria: VEEN-WMFP-P95X-VWDT
 Croatia: VEEN-WMFP-P95X-VWDT
 Cyprus: VEEN-WMFP-P95X-VWDT
 Czech Republic: VEEN-WMFP-P95X-VWDT
 Denmark: VEEN-WMFP-P95X-VWDT
 Estonia: VEEN-WMFP-P95X-VWDT
 EU: VEEN-WMFP-P95X-VWDT
 Finland: VEEN-WMFP-P95X-VWDT
 France: VEEN-WMFP-P95X-VWDT
 Germany: VEEN-WMFP-P95X-VWDT
 Greece: VEEN-WMFP-P95X-VWDT
 Hungary: VEEN-WMFP-P95X-VWDT
 Iceland: VEEN-WMFP-P95X-VWDT
 Ireland: VEEN-WMFP-P95X-VWDT
 Italy: VEEN-WMFP-P95X-VWDT
 Latvia: VEEN-WMFP-P95X-VWDT
 Lithuania: VEEN-WMFP-P95X-VWDT
 Luxembourg: VEEN-WMFP-P95X-VWDT
 Malta: VEEN-WMFP-P95X-VWDT
 Netherlands: VEEN-WMFP-P95X-VWDT
 Northern Ireland: VEEN-WMFP-P95X-VWDT
 Norway: VEEN-WMFP-P95X-VWDT
 Poland: VEEN-WMFP-P95X-VWDT
 Portugal: VEEN-WMFP-P95X-VWDT
 Romania: VEEN-WMFP-P95X-VWDT
 Slovakia: VEEN-WMFP-P95X-VWDT
 Slovenia: VEEN-WMFP-P95X-VWDT
 Spain: VEEN-WMFP-P95X-VWDT
 Sweden: VEEN-WMFP-P95X-VWDT

Synonyms None.

Product code 1633667E

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Air Care Products

Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

Supplier

Company name Yankee Candle, S.R.O.

Address Prumyslová zóna Joseph
 Havran u Mostu
 435 01, Czech Republic

Division

Telephone 008 008 658 8466

e-mail nhfregulatory@newellco.com

Contact person Not available.

1.4. Emergency telephone number

1.4. Emergency telephone number

General in EU	112 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Austria National Poisons Information Centre	+431 406 4343 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Belgium National Poisons Control Centre	070 245 245 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Bulgaria National Toxicological Information Centre	+359 2 9154 233 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Croatia Poisons Information Centre	+385 1 2348 342 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)
Cyprus Poison Centre	1401 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Czech Republic National Poisons Information Centre	+420 224 919 293, or +420 224 915 402 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)
Denmark National Poisons Control Centre	+45 82 12 12 12 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Estonia National Poisons Information Centre	16662 or abroad: (+372) 626 9390 (Monday 9:00AM to Saturday 9:00AM (closed on Sundays and on national holidays). SDS/Product information may not be available for the Emergency Service.)
Finland National Poison Information Centre	(09) 471 977 (direct) or (09) 4711 (exchange) (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
France National Poisons Control Centre	ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Greece Poison Information Centre telephone number	(0030) 2107793777 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Hungary National Emergency Phone Number	+36-80-201-199 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Iceland Poison Centre	(+354) 543 2222 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Latvia Emergency medical aid	113
Latvia Poison and Drug Information Centre	+371 67042473 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Lithuania Neatidėliotina informacija apsinuodijus	+370 5 236 20 52 or +37068753378 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)
Malta Accident and Emergency Department	2545 4030 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)
Netherlands National Poisons Information Centre (NVIC)	NVIC: +31 (0)88 755 8000 (Only for the purpose of informing medical personnel in cases of acute intoxications)
Norway Norwegian Poison Information Centre	22 59 13 00 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Portugal Poison Centre	800 250 250 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Romania Biroul RSI si Informare Toxicologica	021.318.36.06 (Available 8:00AM-3:00PM. SDS/Product information may not be available for the Emergency Service.)
Slovakia National Toxicological Information Centre	+421 2 5477 4166 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Spain Toxicology Information Service	+ 34 91 562 04 20 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Sweden National Poison Information Centre	112 - and ask for Poison Information (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Switzerland Tox Info Suisse	145 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 as amended

Health hazards

Skin corrosion/irritation

Category 2

H315 - Causes skin irritation.

Skin sensitisation

Category 1

H317 - May cause an allergic skin reaction.

Environmental hazards

Hazardous to the aquatic environment,
long-term aquatic hazard

Category 2

H411 - Toxic to aquatic life with
long lasting effects.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

UFI:

Austria: VEEN-WMFP-P95X-VWDT
Belgium: VEEN-WMFP-P95X-VWDT
Bulgaria: VEEN-WMFP-P95X-VWDT
Croatia: VEEN-WMFP-P95X-VWDT
Cyprus: VEEN-WMFP-P95X-VWDT
Czech Republic: VEEN-WMFP-P95X-VWDT
Denmark: VEEN-WMFP-P95X-VWDT
Estonia: VEEN-WMFP-P95X-VWDT
EU: VEEN-WMFP-P95X-VWDT
Finland: VEEN-WMFP-P95X-VWDT
France: VEEN-WMFP-P95X-VWDT
Germany: VEEN-WMFP-P95X-VWDT
Greece: VEEN-WMFP-P95X-VWDT
Hungary: VEEN-WMFP-P95X-VWDT
Iceland: VEEN-WMFP-P95X-VWDT
Ireland: VEEN-WMFP-P95X-VWDT
Italy: VEEN-WMFP-P95X-VWDT
Latvia: VEEN-WMFP-P95X-VWDT
Lithuania: VEEN-WMFP-P95X-VWDT
Luxembourg: VEEN-WMFP-P95X-VWDT
Malta: VEEN-WMFP-P95X-VWDT
Netherlands: VEEN-WMFP-P95X-VWDT
Northern Ireland: VEEN-WMFP-P95X-VWDT
Norway: VEEN-WMFP-P95X-VWDT
Poland: VEEN-WMFP-P95X-VWDT
Portugal: VEEN-WMFP-P95X-VWDT
Romania: VEEN-WMFP-P95X-VWDT
Slovakia: VEEN-WMFP-P95X-VWDT
Slovenia: VEEN-WMFP-P95X-VWDT
Spain: VEEN-WMFP-P95X-VWDT
Sweden: VEEN-WMFP-P95X-VWDT

Contains:

4-tert-Butyldihydrocinnamaldehyde, Alpha-isomethyl ionone, Citronellol, Coumarin, Dihydro
pentamethylindanone, Geraniol, Hexyl Cinnamal, Isocyclemone E, Linalool, Linalyl acetate, Oils,
black pepper, Oils, cedarwood, Oils, clary sage, Oils, lavandin, Oils, nutmeg, Oils, patchouli, Rose
Ketone-4, Scentenal, Terpenes and terpenoids, lemon-oil

Hazard pictograms

None.

Signal word

None.

Hazard statements

H315

Causes skin irritation.

H317

May cause an allergic skin reaction.

H411

Toxic to aquatic life with long lasting effects.

Precautionary statements

Prevention

P102

Keep out of reach of children.

Response

P302 + P352

IF ON SKIN: Wash with plenty of water.

P333 + P313

If skin irritation or rash occurs: Get medical advice/attention.

Storage

Not applicable.

Disposal

Not available.

Supplemental label information

None.

2.3. Other hazards

The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Phenol, 2,6-bis(1,1-dimethylethyl)-4-methyl-	10 - 20	128-37-0 204-881-4	-	-	
Classification: Aquatic Acute 1;H400(M=1), Aquatic Chronic 1;H410(M=1)					
Propanol, 1(or 2)-(2-methoxymethylethoxy)-	5 - 10	34590-94-8 252-104-2	-	-	#
Classification: -					
2,6-Dimethyl-7-octen-2-ol	3 - 5	18479-58-8 242-362-4	-	-	
Classification: Skin Irrit. 2;H315, Eye Irrit. 2;H319					
Isocyclemone E	3 - 5	54464-57-2 259-174-3	-	-	
Classification: Skin Irrit. 2;H315, Skin Sens. 1B;H317, Aquatic Chronic 2;H411					
Linalyl acetate	3 - 5	115-95-7 204-116-4	-	-	
Classification: Skin Irrit. 2;H315, Eye Irrit. 2;H319, Skin Sens. 1B;H317					
Oils, cedarwood	1 - 3	8000-27-9 616-769-6	-	-	
Classification: Skin Irrit. 2;H315, Skin Sens. 1B;H317, Asp. Tox. 1;H304, Aquatic Chronic 2;H411					
Terpenes and terpenoids, lemon-oil	1 - 3	68917-33-9 614-796-8	-	-	
Classification: Flam. Liq. 3;H226, Skin Irrit. 2;H315, Skin Sens. 1;H317, Repr. 2;H361, Asp. Tox. 1;H304, Aquatic Chronic 2;H411					
Citronellol	≤ 1	106-22-9 203-375-0	-	-	
Classification: Skin Irrit. 2;H315, Eye Irrit. 2;H319, Skin Sens. 1B;H317					
Cyclopentanone, 2-(2-(4-methyl-3-cyclohexen-1-yl)prop yl)-	≤ 1	95962-14-4 404-240-0	-	-	
Classification: Eye Irrit. 2;H319, Aquatic Acute 1;H400(M=1), Aquatic Chronic 3;H412					
Dihydro pentamethylindanone	≤ 1	33704-61-9 251-649-3	-	-	
Classification: Skin Irrit. 2;H315, Eye Irrit. 2;H319, Skin Sens. 1B;H317, Aquatic Chronic 2;H411					
Galaxolide	≤ 1	1222-05-5 214-946-9	01-2119488227-29	603-212-00-7	
Classification: Aquatic Acute 1;H400, Aquatic Chronic 1;H410					
Geraniol	≤ 1	106-24-1 203-377-1	01-2119552430-49	603-241-00-5	
Classification: Skin Irrit. 2;H315, Eye Dam. 1;H318, Skin Sens. 1;H317					
Hexyl Cinnamal	≤ 1	101-86-0 202-983-3	01-2119533092-50	-	
Classification: Skin Sens. 1B;H317, Aquatic Acute 1;H400(M=1), Aquatic Chronic 2;H411					
Linalool	≤ 1	78-70-6 201-134-4	01-2119474016-42	603-235-00-2	
Classification: Skin Irrit. 2;H315, Eye Irrit. 2;H319, Skin Sens. 1B;H317					
4-Penten-2-ol, 3,3-dimethyl-5-(2,2,3-trimethyl-3-cyclo penten-1-yl)-	≤ 0,3	107898-54-4 411-580-3	-	603-150-00-0	
Classification: Skin Irrit. 2;H315, Aquatic Acute 1;H400, Aquatic Chronic 1;H410					

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
4-tert-Butyldihydrocinnamaldehyde	≤ 0,3	18127-01-0 242-016-2	-	-	Classification: Skin Irrit. 2;H315, Skin Sens. 1B;H317, Repr. 2;H361, STOT RE 2;H373, Aquatic Chronic 3;H412
Coumarin	≤ 0,3	91-64-5 202-086-7	01-2119949300-45	-	Classification: Acute Tox. 3;H301;(ATE: 100 mg/kg bw), Skin Sens. 1B;H317
Oils, lavandin	≤ 0,3	8022-15-9 617-009-6	-	-	Classification: Eye Dam. 1;H318, Skin Sens. 1B;H317, Asp. Tox. 1;H304, Aquatic Chronic 3;H412
1,4-Cyclohexadiene, 1-methyl-4-(1-methylethyl)-	≤ 0,2	99-85-4 202-794-6	-	-	Classification: Flam. Liq. 3;H226, Repr. 2;H361, Asp. Tox. 1;H304, Aquatic Chronic 2;H411
Alpha-isomethyl ionone	≤ 0,2	127-51-5 204-846-3	-	-	Classification: Skin Sens. 1B;H317, Aquatic Chronic 2;H411
Oils, black pepper	≤ 0,2	8006-82-4 616-894-6	-	-	Classification: Flam. Liq. 3;H226, Skin Irrit. 2;H315, Skin Sens. 1;H317, Asp. Tox. 1;H304, Aquatic Acute 1;H400, Aquatic Chronic 2;H411
Oils, clary sage	≤ 0,2	8016-63-5 616-984-5	-	-	Classification: Skin Irrit. 2;H315, Eye Irrit. 2;H319, Skin Sens. 1;H317, Aquatic Chronic 3;H412
Oils, nutmeg	≤ 0,2	8008-45-5 616-921-1	-	-	Classification: Flam. Liq. 3;H226, Skin Sens. 1;H317, Muta. 2;H341, Carc. 1B;H350, Repr. 2;H361, Asp. Tox. 1;H304, Aquatic Chronic 2;H411
Oils, patchouli	≤ 0,2	8014-09-3 616-944-7	-	-	Classification: Skin Sens. 1B;H317, Asp. Tox. 1;H304, Aquatic Chronic 2;H411
Rose Ketone-4	≤ 0,2	23696-85-7 245-833-2	-	-	Classification: Skin Irrit. 2;H315, Skin Sens. 1A;H317, Aquatic Chronic 2;H411
Scentenal	≤ 0,2	86803-90-9 429-860-9	-	605-034-00-5	Classification: Skin Sens. 1;H317, Aquatic Chronic 2;H411

SECTION 4: First aid measures

General information Not available.

4.1. Description of first aid measures

Inhalation Not available.

Skin contact Not available.

Eye contact Not available.

Ingestion Not available.

4.2. Most important symptoms and effects, both acute and delayed Not available.

4.3. Indication of any immediate medical attention and special treatment needed Not available.

SECTION 5: Firefighting measures

General fire hazards Not available.

5.1. Extinguishing media

Suitable extinguishing media Not available.

Unsuitable extinguishing media Not available.

5.2. Special hazards arising from the substance or mixture Not available.

5.3. Advice for firefighters

Special protective equipment for firefighters Not available.

Special fire fighting procedures Not available.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel Not available.

For emergency responders Not available.

6.2. Environmental precautions Not available.

6.3. Methods and material for containment and cleaning up Not available.

6.4. Reference to other sections Not available.

SECTION 7: Handling and storage

7.1. Precautions for safe handling Not available.

7.2. Conditions for safe storage, including any incompatibilities Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

ANNEX 1, PART 1 Categories of dangerous substances
Hazard categories in accordance with Regulation (EC) No 1272/2008
- E2 Hazardous to the Aquatic Environment Chronic (Lower-tier requirements = 200 tonnes;
Upper-tier requirements = 500 tonnes)

7.3. Specific end use(s) Not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Austria. MAK List, OEL Ordinance (GwV), BGBl. II, no. 184/2001, as amended

Components	Type	Value
Phenol, 2,6-bis(1,1-dimethylethyl)-4- methyl- (CAS 128-37-0)	MAK	10 mg/m3
Propanol, 1(or 2)-(2-methoxymethylethoxy) - (CAS 34590-94-8)	Ceiling	614 mg/m3
	MAK	100 ppm 307 mg/m3 50 ppm

Belgium. OEL. Exposure Limit Values to Chemical Substances at Work, Code of Well-being at work, Book VI, Title 1 - Chemical agents, as amended

Components	Type	Value	Form
Phenol, 2,6-bis(1,1-dimethylethyl)-4- methyl- (CAS 128-37-0)	TWA	2 mg/m3	Vapour and aerosol.
Propanol, 1(or 2)-(2-methoxymethylethoxy) - (CAS 34590-94-8)	TWA	308 mg/m3	
		50 ppm	

Bulgaria. OELs. Ordinance No 13 on protection of workers against risks of exposure to chemical agents at work, as amended

Components	Type	Value
Phenol, 2,6-bis(1,1-dimethylethyl)-4-methyl- (CAS 128-37-0)	STEL	50 mg/m3
	TWA	10 mg/m3
Propanol, 1(or 2)-(2-methoxymethylethoxy) - (CAS 34590-94-8)	TWA	308 mg/m3
		50 ppm

Croatia. OELs (GVI). Regulation on Protection of Workers against Exposure to Dangerous Chemicals at Work, OELs and Biological Limit Values, Annex I (NN 91/2018), as amended

Components	Type	Value
Phenol, 2,6-bis(1,1-dimethylethyl)-4-methyl- (CAS 128-37-0)	MAC	10 mg/m3
Propanol, 1(or 2)-(2-methoxymethylethoxy) - (CAS 34590-94-8)	MAC	308 mg/m3
		50 ppm

Cyprus. OELs. Occupational Exposure Limit Values of Chemicals at Work (Safety and Health at Work (Chem. Agents) Reg., Ann. 1, R.A.A. 268/2001, as amended)

Components	Type	Value
Propanol, 1(or 2)-(2-methoxymethylethoxy) - (CAS 34590-94-8)	TWA	308 mg/m3
		50 ppm

Czech Republic. Occupational exposure limit values of chemicals at work (Decree on protection of health at work, 361/2007, Annex 2, Part A & Annex 3, Part A, as amended)

Components	Type	Value
Propanol, 1(or 2)-(2-methoxymethylethoxy) - (CAS 34590-94-8)	Ceiling	550 mg/m3
	TWA	270 mg/m3

Denmark. Work Environment Authority. Exposure Limits for Substances & Materials, Annex 2

Components	Type	Value
Phenol, 2,6-bis(1,1-dimethylethyl)-4-methyl- (CAS 128-37-0)	STEL	20 mg/m3
	TLV	10 mg/m3
Propanol, 1(or 2)-(2-methoxymethylethoxy) - (CAS 34590-94-8)	STEL	618 mg/m3
		100 ppm
	TLV	309 mg/m3
		50 ppm
Terpenes and terpenoids, lemon-oil (CAS 68917-33-9)	TLV	25 ppm

Estonia. OELs. Occupational Exposure Limits of Hazardous Substances (Regulation No. 105/2001, Annex), as amended

Components	Type	Value
Propanol, 1(or 2)-(2-methoxymethylethoxy) - (CAS 34590-94-8)	TWA	308 mg/m3
		50 ppm
Terpenes and terpenoids, lemon-oil (CAS 68917-33-9)	STEL	300 mg/m3
		50 ppm
	TWA	150 mg/m3
		25 ppm

Finland. HTP-arvot, App 3., Binding Limit Values, Social Affairs and Ministry of Health

Components	Type	Value
Phenol, 2,6-bis(1,1-dimethylethyl)-4- methyl- (CAS 128-37-0)	STEL	20 mg/m3
	TWA	10 mg/m3
Propanol, 1(or 2)-(2-methoxymethylethoxy) - (CAS 34590-94-8)	TWA	310 mg/m3
		50 ppm

France. OELs. Occupational Exposure Limits as Prescribed by Art. R.4412-149 of Labor Code, as amended

Components	Type	Value
Propanol, 1(or 2)-(2-methoxymethylethoxy) - (CAS 34590-94-8)	VME	308 mg/m3
		50 ppm

France. Threshold Limit Values (VLEP) for Occupational Exposure to Chemicals in France, INRS ED 984

Components	Type	Value
Phenol, 2,6-bis(1,1-dimethylethyl)-4- methyl- (CAS 128-37-0)	VME	10 mg/m3
Regulatory status: Indicative limit (VL)		
Propanol, 1(or 2)-(2-methoxymethylethoxy) - (CAS 34590-94-8)	VME	308 mg/m3
Regulatory status: Regulatory binding (VRC)		
		50 ppm
Regulatory status: Regulatory binding (VRC)		

Germany. DFG MAK List (advisory OELs). Commission for the Investigation of Health Hazards of Chemical Compounds in the Work Area (DFG), as updated

Components	Type	Value	Form
Phenol, 2,6-bis(1,1-dimethylethyl)-4- methyl- (CAS 128-37-0)	TWA	10 mg/m3	Vapor and aerosol, inhalable fraction.
Propanol, 1(or 2)-(2-methoxymethylethoxy) - (CAS 34590-94-8)	TWA	310 mg/m3	Vapour.
		50 ppm	Vapour.
Propanol, oxybis- (CAS 25265-71-8)	TWA	100 mg/m3	Vapor and aerosol, inhalable fraction.

Germany. TRGS 900, Limit Values in the Ambient Air at the Workplace

Components	Type	Value	Form
Phenol, 2,6-bis(1,1-dimethylethyl)-4- methyl- (CAS 128-37-0)	AGW	10 mg/m3	Inhalable fraction.
Propanol, 1(or 2)-(2-methoxymethylethoxy) - (CAS 34590-94-8)	AGW	310 mg/m3	Vapour and aerosol.
		50 ppm	Vapour and aerosol.
Propanol, oxybis- (CAS 25265-71-8)	AGW	100 mg/m3	Inhalable fraction.

Greece. OELs, Presidential Decree No. 307/1986, as amended

Components	Type	Value
Phenol, 2,6-bis(1,1-dimethylethyl)-4- methyl- (CAS 128-37-0)	TWA	10 mg/m3
Propanol, 1(or 2)-(2-methoxymethylethoxy) - (CAS 34590-94-8)	STEL	900 mg/m3
		150 ppm
	TWA	600 mg/m3

Greece. OELs, Presidential Decree No. 307/1986, as amended

Components	Type	Value
		100 ppm

Hungary. OELs. Decree on protection of workers exposed to chemical agents (5/2020. (II.6)), Annex 1&2, as amended

Components	Type	Value
Propanol, 1(or 2)-(2-methoxymethylethoxy) - (CAS 34590-94-8)	TWA	308 mg/m3

Iceland. OELs. Regulation 390/2009 on Pollution Limits and Measures to Reduce Pollution at the Workplace, as amended

Components	Type	Value
Phenol, 2,6-bis(1,1-dimethylethyl)-4- methyl- (CAS 128-37-0)	TWA	10 mg/m3
Propanol, 1(or 2)-(2-methoxymethylethoxy) - (CAS 34590-94-8)	TWA	300 mg/m3
		50 ppm

Ireland. OELVs, Schedules 1 & 2, Code of Practice for Chemical Agents and Carcinogens Regulations

Components	Type	Value
Phenol, 2,6-bis(1,1-dimethylethyl)-4- methyl- (CAS 128-37-0)	TWA	2 mg/m3
Propanol, 1(or 2)-(2-methoxymethylethoxy) - (CAS 34590-94-8)	TWA	308 mg/m3
		50 ppm

Italy. OELs (Legislative Decree n.81, 9 April 2008), as amended

Components	Type	Value	Form
Phenol, 2,6-bis(1,1-dimethylethyl)-4- methyl- (CAS 128-37-0)	TWA	2 mg/m3	Inhalable fraction and vapour.
Propanol, 1(or 2)-(2-methoxymethylethoxy) - (CAS 34590-94-8)	TWA	308 mg/m3	
		50 ppm	

Latvia. OELs. Occupational Exposure Limits of Chemical Substances at Workplace (Reg. No. 325/ 2007, L.V. 80, Annex 1), as amended

Components	Type	Value
Propanol, 1(or 2)-(2-methoxymethylethoxy) - (CAS 34590-94-8)	TWA	308 mg/m3
		50 ppm

Lithuania. OELs. Occupational Exposure Limit Values for Chemical Substances (Hygiene Norm HN 23:2011; Order No. V-824/A1-389), as amended

Components	Type	Value
Propanol, 1(or 2)-(2-methoxymethylethoxy) - (CAS 34590-94-8)	STEL	450 mg/m3
		75 ppm
	TWA	300 mg/m3
		50 ppm
Terpenes and terpenoids, lemon-oil (CAS 68917-33-9)	STEL	300 mg/m3
		50 ppm
	TWA	150 mg/m3
		25 ppm

Luxembourg. OELs. Binding Occupational Exposure Limit Values (Annex I), G.D.R. of 14 November 2016, OJ Memorial A, n ° 235/2016, as amended

Components	Type	Value
Propanol, 1(or 2)-(2-methoxymethylethoxy) - (CAS 34590-94-8)	TWA	308 mg/m3
		50 ppm

Malta. OELs. Protection of Health and Safety of Workers from Risks related to Chemical Agents at Work (L.N 227/2003 Schedules I and V), as amended

Components	Type	Value
Propanol, 1(or 2)-(2-methoxymethylethoxy) - (CAS 34590-94-8)	TWA	308 mg/m3
		50 ppm

Netherlands. OELs per Annex XIII of Working Conditions Regulation (Staatscourant no. 252, 29 December 2006), as amended

Components	Type	Value
Propanol, 1(or 2)-(2-methoxymethylethoxy) - (CAS 34590-94-8)	TWA	300 mg/m3

Norway. Regulation No. 1358 on Measures and Limit Values for Physical and Chemical Factors in Work Environment and Infection Groups for Biological Factors, as amended

Components	Type	Value
Propanol, 1(or 2)-(2-methoxymethylethoxy) - (CAS 34590-94-8)	TLV	300 mg/m3
		50 ppm

Poland. Maximum permissible concentrations and intensities of harmful factors in the work environment (Dz.U.Poz. 1286/2018, Annex 1)

Components	Type	Value
Propanol, 1(or 2)-(2-methoxymethylethoxy) - (CAS 34590-94-8)	STEL	480 mg/m3
	TWA	240 mg/m3

Portugal. Decree-Law No. 24/2012, Occupational Exposure Limit Values, Annex II, as amended

Components	Type	Value
Propanol, 1(or 2)-(2-methoxymethylethoxy) - (CAS 34590-94-8)	TWA	308 mg/m3
		50 ppm

Portugal. VLEs. Norm on occupational exposure to chemical agents (NP 1796-2014)

Components	Type	Value	Form
Phenol, 2,6-bis(1,1-dimethylethyl)-4- methyl- (CAS 128-37-0)	TWA	2 mg/m3	Inhalable fraction and vapour.
Propanol, 1(or 2)-(2-methoxymethylethoxy) - (CAS 34590-94-8)	STEL	150 ppm	
	TWA	100 ppm	

Romania. OELs. Limit Values of Chemical Agents at Workplace (Regulation 1.218/2006, M.O 845, Annex 1, 3&4, as amended)

Components	Type	Value
Propanol, 1(or 2)-(2-methoxymethylethoxy) - (CAS 34590-94-8)	TWA	308 mg/m3
		50 ppm

Slovakia. OELs. Maximum permissible exposure limits for chemical factors in workplace air (Regulation No 355/2006, Annex 1, Table 1, as amended)

Components	Type	Value
Propanol, 1(or 2)-(2-methoxymethylethoxy) - (CAS 34590-94-8)	TWA	308 mg/m3 50 ppm

Slovenia. OELs. Occupational Exposure Limits of Chemicals at Workplace (Reg. on Protection of Workers from Risks due to Exp. to Chemicals at Work, Ann. I 100/2001), as amended

Components	Type	Value	Form
Phenol, 2,6-bis(1,1-dimethylethyl)-4- methyl- (CAS 128-37-0)	KTV	40 mg/m3	Inhalable fraction.
Propanol, 1(or 2)-(2-methoxymethylethoxy) - (CAS 34590-94-8)	KTV	308 mg/m3 50 ppm	
Propanol, oxybis- (CAS 25265-71-8)	KTV	200 mg/m3	Inhalable fraction.

Slovenia. OELs. Occupational Exposure Limits of Chemicals at Workplace (Reg. on Protection of Workers from Risks due to Exp. to Chemicals at Work, Annex I), as amended

Components	Type	Value	Form
Phenol, 2,6-bis(1,1-dimethylethyl)-4- methyl- (CAS 128-37-0)	TWA	10 mg/m3	Inhalable fraction.
Propanol, 1(or 2)-(2-methoxymethylethoxy) - (CAS 34590-94-8)	TWA	308 mg/m3 50 ppm	
Propanol, oxybis- (CAS 25265-71-8)	TWA	100 mg/m3	Inhalable fraction.

Spain. OELs. INSST, Límites de Exposición Profesional Para Agentes Químicos, Table 1-Valores Límites Ambientales (VLAs)

Components	Type	Value
Phenol, 2,6-bis(1,1-dimethylethyl)-4- methyl- (CAS 128-37-0)	TWA	10 mg/m3
Propanol, 1(or 2)-(2-methoxymethylethoxy) - (CAS 34590-94-8)	TWA	308 mg/m3 50 ppm

Sweden. OELs (Annex 1). Work Environment Authority (AV), Occupational Exposure Limit Values (AFS 2018:1), as amended

Components	Type	Value
Propanol, 1(or 2)-(2-methoxymethylethoxy) - (CAS 34590-94-8)	STEL	450 mg/m3 75 ppm
	TWA	300 mg/m3 50 ppm
Terpenes and terpenoids, lemon-oil (CAS 68917-33-9)	STEL	300 mg/m3 50 ppm
	TWA	150 mg/m3 25 ppm

Switzerland. SUVA Grenzwerte am Arbeitsplatz: Aktuelle MAK-Werte

Components	Type	Value	Form
Phenol, 2,6-bis(1,1-dimethylethyl)-4- methyl- (CAS 128-37-0)	STEL	40 mg/m3	Vapor and aerosol, inhalable.

Switzerland. SUVA Grenzwerte am Arbeitsplatz: Aktuelle MAK-Werte

Components	Type	Value	Form
Propanol, 1(or 2)-(2-methoxymethylethoxy) - (CAS 34590-94-8)	TWA	10 mg/m3	Vapor and aerosol, inhalable.
	STEL	300 mg/m3	Vapour and aerosol.
		50 ppm	Vapour and aerosol.
	TWA	300 mg/m3	Vapour and aerosol.
Propanol, oxybis- (CAS 25265-71-8)		50 ppm	Vapour and aerosol.
	STEL	280 mg/m3	Vapor and aerosol, inhalable.
	TWA	140 mg/m3	Vapor and aerosol, inhalable.

UK. OELs. Workplace Exposure Limits (WELs) (EH40/2005 (Fourth Edition 2020)), Table 1

Components	Type	Value
Phenol, 2,6-bis(1,1-dimethylethyl)-4-methyl- (CAS 128-37-0)	TWA	10 mg/m3
Propanol, 1(or 2)-(2-methoxymethylethoxy) - (CAS 34590-94-8)	TWA	308 mg/m3
		50 ppm

EU. Indicative Exposure Limit Values in Directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU, 2017/164/EU

Components	Type	Value
Propanol, 1(or 2)-(2-methoxymethylethoxy) - (CAS 34590-94-8)	TWA	308 mg/m3
		50 ppm

Biological limit values No biological exposure limits noted for the ingredient(s).

Recommended monitoring procedures Not available.

Derived no effect levels (DNELs) Not available.

Predicted no effect concentrations (PNECs) Not available.

Exposure guidelines
Austria MAK: Skin designation

Propanol, 1(or 2)-(2-methoxymethylethoxy)- (CAS 34590-94-8) Can be absorbed through the skin.

Belgium OELs: Skin designation

Propanol, 1(or 2)-(2-methoxymethylethoxy)- (CAS 34590-94-8) Can be absorbed through the skin.

Bulgaria OELs: Skin designation

Propanol, 1(or 2)-(2-methoxymethylethoxy)- (CAS 34590-94-8) Can be absorbed through the skin.

Croatia ELVs: Skin designation

Propanol, 1(or 2)-(2-methoxymethylethoxy)- (CAS 34590-94-8) Can be absorbed through the skin.

Czech Republic PELs: Skin designation

Propanol, 1(or 2)-(2-methoxymethylethoxy)- (CAS 34590-94-8) Can be absorbed through the skin.

Denmark GV: Skin designation

Propanol, 1(or 2)-(2-methoxymethylethoxy)- (CAS 34590-94-8) Can be absorbed through the skin.

Estonia OELs: Skin designation

Propanol, 1(or 2)-(2-methoxymethylethoxy)- (CAS 34590-94-8) Can be absorbed through the skin.

EU Exposure Limit Values: Skin designation

Propanol, 1(or 2)-(2-methoxymethylethoxy)- (CAS 34590-94-8) Can be absorbed through the skin.

Finland Exposure Limit Values: Skin designationPropanol, 1(or 2)-(2-methoxymethylethoxy)-
(CAS 34590-94-8)

Can be absorbed through the skin.

France INRS: Skin designationPropanol, 1(or 2)-(2-methoxymethylethoxy)-
(CAS 34590-94-8)

Can be absorbed through the skin.

France Mandatory OELs (VLEP): Skin designationPropanol, 1(or 2)-(2-methoxymethylethoxy)-
(CAS 34590-94-8)

Can be absorbed through the skin.

Greece OEL: Skin designationPropanol, 1(or 2)-(2-methoxymethylethoxy)-
(CAS 34590-94-8)

Can be absorbed through the skin.

Iceland OELs: Skin designationPropanol, 1(or 2)-(2-methoxymethylethoxy)-
(CAS 34590-94-8)

Can be absorbed through the skin.

Ireland Exposure Limit Values: Skin designationPropanol, 1(or 2)-(2-methoxymethylethoxy)-
(CAS 34590-94-8)

Can be absorbed through the skin.

Italy OELs: Skin designationPropanol, 1(or 2)-(2-methoxymethylethoxy)-
(CAS 34590-94-8)

Danger of cutaneous absorption

Latvia OELs: Skin designationPropanol, 1(or 2)-(2-methoxymethylethoxy)-
(CAS 34590-94-8)

Can be absorbed through the skin.

Lithuania OELs: Skin designationPropanol, 1(or 2)-(2-methoxymethylethoxy)-
(CAS 34590-94-8)

Can be absorbed through the skin.

Luxembourg OELs: Skin designationPropanol, 1(or 2)-(2-methoxymethylethoxy)-
(CAS 34590-94-8)

Can be absorbed through the skin.

Malta OELs: Skin designationPropanol, 1(or 2)-(2-methoxymethylethoxy)-
(CAS 34590-94-8)

Can be absorbed through the skin.

Norway Exposure Limit Values: Skin designationPropanol, 1(or 2)-(2-methoxymethylethoxy)-
(CAS 34590-94-8)

Can be absorbed through the skin.

Portugal OELs: Skin designationPropanol, 1(or 2)-(2-methoxymethylethoxy)-
(CAS 34590-94-8)

Can be absorbed through the skin.

Portugal VLEs Norm on Occupational Exposure: Skin designationPropanol, 1(or 2)-(2-methoxymethylethoxy)-
(CAS 34590-94-8)

Can be absorbed through the skin.

Romania OELs: Skin designationPropanol, 1(or 2)-(2-methoxymethylethoxy)-
(CAS 34590-94-8)

Can be absorbed through the skin.

Slovakia OELs: Skin designationPropanol, 1(or 2)-(2-methoxymethylethoxy)-
(CAS 34590-94-8)

Can be absorbed through the skin.

**Slovenia. OELs. Regulations concerning protection of workers against risks due to exposure to chemicals while working
(Official Gazette of the Republic of Slovenia)**Propanol, 1(or 2)-(2-methoxymethylethoxy)-
(CAS 34590-94-8)

Can be absorbed through the skin.

Spain OELs: Skin designationPropanol, 1(or 2)-(2-methoxymethylethoxy)-
(CAS 34590-94-8)

Can be absorbed through the skin.

Sweden Threshold Limit Values: Skin designationPropanol, 1(or 2)-(2-methoxymethylethoxy)-
(CAS 34590-94-8)

Can be absorbed through the skin.

UK EH40 WEL: Skin designationPropanol, 1(or 2)-(2-methoxymethylethoxy)-
(CAS 34590-94-8)

Can be absorbed through the skin.

8.2. Exposure controls**Appropriate engineering controls** Not available.**Individual protection measures, such as personal protective equipment****General information** Not available.

Eye/face protection	Not available.
Skin protection	
- Hand protection	Not available.
- Other	Not available.
Respiratory protection	Not available.
Thermal hazards	Not available.
Hygiene measures	Not available.
Environmental exposure controls	Not available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	Liquid.
Colour	Light brown.
Odour	Not available.
Melting point/freezing point	-80 °C (-112 °F) estimated
Boiling point or initial boiling point and boiling range	190 °C (374 °F) estimated
Flammability	Not available.
Upper/lower flammability or explosive limits	
Explosive limit - lower (%)	Not available.
Explosive limit – upper (%)	Not available.
Flash point	90 °C (194 °F) estimated
Auto-ignition temperature	371 °C (699,8 °F) estimated
Decomposition temperature	Not available.
pH	Not available.
Kinematic viscosity	Not available.
Solubility	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water) (log value)	Not available.
Vapour pressure	0,176839 hPa estimated
Density and/or relative density	
Density	1,005 g/cm3 estimated
Vapour density	Not available.
Particle characteristics	Not available.

9.2. Other information

9.2.1. Information with regard to physical hazard classes No relevant additional information available.

9.2.2. Other safety characteristics

Percent volatile	49,99 % estimated
Specific gravity	1,00524 estimated
VOC	3,87 % estimated

SECTION 10: Stability and reactivity

10.1. Reactivity	Not available.
10.2. Chemical stability	Not available.
10.3. Possibility of hazardous reactions	Not available.
10.4. Conditions to avoid	Not available.
10.5. Incompatible materials	Not available.
10.6. Hazardous decomposition products	Not available.

SECTION 11: Toxicological information

General information	Not available.
---------------------	----------------

Information on likely routes of exposure		
Inhalation	Not available.	
Skin contact	Not available.	
Eye contact	Not available.	
Ingestion	May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of occupational exposure.	
Symptoms	Not available.	
11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008		
Acute toxicity	No data available.	
Skin corrosion/irritation	Not available.	
Serious eye damage/eye irritation	Based on available data, the classification criteria are not met.	
Respiratory sensitisation	Not available.	
Skin sensitisation	Not available.	
Germ cell mutagenicity	Not available.	
Carcinogenicity		
IARC Monographs. Overall Evaluation of Carcinogenicity		
Coumarin (CAS 91-64-5)	3 Not classifiable as to carcinogenicity to humans.	
Phenol, 2,6-bis(1,1-dimethylethyl)-4-methyl- (CAS 128-37-0)	3 Not classifiable as to carcinogenicity to humans.	
Reproductive toxicity	Not available.	
Specific target organ toxicity - single exposure	Not available.	
Specific target organ toxicity - repeated exposure	Not available.	
Aspiration hazard	Not available.	
Mixture versus substance information	Not available.	
11.2. Information on other hazards		
Endocrine disrupting properties	The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.	
Other information	Not available.	

SECTION 12: Ecological information

12.1. Toxicity	Based on available data, the classification criteria are not met for hazardous to the aquatic environment, acute hazard.		
Components	Species		Test Results
Coumarin (CAS 91-64-5)			
Aquatic			
Acute			
Fish	LC50	Guppy (Poecilia reticulata)	32 - 100 mg/l, 96 hours
Geraniol (CAS 106-24-1)			
Aquatic			
Acute			
Fish	LC50	Brown trout (Salmo trutta)	2,3 - 3 mg/l, 96 hours
Phenol, 2,6-bis(1,1-dimethylethyl)-4-methyl- (CAS 128-37-0)			
Aquatic			
Acute			
Crustacea	EC50	Water flea (Daphnia pulex)	1,44 mg/l, 48 hours
12.2. Persistence and degradability	Not available.		
12.3. Bioaccumulative potential	Not available.		
Partition coefficient n-octanol/water (log Kow)			
1,4-Cyclohexadiene, 1-methyl-4-(1-methylethyl)-	5,4		
2,6-Dimethyl-7-octen-2-ol	3,25		

4-Penten-2-ol,	4,989
3,3-dimethyl-5-(2,2,3-trimethyl-3-cyclopenten-1-yl)-	
4-tert-Butyldihydrocinnamaldehyde	3,2
Alpha-isomethyl ionone	4,288
Citronellol	3,41
Coumarin	1,39
Cyclopentanone, 2-(2-(4-methyl-3-cyclohexen-1-yl)propyl)-	4,8
Dihydro pentamethylindanone	4,2
Galaxolide	5,3
Geraniol	3,56
Hexyl Cinnamal	4,686
Linalool	2,97
Linalyl acetate	3,9
	3,93
Oils, cedarwood	6,12
Phenol, 2,6-bis(1,1-dimethylethyl)-4-methyl-	5,1
	5,2
Rose Ketone-4	4,8

Bioconcentration factor (BCF)	Not available.
12.4. Mobility in soil	Not available.
12.5. Results of PBT and vPvB assessment	Not a PBT or vPvB substance or mixture.
12.6. Endocrine disrupting properties	The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
12.7. Other adverse effects	Not available.
12.8. Additional information	

Estonia Dangerous substances in soil Data

Citronellol (CAS 106-22-9)	Chemical pesticides (As the total sum of the active substances) 0,5 mg/kg
	Chemical pesticides (As the total sum of the active substances) 20 mg/kg
	Chemical pesticides (As the total sum of the active substances) 5 mg/kg
Geraniol (CAS 106-24-1)	Chemical pesticides (As the total sum of the active substances) 0,5 mg/kg
	Chemical pesticides (As the total sum of the active substances) 20 mg/kg
	Chemical pesticides (As the total sum of the active substances) 5 mg/kg

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste	Not available.
Contaminated packaging	Not available.
EU waste code	Not available.
Disposal methods/information	Discourage sewage disposal. Waste should not be disposed of by release to sewers.

SECTION 14: Transport information

ADR

14.1. UN number	UN3082
14.2. UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
14.3. Transport hazard class(es)	
Class	9
Subsidiary hazard	-
Label(s)	9
Hazard No. (ADR)	90
Tunnel restriction code	-
14.4. Packing group	III
14.5. Environmental hazards	No.
14.6. Special precautions for user	Not assigned.

RID

14.1. UN number	UN3082
------------------------	--------

14.2. UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

14.3. Transport hazard class(es)

Class	9
Subsidiary hazard	-
Label(s)	9

14.4. Packing group III

14.5. Environmental hazards No.

14.6. Special precautions for user Not assigned.

ADN

14.1. UN number UN3082

14.2. UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

14.3. Transport hazard class(es)

Class	9
Subsidiary hazard	-
Label(s)	9

14.4. Packing group III

14.5. Environmental hazards No.

14.6. Special precautions for user Not assigned.

IATA

14.1. UN number UN3082

14.2. UN proper shipping name Environmentally hazardous substance, liquid, n.o.s.

14.3. Transport hazard class(es)

Class	9
Subsidiary hazard	-

14.4. Packing group III

14.5. Environmental hazards No.

ERG Code 9L

14.6. Special precautions for user Not assigned.

Other information

Passenger and cargo aircraft	Allowed with restrictions.
Cargo aircraft only	Allowed with restrictions.

IMDG

14.1. UN number UN3082

14.2. UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., MARINE POLLUTANT

14.3. Transport hazard class(es)

Class	9
Subsidiary hazard	-

14.4. Packing group III


14.5. Environmental hazards


Marine pollutant	Yes
EmS	F-A, S-F

14.6. Special precautions for user Not assigned.

14.7. Maritime transport in bulk according to IMO instruments Not available.

ADN; ADR; IATA; IMDG; RID





SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Not listed.

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended

Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA

Not listed.

UFI:

Austria: VEEN-WMFP-P95X-VWDT
Belgium: VEEN-WMFP-P95X-VWDT
Bulgaria: VEEN-WMFP-P95X-VWDT
Croatia: VEEN-WMFP-P95X-VWDT
Cyprus: VEEN-WMFP-P95X-VWDT
Czech Republic: VEEN-WMFP-P95X-VWDT
Denmark: VEEN-WMFP-P95X-VWDT
Estonia: VEEN-WMFP-P95X-VWDT
EU: VEEN-WMFP-P95X-VWDT
Finland: VEEN-WMFP-P95X-VWDT
France: VEEN-WMFP-P95X-VWDT
Germany: VEEN-WMFP-P95X-VWDT
Greece: VEEN-WMFP-P95X-VWDT
Hungary: VEEN-WMFP-P95X-VWDT
Iceland: VEEN-WMFP-P95X-VWDT
Ireland: VEEN-WMFP-P95X-VWDT
Italy: VEEN-WMFP-P95X-VWDT
Latvia: VEEN-WMFP-P95X-VWDT
Lithuania: VEEN-WMFP-P95X-VWDT
Luxembourg: VEEN-WMFP-P95X-VWDT
Malta: VEEN-WMFP-P95X-VWDT
Netherlands: VEEN-WMFP-P95X-VWDT
Northern Ireland: VEEN-WMFP-P95X-VWDT
Norway: VEEN-WMFP-P95X-VWDT
Poland: VEEN-WMFP-P95X-VWDT
Portugal: VEEN-WMFP-P95X-VWDT
Romania: VEEN-WMFP-P95X-VWDT
Slovakia: VEEN-WMFP-P95X-VWDT
Slovenia: VEEN-WMFP-P95X-VWDT
Spain: VEEN-WMFP-P95X-VWDT
Sweden: VEEN-WMFP-P95X-VWDT

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended

Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use, as amended
- Conditions of restriction given for the associated entry number should be considered

Galaxolide (CAS 1222-05-5)

3

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed.

Regulation 2019/1148 on Marketing and Use of Explosive Precursors, Annex I, as amended

Not listed.

Regulation 2019/1148 on Marketing and Use of Explosive Precursors, Annex II, as amended

Not listed.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

ANNEX 1, PART 1 Categories of dangerous substances
Hazard categories in accordance with Regulation (EC) No 1272/2008
- E2 Hazardous to the Aquatic Environment Chronic

National regulations

Not available.

France regulations

France INRS Table of Occupational Diseases

Propanol, 1(or 2)-(2-methoxymethylethoxy)-
(CAS 34590-94-8)

Affections engendrées par les solvants organiques liquides à usage professionnel : hydrocarbures liquides aliphatiques ou cycliques saturés ou insaturés et leurs mélanges; hydrocarbures halogénés liquides; dérivés nitrés des hydrocarbures aliphatiques; al 84

15.2. Chemical safety assessment

Not available.

SECTION 16: Other information

List of abbreviations

Not available.

References

Not available.

Information on evaluation method leading to the classification of mixture

Not available.

Full text of any statements, which are not written out in full under sections 2 to 15

H226 Flammable liquid and vapour.
H301 Toxic if swallowed.
H304 May be fatal if swallowed and enters airways.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H341 Suspected of causing genetic defects.
H350 May cause cancer.
H361 Suspected of damaging fertility or the unborn child.
H373 May cause damage to organs through prolonged or repeated exposure by ingestion.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.
H411 Toxic to aquatic life with long lasting effects.
H412 Harmful to aquatic life with long lasting effects.

Revision information

This document has undergone significant changes and should be reviewed in its entirety.

Training information

Not available.