# SAFETY DATA SHEET



Version #: 05

Issue date: 24-June-2021 Revision date: 15-February-2024 Supersedes date: 09-November-2023

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation

of the mixture

YC CLEAN COTTON CAR JAR ULTIMATE 1220878E

Registration number

UFI: CQGE-RKJ6-5Q15-6TA2

Synonyms None. **Product code** 1220878F

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Air Care Products Uses advised against None known. 1.3. Details of the supplier of the safety data sheet

Supplier

Yankee Candle s.r.o. Company name **Address** Prumyslová zóna Joseph

Havran u Mostu

435 01, Czech Republic

**Division** 

008 008 658 8466 **Telephone** 

e-mail nhfrequlatorv@newellco.com

Not available. **Contact person** 

1.4. Emergency telephone

number

1.4. Emergency telephone number

Newell - Republic of 1800 812 073

Ireland (Emergency Health

Response)

General in EU 112 (Available 24 hours a day. SDS/Product information may not be available for

the Emergency Service.)

**National Poison Control** 

Centre

01 809 2166 General public, 8am - 10pm, 7 days a week

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

#### Classification according to Regulation (EC) No 1272/2008 as amended

**Health hazards** 

Skin sensitisation Category 1 H317 - May cause an allergic skin

reaction.

#### 2.2. Label elements

## Label according to Regulation (EC) No. 1272/2008 as amended

UFI: CQGE-RKJ6-5Q15-6TA2

Contains: Benzoic acid. 2-hydroxy-, hexyl ester. Butyl cyclohexyl acetate. Ethyl 2.2-dimethylhydrocinnamal.

Isocyclemone E, Linalool, Linalyl acetate, Terpenes, orange oil

Hazard pictograms

Signal word Warning

Material name: YC CLEAN COTTON CAR JAR ULTIMATE 1220878E SDS IRELAND 1220878E Version #: 05 Revision date: 15-February-2024 Issue date: 24-June-2021

#### **Hazard statements**

May cause an allergic skin reaction. H317

## **Precautionary statements**

| _ |     |     |       |            |    |
|---|-----|-----|-------|------------|----|
| · | re۱ | n   | 7 T I | $^{\circ}$ | ١. |
| - | 161 | 761 | ıu    | VI.        |    |

Keep out of reach of children. P102

Avoid breathing dust/fume/gas/mist/vapours/spray. P261

Contaminated work clothing should not be allowed out of the workplace. P272

Wear protective gloves. P280

Response

IF ON SKIN: Wash with plenty of water. P302 + P352

If skin irritation or rash occurs: Get medical advice/attention. P333 + P313 Take off contaminated clothing and wash it before reuse. P362 + P364

Not applicable. Storage

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations. P501

Supplemental label information

None.

2.3. Other hazards

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII. The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. The mixture does not contain any substances included in the list established in accordance with REACH Article 59(1) for having endocrine disrupting properties at a concentration equal to or greater than 0.1% by weight.

## **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

#### General information

| Chemical name                     |                  | %                        | CAS-No. / EC No.                  | <b>REACH Registration No.</b> | Index No.     | Notes |
|-----------------------------------|------------------|--------------------------|-----------------------------------|-------------------------------|---------------|-------|
| Butyl cyclohexyl aceta            | te               | 5 - 10                   | 32210-23-4<br>250-954-9           | -                             | -             |       |
|                                   | Classification:  | Skin Sens.               | 1B;H317                           |                               |               |       |
| benzyl benzoate                   |                  | 3 - 5                    | 120-51-4<br>204-402-9             | 01-2119976371-33              | 607-085-00-9  |       |
|                                   |                  | Acute Tox.<br>Chronic 2; |                                   | ng/kg bw), Aquatic Acute 1;   | H400, Aquatic |       |
| 2,6-Dimethyl-7-octen-             | 2-ol             | 1 - 3                    | 18479-58-8<br>242-362-4           | -                             | -             |       |
|                                   | Classification:  | Skin Irrit. 2            | ;H315, Eye Irrit. 2;H3            | 319                           |               |       |
| Benzyl acetate                    |                  | 1 - 3                    | 140-11-4<br>205-399-7             | -                             | -             |       |
|                                   | Classification:  | Aquatic Ch               | ronic 3;H412                      |                               |               |       |
| Galaxolide                        |                  | 1 - 3                    | 1222-05-5<br>214-946-9            | 01-2119488227-29              | 603-212-00-7  |       |
|                                   | Classification:  | Aquatic Ac               | ute 1;H400, Aquatic               | Chronic 1;H410                |               |       |
| Benzoic acid, 2-hydro             | xy-, hexyl ester | ≤ 1                      | 6259-76-3<br>228-408-6            | 01-2119638275-36              | -             |       |
|                                   |                  |                          | . 1B;H317, Aquatic A<br>H410(M=1) | cute 1;H400(M=1), Aquatic     |               |       |
| Isocyclemone E                    |                  | ≤ 1                      | 54464-57-2<br>259-174-3           | -                             | -             |       |
|                                   | Classification:  | Skin Irrit. 2            | ;H315, Skin Sens. 1I              | 3;H317, Aquatic Chronic 1;F   | H410          |       |
| Linalool                          |                  | ≤ 1                      | 78-70-6<br>201-134-4              | 01-2119474016-42              | 603-235-00-2  |       |
|                                   | Classification:  | Skin Irrit. 2            | ;H315, Eye Irrit. 2;H3            | 319, Skin Sens. 1B;H317       |               |       |
| Phenol,<br>2,6-bis(1,1-dimethylet | hyl)-4-methyl-   | ≤ 0.3                    | 128-37-0<br>204-881-4             | -                             | -             |       |
|                                   | Classification:  | Aquatic Ac               | ute 1;H400(M=1), Ac               | uatic Chronic 1;H410(M=1)     |               |       |
| Terpenes, orange oil              |                  | ≤ 0.3                    | 68647-72-3<br>614-678-6           | 01-2119493353-35              | -             |       |
|                                   | Classification:  | Flam. Liq.               | 3;H226, Skin Irrit. 2;I           | H315, Skin Sens. 1;H317, A    | sp. Tox.      |       |

1;H304, Aquatic Chronic 2;H411

Material name: YC CLEAN COTTON CAR JAR ULTIMATE 1220878E

SDS IRELAND

1220878E Version #: 05 Revision date: 15-February-2024 Issue date: 24-June-2021

| Chemical name  | %             | CAS-No. / EC No.                      | REACH Registration No.      | Index No. | Notes |
|--|---------------|---------------------------------------|-----------------------------|-----------|-------|
| Benzoic acid, 2-hydroxy-,<br>(3Z)-3-hexen-1-yl ester | ≤ 0.2         | 65405-77-8<br>265-745-8               | -                           | -         |       |
| Classification                                       | : Aquatic A   | cute 1;H400(M=1), Ad                  | quatic Chronic 2;H411       |           |       |
| Ethyl 2,2-dimethylhydrocinnamal                      | ≤ 0.2         | 67634-15-5<br>266-819-2               | -                           | -         |       |
| Classification                                       |               | 2;H315, Skin Sens. 1<br>hronic 2;H411 | B;H317, Aquatic Acute 1;H40 | 00(M=1),  |       |
| Linalyl acetate                                      | ≤ 0.2         | 115-95-7<br>204-116-4                 | -                           | -         |       |
| Classification                                       | : Skin Irrit. | 2;H315, Eye Irrit. 2;H3               | 319, Skin Sens. 1B;H317     |           |       |
| Other components below reportable                    | 81.89         |                                       |                             |           |       |

Other components below reportable

levels

#### List of abbreviations and symbols that may be used above

ATE: Acute toxicity estimate.

M: M-factor

vPvB: very persistent and very bioaccumulative substance. PBT: persistent, bioaccumulative and toxic substance.

#: This substance has been assigned Union workplace exposure limit(s).

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

The full text for all H-statements is displayed in section 16. Composition comments

## **SECTION 4: First aid measures**

**General information** Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves. Wash contaminated clothing before reuse.

4.1. Description of first aid measures

Move to fresh air. Call a physician if symptoms develop or persist. Inhalation

Remove contaminated clothing immediately and wash skin with soap and water. In case of Skin contact

eczema or other skin disorders: Seek medical attention and take along these instructions.

Eye contact Rinse with water. Get medical attention if irritation develops and persists.

Rinse mouth. Get medical attention if symptoms occur. Ingestion 4.2. Most important symptoms May cause an allergic skin reaction. Dermatitis. Rash.

and effects, both acute and delaved

and special treatment needed

4.3. Indication of any immediate medical attention Provide general supportive measures and treat symptomatically. Keep victim under observation.

Symptoms may be delayed.

## **SECTION 5: Firefighting measures**

General fire hazards No unusual fire or explosion hazards noted.

5.1. Extinguishing media

Suitable extinguishing

media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Special protective equipment for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Special fire fighting

Move containers from fire area if you can do so without risk.

procedures

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

#### **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency Do not touch damaged containers or spilled material unless wearing appropriate protective

personnel

For emergency responders Keep unnecessary personnel away. Ensure adequate ventilation, Local authorities should be

advised if significant spillages cannot be contained. For personal protection, see section 8 of the

SDS.

6.2. Environmental precautions Avoid discharge into drains, water courses or onto the ground.

Material name: YC CLEAN COTTON CAR JAR ULTIMATE 1220878E

6.3. Methods and material for containment and cleaning up

6.4. Reference to other sections

Stop the flow of material, if this is without risk. Following product recovery, flush area with water.

For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

# **SECTION 7: Handling and storage**

7.1. Precautions for safe handling

Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

7.3. Specific end use(s) Observe industrial sector guidance on best practices.

# **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

## Occupational exposure limits

| Ireland. OELVs, Schedules 1 & 2, Code of Practice for Chemical Agents and Carcinogens Regulations |      |         |  |  |  |  |
|---|------|---------|--|--|--|--|
| Components  | Туре | Value   |  |  |  |  |
| Benzyl acetate (CAS<br>140-11-4)  | TWA  | 10 ppm  |  |  |  |  |
| Phenol,<br>2,6-bis(1,1-dimethylethyl)-4-<br>methyl- (CAS 128-37-0)                                | TWA  | 2 mg/m3 |  |  |  |  |

**Biological limit values** Recommended monitoring procedures

No biological exposure limits noted for the ingredient(s).

Follow standard monitoring procedures.

Not available.

Derived no effect levels (DNELs) Predicted no effect

Not available.

concentrations (PNECs) 8.2. Exposure controls

Appropriate engineering

controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

#### Individual protection measures, such as personal protective equipment

General information Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.

Eye/face protection Wear safety glasses with side shields (or goggles). Face shield is recommended.

Skin protection

- Hand protection Wear appropriate chemical resistant gloves.

- Other Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

In case of insufficient ventilation, wear suitable respiratory equipment. Respiratory protection Thermal hazards Wear appropriate thermal protective clothing, when necessary.

Always observe good personal hygiene measures, such as washing after handling the material Hygiene measures and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

**Environmental exposure** controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to acceptable levels.

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state Solid. Solid. **Form** Colour White Odour Not available. Not available. Melting point/freezing point Boiling point or initial boiling Not available. point and boiling range

Material name: YC CLEAN COTTON CAR JAR ULTIMATE 1220878E

SDS IRELAND 1220878E Version #: 05 Revision date: 15-February-2024 Issue date: 24-June-2021

Not available. **Flammability** Upper/lower flammability or explosive limits

Not available. Explosive limit - lower (%) Explosive limit - upper Not available.

(%)

>100 °C (>212 °F) Flash point

90 °C (194 °F) estimated

Auto-ignition temperature Not available. Not available. **Decomposition temperature** Not available. Not available. Kinematic viscosity

Solubility

Solubility (water) Not available. Partition coefficient Not available.

(n-octanol/water) (log value)

0.089267 hPa estimated Vapour pressure

Density and/or relative density

Density 1.06 g/cm3 estimated

Vapour density Not available. Not available. Particle characteristics

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No relevant additional information available

9.2.2. Other safety characteristics

Specific gravity 1.06055 estimated

## **SECTION 10: Stability and reactivity**

The product is stable and non-reactive under normal conditions of use, storage and transport. 10.1. Reactivity

Material is stable under normal conditions. 10.2. Chemical stability

10.3. Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

10.4. Conditions to avoid Contact with incompatible materials.

10.5. Incompatible materials Strong oxidising agents.

10.6. Hazardous

No hazardous decomposition products are known.

decomposition products

## **SECTION 11: Toxicological information**

**General information** Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

Prolonged inhalation may be harmful. Inhalation Skin contact May cause an allergic skin reaction.

Direct contact with eyes may cause temporary irritation. Eye contact

May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of Ingestion

occupational exposure.

May cause an allergic skin reaction. Dermatitis. Rash. **Symptoms** 

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity No data available.

Skin corrosion/irritation Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Serious eye damage/eye

irritation

Due to partial or complete lack of data the classification is not possible. Respiratory sensitisation

Skin sensitisation May cause an allergic skin reaction.

Due to partial or complete lack of data the classification is not possible. Germ cell mutagenicity Carcinogenicity Due to partial or complete lack of data the classification is not possible.

#### IARC Monographs. Overall Evaluation of Carcinogenicity

Benzyl acetate (CAS 140-11-4)

3 Not classifiable as to carcinogenicity to humans.

Phenol, 2,6-bis(1,1-dimethylethyl)-4-methyl-

(CAS 128-37-0)

3 Not classifiable as to carcinogenicity to humans.

1220878E Version #: 05 Revision date: 15-February-2024 Issue date: 24-June-2021

Material name: YC CLEAN COTTON CAR JAR ULTIMATE 1220878E SDS IRELAND Reproductive toxicity Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity -

single exposure

Based on available data, the classification criteria are not met.

Specific target organ toxicity -

repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Mixture versus substance

Due to partial or complete lack of data the classification is not possible.

information

No information available.

#### 11.2. Information on other hazards

**Endocrine disrupting** properties

The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. This mixture does not contain any substances having endocrine disrupting properties with respect to human health as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or greater than 0.1% by weight.

Other information Not available.

## **SECTION 12: Ecological information**

Based on available data, the classification criteria are not met for hazardous to the aquatic 12.1. Toxicity

environment

Components **Species Test Results** 

Benzyl acetate (CAS 140-11-4)

Aquatic Acute

LC50

Medaka, high-eyes (Oryzias latipes) Fish 3.48 - 4.6 mg/l. 96 hours

Phenol, 2,6-bis(1,1-dimethylethyl)-4-methyl- (CAS 128-37-0)

**Aquatic** 

Acute

EC50 Water flea (Daphnia pulex) Crustacea 1.44 mg/l, 48 hours

12.2. Persistence and

degradability

No data is available on the degradability of any ingredients in the mixture.

#### 12.3. Bioaccumulative potential

## Partition coefficient

## n-octanol/water (log Kow)

| 2,6-Dimethyl-7-octen-2-ol                         | 3.25 |
|---|------|
| Benzoic acid, 2-hydroxy-, (3Z)-3-hexen-1-yl ester | 4.8  |
| Benzoic acid, 2-hydroxy-, hexyl ester             | 5.5  |
| Benzyl acetate                                    | 1.96 |
| benzyl benzoate                                   | 3.97 |
| Butyl cyclohexyl acetate                          | 4.8  |
| Ethyl 2,2-dimethylhydrocinnamal                   | 3.6  |
| Galaxolide  | 5.3  |
| Linalool  | 2.97 |
| Linalyl acetate                                   | 3.9  |
|   | 3.93 |
| Phenol, 2,6-bis(1,1-dimethylethyl)-4-methyl-      | 5.1  |
|   | 5.2  |

**Bioconcentration factor (BCF)** 

Not available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB

assessment

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII.

12.6. Endocrine disrupting

properties

The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. This mixture does not contain any substances having endocrine disrupting properties with respect to the environment as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or greater than 0.1% by weight.

12.7. Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Residual waste

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

Material name: YC CLEAN COTTON CAR JAR ULTIMATE 1220878E

SDS IRELAND 1220878E Version #: 05 Revision date: 15-February-2024 Issue date: 24-June-2021

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

EU waste code The Waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Disposal methods/information Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Discourage

sewage disposal. Waste should not be disposed of by release to sewers. Dispose of contents/container in accordance with local/regional/national/international regulations.

**Special precautions** Dispose in accordance with all applicable regulations.

## **SECTION 14: Transport information**

#### ADR

**14.1. UN number**Not regulated as dangerous goods. **14.2. UN proper shipping**Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary hazard

Hazard No. (ADR) Not assigned.
Tunnel restriction code Not assigned.

**14.4. Packing group** - **14.5. Environmental hazards** No.

14.6. Special precautions Not assigned.

for user

RID

14.1. UN number Not regulated as dangerous goods.14.2. UN proper shipping Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary hazard 14.4. Packing group 14.5. Environmental hazards No.

14.6. Special precautions Not assigned.

for user

**ADN** 

**14.1. UN number**Not regulated as dangerous goods. **14.2. UN proper shipping**Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary hazard 14.4. Packing group 14.5. Environmental hazards No.

**14.6. Special precautions** Not assigned.

for user

**IATA** 

14.1. UN number Not regulated as dangerous goods.14.2. UN proper shipping Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary hazard -14.4. Packing group -14.5. Environmental hazards No.

14.6. Special precautions Not assigned.

for user

IMDG

14.1. UN number Not regulated as dangerous goods.14.2. UN proper shipping Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary hazard 14.4. Packing group 14.5. Environmental hazards

Marine pollutant No.

EmS Not assigned.

Material name: YC CLEAN COTTON CAR JAR ULTIMATE 1220878E

14.6. Special precautions

Not assigned.

for user

14.7. Maritime transport in bulk Not applicable. according to IMO instruments

# **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended Not listed.

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA

UFI: CQGE-RKJ6-5Q15-6TA2

#### **Authorisations**

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed

#### Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use, as amended - Conditions of restriction given for the associated entry number should be considered

benzyl benzoate (CAS 120-51-4)

3 3

Galaxolide (CAS 1222-05-5)

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed.

Regulation 2019/1148 on Marketing and Use of Explosive Precursors, Annex I, as amended

Regulation 2019/1148 on Marketing and Use of Explosive Precursors, Annex II, as amended

Not listed.

Other regulations The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP

Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation

(EC) No 1907/2006, as amended.

National regulations Young people under 18 years old are not allowed to work with this product according to EU

Directive 94/33/EC on the protection of young people at work, as amended Use of this product by young persons under the age of 18 is not allowed in accordance with the Management of Health and Safety at Work Regulations 1999 [SI 1999/3242], as amended. Follow national regulation for

work with chemical agents in accordance with Directive 98/24/EC, as amended.

15.2. Chemical safety

assessment

No Chemical Safety Assessment has been carried out.

#### **SECTION 16: Other information**

# List of abbreviations

ADN: European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways.

ADR: Agreement concerning the International Carriage of Dangerous Goods by Road.

CAS: Chemical Abstract Service.

CEN: European Committee for Standardization. IATA: International Air Transport Association.

IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous

Chemicals in Bulk.

IMDG: International Maritime Dangerous Goods.

MARPOL: International Convention for the Prevention of Pollution from Ships.

PBT: Persistent, bioaccumulative and toxic.

Material name: YC CLEAN COTTON CAR JAR ULTIMATE 1220878E

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.

STEL: Short term exposure limit. TWA: Time Weighted Average.

vPvB: Very persistent and very bioaccumulative.

#### References

Information on evaluation method leading to the

under sections 2 to 15

classification of mixture Full text of any statements, which are not written out in full Not available.

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation. H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

**Revision information Training information** 

Disclaimer

This document has undergone significant changes and should be reviewed in its entirety.

Follow training instructions when handling this material.

Yankee Candle s.r.o. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.

Material name: YC CLEAN COTTON CAR JAR ULTIMATE 1220878E

SDS IRELAND 1220878E Version #: 05 Revision date: 15-February-2024 Issue date: 24-June-2021