fragrance

SAFETY DATA SHEET

Version #: 01

Issue date: 06-October-2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation

YC MIDSUMMERS NIGHT CAR JAR ULTIMATE - 1220877E

of the mixture

Registration number

Synonyms None **Product code** 1220877F

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Air Care Products Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

Supplier

Company name Yankee Candle s.r.o. Address Prumyslová zóna Joseph

Havran u Mostu

435 01, Czech Republic

Division Telephone

nhfregulatory@newellco.com e-mail

Not available. **Contact person**

1.4. Emergency telephone

number

1.4. Emergency telephone number

Newell - Republic of 1800 812 073

Ireland

General in EU 112 (Available 24 hours a day. SDS/Product information may not be available for

the Emergency Service.)

National Poison Control

Centre

01 809 2166 General public, 8am - 10pm, 7 days a week

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

Health hazards

Skin corrosion/irritation H315 - Causes skin irritation. Category 2 Serious eye damage/eye irritation H319 - Causes serious eye Category 2

irritation.

Skin sensitisation Category 1A H317 - May cause an allergic skin

reaction.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Contains: 2,4-Dimethyl-3-cyclohexene carboxaldehyde, Benzoic acid, 2,4-dihydroxy-3,6-dimethyl-, methyl

ester, Benzyl salicylate, beta-Caryophyllene, Cedryl acetate, Coumarin, Hydroxycitronellal, Linalool, Linalyl acetate, Lyral, Oils, eucalyptus, Oils, lavender, Oils, lime, Oils, patchouli,

Terpenes, orange oil

Hazard pictograms



Material name: YC MIDSUMMERS NIGHT CAR JAR ULTIMATE - 1220877E

SDS IRELAND 1220877E Version #: 01 Issue date: 06-October-2023

Signal word Warning

Hazard statements

Causes skin irritation. H315

May cause an allergic skin reaction. H317 Causes serious eye irritation. H319

Precautionary statements

Prevention

Keep out of reach of children. P102

Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present P305 + P351 + P338

and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention. P337 + P313

IF ON SKIN: Wash with plenty of water. P302 + P352

If skin irritation or rash occurs: Get medical advice/attention. P333 + P313

Not applicable. Storage

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations. P501

Supplemental label information None.

2.3. Other hazards This mixture does not contain substances assessed to be vPvB / PBT according to Regulation

(EC) No 1907/2006, Annex XIII. The mixture does not contain any substances included in the list established in accordance with REACH Article 59(1) for having endocrine disrupting properties at a

concentration equal to or greater than 0.1% by weight.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

Chemical name	%	CAS-No. / EC No	. REACH Registration No	. Index No.	Notes
Benzyl salicylate	5 - 10) 118-58-1 204-262-9	01-2119969442-31	607-754-00-5	
	Classification: Eye Irrit	. 2;H319, Skin Sens. 1	B;H317, Aquatic Chronic 3;	H412	
2,6-Dimethyl-7-octen-2	2-ol 3 - 5	18479-58-8 242-362-4	-	-	
	Classification: Skin Irri	t. 2;H315, Eye Irrit. 2;H	1319		
Linalyl acetate	3 - 5	115-95-7 204-116-4	-	-	
	Classification: Skin Irri	t. 2;H315, Eye Irrit. 2;H	l319, Skin Sens. 1B;H317		
Linalool	1 - 3	78-70-6 201-134-4	01-2119474016-42	603-235-00-2	
	Classification: Skin Irri	t. 2;H315, Eye Irrit. 2;H	l319, Skin Sens. 1B;H317		
Propanoic acid, 2-met with 2,2,4-trimethyl-1,3		25265-77-4 246-771-9	-	-	
	Classification: Eye Irrit	. 2;H319			
Benzoic acid, 2,4-dihydroxy-3,6-dime ester	≤ 1 ethyl-, methyl	4707-47-5 225-193-0	-	-	
	Classification: Skin Se	ns. 1B;H317			
benzyl benzoate	≤1	120-51-4 204-402-9	01-2119976371-33	607-085-00-9	
	Classification: Acute To Chronic		mg/kg bw), Aquatic Acute 1	;H400, Aquatic	
Hydroxycitronellal	≤ 1	107-75-5 203-518-7	-	-	
	Classification: Eye Irrit	. 2;H319, Skin Sens. 1	B;H317		
Lyral	≤1	31906-04-4 250-863-4	-	605-040-00-8	
	Classification: Skin Se	ns. 1A;H317			
Oils, eucalyptus	≤1	8000-48-4 616-775-9	-	-	
	Classification: Flam. L	g. 3;H226, Skin Irrit. 2	;H315, Skin Sens. 1;H317, I	Repr. 2;H361,	

Asp. Tox. 1;H304, Aquatic Acute 1;H400, Aquatic Chronic 2;H411

Chemical name		%		REACH Registration No	o. Index No.	Notes
Oils, lavender		≤ 1	8000-28-0 616-770-1	-	-	
	Classification		2;H315, Eye Irrit. 2;H quatic Chronic 3;H41	319, Skin Sens. 1B;H317, 2	Asp. Tox.	
Oils, lime		≤ 1	8008-26-2 616-919-0	-	-	
	Classification			H315, Eye Irrit. 2;H319, Sk x. 1;H304, Aquatic Chroni		
Terpenes, orange oil		≤ 1	68647-72-3 614-678-6	01-2119493353-35	-	
	Classification		3;H226, Skin Irrit. 2; quatic Chronic 2;H4	H315, Skin Sens. 1;H317, l1	Asp. Tox.	
Acetic acid ethenyl es	ter	≤ 0.3	108-05-4 203-545-4	-	607-023-00-0	#
	Classification	Flam. Liq. STOT SE	2;H225, Acute Tox. 4 3;H335, Aquatic Chr	4;H332;(ATE: 11 mg/l), Ca onic 3;H412	rc. 2;H351,	
Cedryl acetate		≤ 0.3	77-54-3 201-036-1	-	-	
	Classification	Skin Sens Chronic 1		cute 1;H400(M=1), Aquati	С	
Coumarin		≤ 0.3	91-64-5 202-086-7	01-2119949300-45	-	
	Classification	: Acute Tox	. 3;H301;(ATE: 100 r	ng/kg bw), Skin Sens. 1B;ł	H317	
Oils, patchouli		≤ 0.3	8014-09-3 616-944-7	-	-	
	Classification	: Skin Sens	s. 1B;H317, Asp. Tox.	1;H304, Aquatic Chronic	2;H411	
Phenol, 2,6-bis(1,1-dimethylet	hyl)-4-methyl-	≤ 0.3	128-37-0 204-881-4	-	-	
	Classification	: Aquatic A	cute 1;H400(M=1), A	quatic Chronic 1;H410(M=	1)	
2,4-Dimethyl-3-cyclohocarboxaldehyde	exene	≤ 0.2	68039-49-6 268-264-1	-	-	
	Classification	Skin Irrit. 2 Chronic 2		319, Skin Sens. 1B;H317,	Aquatic	
beta-Caryophyllene		≤ 0.2	87-44-5 201-746-1	-	-	
	Classification		s. 1B;H317, Asp. Tox. hronic 1;H410(M=1)	1;H304, Aquatic Acute 1;H	H400(M=1),	

List of abbreviations and symbols that may be used above

ATE: Acute toxicity estimate.

M: M-factor

levels

vPvB: very persistent and very bioaccumulative substance.

PBT: persistent, bioaccumulative and toxic substance.

#: This substance has been assigned Union workplace exposure limit(s).

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

Composition comments The full text for all H-statements is displayed in section 16.

SECTION 4: First aid measures

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves. Wash contaminated clothing before reuse.

4.1. Description of first aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Remove contaminated clothing immediately and wash skin with soap and water. In case of

eczema or other skin disorders: Seek medical attention and take along these instructions. Wash

contaminated clothing before reuse.

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. Get medical attention if symptoms occur.

4.2. Most important symptoms and effects, both acute and delayed

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash

4.3. Indication of any immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

SECTION 5: Firefighting measures

General fire hazards

No unusual fire or explosion hazards noted.

5.1. Extinguishing media

Suitable extinguishing

media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Special protective equipment for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Special fire fighting procedures

Move containers from fire area if you can do so without risk.

Specific methodsUse standard firefighting procedures and consider the hazards of other involved materials.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Do not touch or walk through spilled material.

For emergency responders

Keep unnecessary personnel away. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. Use personal protection recommended in Section 8 of the SDS.

Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up

6.2. Environmental precautions

Large Spills: Stop the flow of material, if this is without risk. Following product recovery, flush area

with water.

Small Spills: Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use.

6.4. Reference to other sections

For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed container. Store away from incompatible materials (see Section 10 of the

SDS).

7.3. Specific end use(s)Observe industrial sector guidance on best practices.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Ireland. Occupational Exposure Limits

Components	Туре	Value	
Acetic acid ethenyl ester (CAS 108-05-4)	STEL	35.200000000000 028 mg/m3	
		10 ppm	
	TWA	17.600000000000 014 mg/m3	
		5 ppm	
Phenol, 2,6-bis(1,1-dimethylethyl)-4- methyl- (CAS 128-37-0)	TWA	2 mg/m3	

EU. Indicative Exposure Limit Values in Directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU, 2017/164/EU Value

Components Type Acetic acid ethenyl ester **STEL** 35.20000000000000 (CAS 108-05-4) 028 mg/m3 10 ppm TWA 17.60000000000000 014 mg/m3 5 ppm

Biological limit values No biological exposure limits noted for the ingredient(s).

Recommended monitoring

procedures

Follow standard monitoring procedures.

Derived no effect levels

(DNELs)

Not available

Predicted no effect concentrations (PNECs) Not available.

8.2. Exposure controls

Appropriate engineering controls

Good general ventilation should be used. Ventilation rates should be matched to conditions, If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide evewash station and safety shower.

Individual protection measures, such as personal protective equipment

General information Use personal protective equipment as required. Personal protection equipment should be chosen

according to the CEN standards and in discussion with the supplier of the personal protective

equipment.

Wear safety glasses with side shields (or goggles). Face shield is recommended. Eye/face protection

Skin protection

- Hand protection Wear appropriate chemical resistant gloves.

- Other Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

In case of insufficient ventilation, wear suitable respiratory equipment. Respiratory protection

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

Hygiene measures Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants. Contaminated work clothing should not be allowed out of the

workplace.

Environmental exposure

controls

Emissions from ventilation or work process equipment should be checked to ensure they comply

with the requirements of environmental protection legislation. Fume scrubbers, filters or

engineering modifications to the process equipment may be necessary to reduce emissions to

acceptable levels.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Solid. Physical state Solid **Form** Colour **Black**

Odour Not available. Not available. Melting point/freezing point Boiling point or initial boiling Not available.

point and boiling range

Not available.

Flash point 72 °C (161.6 °F) estimated

Auto-ignition temperature Not available. **Decomposition temperature** Not available. Not available. Kinematic viscosity Not available.

Solubility

Flammability

Solubility (water) Not available. Partition coefficient Not available.

(n-octanol/water) (log value)

Vapour pressure 0.413299 hPa estimated

Density and/or relative density

Density 0.921 g/cm3 estimated

Vapour density Not available.

Particle characteristics Not available.

9.2. Other information

9.2.1. Information with regard No relevant additional information available.

to physical hazard classes

9.2.2. Other safety characteristics

Specific gravity 0.92062 estimated

SECTION 10: Stability and reactivity

10.1. ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability Material is stable under normal conditions.

10.3. Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Avoid temperatures exceeding the flash point. Contact with incompatible materials.

10.5. Incompatible materials Strong oxidising agents.

10.5. Incompatible materials Strong oxidising agents.

10.6. Hazardous decomposition products

10.4. Conditions to avoid

No hazardous decomposition products are known.

SECTION 11: Toxicological information

General information Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful.

Skin contact Causes skin irritation. May cause an allergic skin reaction.

Eye contact Causes serious eye irritation.

Ingestion May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of

occupational exposure.

Symptoms Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

vision. Skin irritation. May cause redness and pain. May cause an allergic skin reaction.

Dermatitis, Rash.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Components Species Test Results

Acetic acid ethenyl ester (CAS 108-05-4)

Acute Dermal

LD50 Rabbit 2335 mg/kg

Oral

LD50 Rat 2920 mg/kg

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/eye

irritation

Causes serious eye irritation.

Respiratory sensitisationDue to partial or complete lack of data the classification is not possible.

Skin sensitisation May cause an allergic skin reaction.

Germ cell mutagenicityDue to partial or complete lack of data the classification is not possible.

Carcinogenicity Risk of cancer cannot be excluded with prolonged exposure.

IARC Monographs. Overall Evaluation of Carcinogenicity

Acetic acid ethenyl ester (CAS 108-05-4) 2B Possibly carcinogenic to humans.

Coumarin (CAS 91-64-5)

3 Not classifiable as to carcinogenicity to humans.

Phenol, 2,6-bis(1,1-dimethylethyl)-4-methyl
3 Not classifiable as to carcinogenicity to humans.

(CAS 128-37-0)

Reproductive toxicity Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity - Based on available da

single exposure

Based on available data, the classification criteria are not met.

Specific target organ toxicity - Based on available data, the classification criteria are not met.

repeated exposure

Due to partial or complete lack of data the classification is not possible. **Aspiration hazard**

Mixture versus substance

information

No information available.

11.2. Information on other hazards

Endocrine disrupting properties

This mixture does not contain any substances having endocrine disrupting properties with respect to human health as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or greater than

0.1% by weight.

Other information Not available.

SECTION 12: Ecological information

Based on available data, the classification criteria are not met for hazardous to the aquatic 12.1. Toxicity

environment.

Test Results Components Species

Acetic acid ethenyl ester (CAS 108-05-4)

Aquatic

Acute

LC50 Fish Fathead minnow (Pimephales promelas) 15 mg/l, 96 hours

Coumarin (CAS 91-64-5)

Aquatic

Acute

Fish LC50 Guppy (Poecilia reticulata) 32 - 100 mg/l, 96 hours

Phenol, 2,6-bis(1,1-dimethylethyl)-4-methyl- (CAS 128-37-0)

Aquatic

Acute

Crustacea EC50 Water flea (Daphnia pulex) 1.44 mg/l, 48 hours

12.2. Persistence and

degradability

No data is available on the degradability of any ingredients in the mixture.

12.3. Bioaccumulative potential

Partition coefficient

n-octanol/water (log Kow)

2,6-Dimethyl-7-octen-2-ol	3.25
Acetic acid ethenyl ester	0.73
Benzoic acid, 2,4-dihydroxy-3,6-dimethyl-, methyl ester	2.6
benzyl benzoate	3.97
Benzyl salicylate	4
beta-Caryophyllene	6.23
Cedryl acetate	6
Coumarin	1.39
Hydroxycitronellal	1.68
Linalool	2.97
Linalyl acetate	3.9
	3.93
Oils, eucalyptus	2.84
Phenol, 2,6-bis(1,1-dimethylethyl)-4-methyl-	5.1
	5.2

Bioconcentration factor (BCF) Not available.

No data available. 12.4. Mobility in soil

12.5. Results of PBT and vPvB

assessment

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation

(EC) No 1907/2006, Annex XIII.

12.6. Endocrine disrupting

properties

This mixture does not contain any substances having endocrine disrupting properties with respect to the environment as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or greater than

0.1% by weight.

12.7. Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

Material name: YC MIDSUMMERS NIGHT CAR JAR ULTIMATE - 1220877E

1220877E Version #: 01 Issue date: 06-October-2023

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

The Waste code should be assigned in discussion between the user, the producer and the waste **EU** waste code

disposal company.

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of Disposal methods/information

contents/container in accordance with local/regional/national/international regulations.

Dispose in accordance with all applicable regulations. Special precautions

SECTION 14: Transport information

ADR

14.1. UN number Not regulated as dangerous goods.

14.2. UN proper shipping

Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary risk

Hazard No. (ADR) Not assigned. **Tunnel restriction code** Not assigned. 14.4. Packing group Not assigned.

14.5. Environmental hazards No.

14.6. Special precautions Not assigned.

for user

RID

14.1. UN number Not regulated as dangerous goods. 14.2. UN proper shipping

Not regulated as dangerous goods.

14.3. Transport hazard class(es)

Not assigned. **Class**

Subsidiary risk

14.4. Packing group Not assigned.

14.5. Environmental hazards No.

Not assigned. 14.6. Special precautions

for user

ADN

14.1. UN number Not regulated as dangerous goods. Not regulated as dangerous goods. 14.2. UN proper shipping

name

14.3. Transport hazard class(es)

Not assigned. Class

Subsidiary risk

14.4. Packing group Not assigned.

14.5. Environmental hazards No.

14.6. Special precautions Not assigned.

for user

IATA

14.1. UN number Not regulated as dangerous goods. 14.2. UN proper shipping Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Not assigned. Class

Subsidiary risk

Not assigned. 14.4. Packing group

14.5. Environmental hazards No.

Not assigned. 14.6. Special precautions

for user

IMDG

14.1. UN number Not regulated as dangerous goods. 14.2. UN proper shipping Not regulated as dangerous goods.

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary risk

Not assigned. 14.4. Packing group

14.5. Environmental hazards Marine pollutant No. EmS Not assigned.

14.6. Special precautions Not assigned.

for user

14.7. Maritime transport in bulk

Not applicable.

according to IMO instruments

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Not listed.

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended Linalool (CAS 78-70-6)

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Acetic acid ethenyl ester (CAS 108-05-4) benzyl benzoate (CAS 120-51-4)

Other regulations

The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006, as amended.

National regulations

Young people under 18 years old are not allowed to work with this product according to EU Directive 94/33/EC on the protection of young people at work, as amended Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as amended.

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

List of abbreviations

ADN: European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways.

ADR: Agreement concerning the International Carriage of Dangerous Goods by Road.

CAS: Chemical Abstract Service.

CEN: European Committee for Standardization. IATA: International Air Transport Association.

IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk.

IMDG: International Maritime Dangerous Goods.

MARPOL: International Convention for the Prevention of Pollution from Ships.

PBT: Persistent. bioaccumulative and toxic.

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.

STEL: Short term exposure limit. TWA: Time Weighted Average.

Material name: YC MIDSUMMERS NIGHT CAR JAR ULTIMATE - 1220877E

1220877E Version #: 01 Issue date: 06-October-2023

vPvB: Very persistent and very bioaccumulative.

References

Not available.

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available,

Full text of any statements, which are not written out in full under sections 2 to 15

H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour.

H301 Toxic if swallowed. H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H335 May cause respiratory irritation. H351 Suspected of causing cancer.

H361 Suspected of damaging fertility or the unborn child.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

Revision information Training information

Disclaimer

Follow training instructions when handling this material.

Yankee Candle s.r.o. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product. and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.

Material name: YC MIDSUMMERS NIGHT CAR JAR ULTIMATE - 1220877E