# SAFETY DATA SHEET



Version #: 01

Issue date: 06-September-2022

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation

HI COSY UP WAX MELT 1628765E

of the mixture

Registration number

**Synonyms** None. 1628765E **Product code** 

1.2. Relevant identified uses of the substance or mixture and uses advised against

General Public **Identified uses** None known. Uses advised against 1.3. Details of the supplier of the safety data sheet

Supplier

Company name Yankee Candle s.r.o. **Address** Prumyslová zóna Joseph

Havran u Mostu

435 01, Czech Republic

Division

**Telephone** 

e-mail nhfregulatory@newellco.com

**Contact person** Not available.

1.4. Emergency telephone

number

1.4. Emergency telephone number

General in EU 112 (Available 24 hours a day. SDS/Product information may not be available for

the Emergency Service.)

**National Poison Control** 

Centre

01 809 2166 General public, 8am - 10pm, 7 days a week

# **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

## Classification according to Regulation (EC) No 1272/2008 as amended

**Health hazards** 

Skin sensitisation Category 1B H317 - May cause an allergic skin

reaction.

#### 2.2. Label elements

## Label according to Regulation (EC) No. 1272/2008 as amended

Contains: Acetylcedrene, Benzoic acid, 2-hydroxy-, hexyl ester, Butyl cyclohexyl acetate, d-Limonene, Hexyl

Cinnamal, Linalool, Linalyl acetate, Oils, orange, sweet

Hazard pictograms

Signal word Warning

**Hazard statements** 

May cause an allergic skin reaction. H317

**Precautionary statements** 

Prevention Not applicable. Not applicable. Response

Material name: HI COSY UP WAX MELT 1628765E SDS IRELAND 1628765E Version #: 01 Issue date: 06-September-2022 1/9 Storage Not applicable.

Disposal Not applicable.

Supplemental label information

None.

2.3. Other hazards

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII. The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or

Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

# **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

Conoral	information	
General	miormation	ı

Chemical name		%	CAS-No.	/ EC No.	REACH Registration No.	Index No.	Notes
Benzyl benzoate		1 - 3		51-4 102-9	-	607-085-00-9	
	Classification:	Acute Tox. Chronic 2;		TE: 500 m	ng/kg), Aquatic Acute 1;H40	00, Aquatic	
Hexyl Cinnamal		1 - 3		86-0 983-3	-	-	
	Classification:	Skin Sens	. 1B;H317,	Aquatic A	cute 1;H400, Aquatic Chroi	nic 2;H411	
Acetylcedrene		≤ 1		3-55-9 )20-3	-	-	
	Classification:	Skin Sens	. 1B;H317,	Aquatic A	cute 1;H400, Aquatic Chror	nic 1;H410	
Butyl cyclohexyl aceta	te	≤ 1	-	)-23-4 954-9	-	-	
	Classification:	Skin Sens	. 1B;H317				
Galaxolide		≤ 1		-05-5 946-9	-	603-212-00-7	
	Classification:	Aquatic Ac	cute 1;H400	), Aquatic	Chronic 1;H410		
Linalool		≤ 1	_	70-6 134-4	-	603-235-00-2	
	Classification:	Skin Irrit. 2	2;H315, Eye	e Irrit. 2;H3	319, Skin Sens. 1B;H317		
Linalyl acetate		≤ 0.3	_	95-7 116-4	-	-	
	Classification:	Skin Irrit. 2	2;H315, Eye	e Irrit. 2;H3	319, Skin Sens. 1B;H317		
Benzoic acid, 2-hydrox	ку-, hexyl ester	≤ 0.2	6259 228-4	-76-3 108-6	-	-	
	Classification:	Skin Sens	. 1B;H317,	Aquatic A	cute 1;H400, Aquatic Chror	nic 1;H410	
d-Limonene		≤ 0.2	5989 227-8	-27-5 313-5	-	601-029-00-7	
	Classification:				H315, Skin Sens. 1;H317, <i>F</i> Aquatic Chronic 1;H410	Asp. Tox.	С
Oils, orange, sweet		≤ 0.2	8008 616-9	-57-9 926-9	-	-	
	Classification:				1315, Eye Irrit. 2;H319, Ski atic Chronic 2;H411	n Sens.	
delta-Damascone		≤ 0.1		3-68-4 709-8	-	-	
	Classification:				g/kg), Skin Irrit. 2;H315, Sl , Aquatic Chronic 1;H410	kin Sens.	
Other components bel	ow reportable	93.53					

### List of abbreviations and symbols that may be used above

ATE: Acute toxicity estimate.

M: M-factor

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume. #: This substance has been assigned Union workplace exposure limit(s).

**Composition comments** The full text for all H-statements is displayed in section 16.

# **SECTION 4: First aid measures**

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves. Wash contaminated clothing before reuse.

1628765E Version #: 01 Issue date: 06-September-2022

Material name: HI COSY UP WAX MELT 1628765E

### 4.1. Description of first aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Remove contaminated clothing immediately and wash skin with soap and water. In case of Skin contact

eczema or other skin disorders: Seek medical attention and take along these instructions.

Rinse with water. Get medical attention if irritation develops and persists. **Eve contact** 

Rinse mouth. Get medical attention if symptoms occur. Ingestion 4.2. Most important symptoms and effects, both acute and

delaved

4.3. Indication of any immediate medical attention

and special treatment needed

May cause an allergic skin reaction. Dermatitis. Rash.

Provide general supportive measures and treat symptomatically. Keep victim under observation.

Symptoms may be delayed.

# **SECTION 5: Firefighting measures**

General fire hazards No unusual fire or explosion hazards noted.

5.1. Extinguishing media

Suitable extinguishing

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

media

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Special protective equipment for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Special fire fighting

procedures

Move containers from fire area if you can do so without risk.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

### **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency

personnel

Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged

containers or spilled material unless wearing appropriate protective clothing.

For emergency responders

Keep unnecessary personnel away. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the

SDS.

6.2. Environmental precautions

6.3. Methods and material for containment and cleaning up Avoid discharge into drains, water courses or onto the ground. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery,

6.4. Reference to other

flush area with water.

sections

For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

## **SECTION 7: Handling and storage**

7.1. Precautions for safe

handling

Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities

7.3. Specific end use(s)

Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

Not available.

## **SECTION 8: Exposure controls/personal protection**

# 8.1. Control parameters

## Occupational exposure limits

Ireland. Occupational E Components	Туре	Value	Form			
Oils, soybean (CAS 8001-22-7)	TWA	4 mg/m3	Respirable dust.			
,		10 mg/m3	Total inhalable dust.			
ological limit values	No biological exposure limits noted for the ingredient(c)					

**Biological limit values** No biological exposure limits noted for the ingredient(s).

Recommended monitoring

procedures

Follow standard monitoring procedures.

Derived no effect levels

(DNELs)

Not available.

Material name: HI COSY UP WAX MELT 1628765E 1628765E Version #: 01 Issue date: 06-September-2022

SDS IRELAND

Predicted no effect

concentrations (PNECs)

8.2. Exposure controls

Appropriate engineering

controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to

maintain airborne levels below recommended exposure limits. If exposure limits have not been

established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

General information Personal protection equipment should be chosen according to the CEN standards and in

discussion with the supplier of the personal protective equipment.

Eye/face protection Wear safety glasses with side shields (or goggles). Face shield is recommended.

Skin protection

- Hand protection Wear appropriate chemical resistant gloves.

Not available.

- Other Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

**Respiratory protection** In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

Hygiene measures Always observe good personal hygiene measures, such as washing after handling the material

and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the

workplace.

**Environmental exposure** 

controls

Emissions from ventilation or work process equipment should be checked to ensure they comply

with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to

acceptable levels.

# **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties

Physical state Solid.
Form Solid.

ColourNot available.OdourNot available.

Melting point/freezing point 46 - 95 °C (114.8 - 203 °F) Boiling point or initial boiling 350 - 430 °C (662 - 806 °F)

point and boiling range

Flammability (solid, gas)

Not available.

Flash point 204 - 271 °C (399.2 - 519.8 °F) Open cup

Auto-ignition temperature 445 °C (833 °F) estimated

Decomposition temperature Not available.

pH Not available.

Kinematic viscosity 2.5 - 4.5 mm<sup>2</sup>/s (cSt) (100°C)

Solubility(ies)

Solubility (water) Not available.

Partition coefficient Not available.

(n-octanol/water)

Vapour pressure 0.133324 hPa estimated

Vapour density

Relative density

Not available.

Particle characteristics

Not available.

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No relevant additional information available.

9.2.2. Other safety characteristics

Density800 - 900 kg/m3Explosive propertiesNot explosive.Oxidising propertiesNot oxidising.Specific gravity0.8 - 0.9

## **SECTION 10: Stability and reactivity**

**10.1. Reactivity**The product is stable and non-reactive under normal conditions of use, storage and transport.

**10.2. Chemical stability** Material is stable under normal conditions.

Material name: HI COSY UP WAX MELT 1628765E 1628765E Version #: 01 Issue date: 06-September-2022 10.3. Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Contact with incompatible materials. 10.4. Conditions to avoid

10.5. Incompatible materials

Strong oxidising agents.

10.6. Hazardous

No hazardous decomposition products are known.

decomposition products

# **SECTION 11: Toxicological information**

Occupational exposure to the substance or mixture may cause adverse effects. General information

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful. Skin contact May cause an allergic skin reaction.

**Eve contact** Direct contact with eyes may cause temporary irritation.

May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of Ingestion

occupational exposure.

May cause an allergic skin reaction. Dermatitis. Rash. **Symptoms** 

## 11.1. Information on toxicological effects

Acute toxicity Not known.

Skin corrosion/irritation Due to partial or complete lack of data the classification is not possible. Due to partial or complete lack of data the classification is not possible. Serious eye damage/eye irritation

Respiratory sensitisation

Due to partial or complete lack of data the classification is not possible.

May cause an allergic skin reaction. Skin sensitisation

Due to partial or complete lack of data the classification is not possible. Germ cell mutagenicity Due to partial or complete lack of data the classification is not possible. Carcinogenicity

### IARC Monographs. Overall Evaluation of Carcinogenicity

d-Limonene (CAS 5989-27-5) 3 Not classifiable as to carcinogenicity to humans.

Due to partial or complete lack of data the classification is not possible. Reproductive toxicity Specific target organ toxicity -Due to partial or complete lack of data the classification is not possible.

single exposure

Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity repeated exposure

Aspiration hazard

Due to partial or complete lack of data the classification is not possible.

Mixture versus substance

information

No information available.

#### 11.2. Information on other hazards

**Endocrine disrupting** 

properties

The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU)

2018/605 at levels of 0.1% or higher.

Other information Not available.

### **SECTION 12: Ecological information**

12.1. Toxicity Based on available data, the classification criteria are not met for hazardous to the aquatic

environment.

**Test Results** Components **Species** 

d-Limonene (CAS 5989-27-5)

Aquatic Acute

EC50 Crustacea Water flea (Daphnia pulex) 69.6 mg/l, 48 hours

LC50 Fish Fathead minnow (Pimephales promelas) >= 0.619 - <= 0.796 mg/l, 96 hours

12.2. Persistence and

degradability

No data is available on the degradability of any ingredients in the mixture.

# 12.3. Bioaccumulative potential

Partition coefficient n-octanol/water (log Kow)

Acetylcedrene 5.9 Benzoic acid, 2-hydroxy-, hexyl ester 5.5 Benzyl benzoate 3.97 Butyl cyclohexyl acetate 4.8

Material name: HI COSY UP WAX MELT 1628765E

delta-Damascone 3.4 4.2 d-Limonene 4 57 Galaxolide 5.3 Hexyl Cinnamal 4.686 Linalool 2.97 Linalyl acetate 3.9 3.93

Not available. **Bioconcentration factor (BCF)** 12.4. Mobility in soil No data available.

12.5. Results of PBT and vPvB

accacement

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation

(EC) No 1907/2006, Annex XIII.

12.6. Endocrine disrupting

properties

The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU)

2018/605 at levels of 0.1% or higher.

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation 12.7. Other adverse effects

potential, endocrine disruption, global warming potential) are expected from this component.

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Residual waste Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

The Waste code should be assigned in discussion between the user, the producer and the waste EU waste code

disposal company.

Disposal methods/information Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

Dispose in accordance with all applicable regulations. Special precautions

## **SECTION 14: Transport information**

#### **ADR**

name

UN3082 14.1. UN number

14.2. UN proper shipping

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl benzoate)

14.3. Transport hazard class(es)

Class 9 Subsidiary risk Label(s) 9 Hazard No. (ADR) 90 Ε Tunnel restriction code 14.4. Packing group Ш 14.5. Environmental hazards Yes

14.6. Special precautions

for user

Read safety instructions. SDS and emergency procedures before handling.

RID

14.1. UN number UN3077

14.2. UN proper shipping ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Benzyl benzoate)

name

14.3. Transport hazard class(es)

9 Class Subsidiary risk 9 Label(s) Ш 14.4. Packing group 14.5. Environmental hazards Yes

14.6. Special precautions

Read safety instructions, SDS and emergency procedures before handling.

for user

ADN

LINI3082 14.1. UN number

14.2. UN proper shipping ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl benzoate)

name

14.3. Transport hazard class(es)

Class 9 Subsidiary risk 9 Label(s)

Material name: HI COSY UP WAX MELT 1628765E

14.4. Packing group III
14.5. Environmental hazards Yes

**14.6. Special precautions** Read safety instructions, SDS and emergency procedures before handling.

for user

IATA

**14.1. UN number** UN3082

**14.2. UN proper shipping** Environmentally hazardous substance, liquid, n.o.s. (Benzyl benzoate)

name

14.3. Transport hazard class(es)

Class 9
Subsidiary risk 
14.4. Packing group III

14.5. Environmental hazards Yes
ERG Code 9L

**14.6. Special precautions** Read safety instructions, SDS and emergency procedures before handling.

for user

Other information

Passenger and cargo Allowed with restrictions.

aircraft

Cargo aircraft only Allowed with restrictions.

**IMDG** 

**14.1. UN number** UN3082

14.2. UN proper shipping ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl benzoate), MARINE

name POLLUTANT

14.3. Transport hazard class(es)


Class 9
Subsidiary risk 14.4. Packing group III
14.5. Environmental hazards
Marine pollutant Ye

**14.6. Special precautions** Read safety instructions, SDS and emergency procedures before handling.


**for user** d-Limonene Oils, pine

14.7. Maritime transport in bulk Not applicable.

according to IMO instruments



# Marine pollutant



General information IMDG Regulated Marine Pollutant.

## **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**EU** regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Not listed.

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Not listed

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA

Not listed

#### **Authorisations**

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

#### Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended Linalool (CAS 78-70-6)

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed.

### Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Benzyl benzoate (CAS 120-51-4) d-Limonene (CAS 5989-27-5) Galaxolide (CAS 1222-05-5)

Other regulations The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP

Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation

(EC) No 1907/2006, as amended.

National regulations Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as

amended.

15.2. Chemical safety

assessment

No Chemical Safety Assessment has been carried out.

### **SECTION 16: Other information**

### List of abbreviations

ADN: European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways.

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

CAS: Chemical Abstract Service.

CEN: European Committee for Standardization. IATA: International Air Transport Association.

IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous

Chemicals in Bulk.

Not available.

IMDG: International Maritime Dangerous Goods.

MARPOL: International Convention for the Prevention of Pollution from Ships.

PBT: Persistent, bioaccumulative and toxic.

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.

STEL: Short term exposure limit. TWA: Time Weighted Average.

vPvB: Very persistent and very bioaccumulative.

## References

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

Full text of any H-statements not written out in full under Sections 2 to 15

H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

Material name: HI COSY UP WAX MELT 1628765E

1628765E Version #: 01 Issue date: 06-September-2022

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects.

Revision information Training information

Disclaimer

None.

Follow training instructions when handling this material.

Yankee Candle s.r.o. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.

Material name: HI COSY UP WAX MELT 1628765E 1628765E Version #: 01 Issue date: 06-September-2022