

深圳市璐琥实业发展有限公司

Lulus Import and Export Co,Ltd
SAFETY DATA SHEET
FLAVORS & FRAGRANCES

Product LH208806

Print Date 2024/09/02

Page 1 (6)

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product name : LH208806
KD Code : LH208806
SDS Number : 2024090201

Use of the Substance/Mixture : Fragrance for consumer product

Company : NO.221 FUMIN ROAD, LONGXI COMMUNITY, LONGCHENG DISTRICT, LONGGANG, SHENZHEN, CHINA 518172
LULUS IMPORT AND EXPORT CO.,LTD

Telephone : + 86-755-83720787

Emergency telephone number : Emergency medical information: (seven days) contact National Poisons Information Centre, Beaumont Hospital, Dublin 9 DOV2NO, Ireland.
Members of the public Number (8 am-10 pm): "+353 (0)1 809 2166".
Healthcare professional telephone Number (24hrs): "+353 (0)1 809 2566"

2. HAZARDS IDENTIFICATION

GHS-Classification

Flammable liquids, Category 4
Skin corrosion/irritation, Category 2
Serious eye damage/eye irritation, Category 2A
Skin sensitisation, Category 1
Acute aquatic toxicity, Category 2
Chronic aquatic toxicity, Category 2

GHS-Labelling

Symbol(s) : 

Signal word : Warning

Hazard statements : H227: Combustible liquid.
H315: Causes skin irritation.
H317: May cause an allergic skin reaction.
H319: Causes serious eye irritation.
H411: Toxic to aquatic life with long lasting effects.

Precautionary statements : P210: Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P261: Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
P264: Wash skin thoroughly after handling.
P272: Contaminated work clothing should not be allowed out of the workplace.
P273: Avoid release to the environment.

Version : 1
Revision Date : 2024.09.02

深圳市璐琥实业发展有限公司

Lulus Import and Export Co,Ltd

SAFETY DATA SHEET
FLAVORS & FRAGRANCES

Product LH208806

Print Date 2024/09/02

Page 2 (6)

P280: Wear protective gloves/ eye protection/ face protection.
P302 + P352: IF ON SKIN: Wash with plenty of water.
P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P333 + P313: If skin irritation or rash occurs: Get medical advice/ attention.
P337 + P313: If eye irritation persists: Get medical advice/ attention.
P362 + P364: Take off contaminated clothing and wash it before reuse.
P370 + P378: In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.
P391: Collect spillage.
P403 + P235: Store in a well-ventilated place. Keep cool.
P501: Dispose of contents/ container to an approved waste disposal plant.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture : Mixture

Chemical nature : Fragrance for consumer product

Components

Chemical name	CAS-No.	Concentration
ALPHA-DAMASCONE;	43052-87-5	< 1.0 %
CIS-ROSE KETONE 1,	23726-94-5	< 1.0 %
TRANS-ROSEKETONE 1,	24720-09-0	< 1.0 %
ROSE KETONE 4,	23696-85-7	< 1.0 %
ROSE KETONE 3,	57378-68-4	< 1.0 %
TRANS-ROSEKETONE 3,	71048-82-3	< 1.0 %
CIS-ROSE KETONE 2(CIS-BETA-DAMASCONE),	23726-92-3	< 1.0 %
TRANS-ROSE KETONE 2(TRANS-BETA-DAMASCONE),	23726-91-2	< 1.0 %
BENZYL SALICYLATE	118-58-1	< 1.0 %
CANANGA ODORATA FLOWER EXTRACT:	83863-30-3	< 1.0 %
CANANGA ODORATA FLOWER OIL	8006-81-3	< 1.0 %
	68606-83-7	
	93686-30-7	
CITRAL	5392-40-5	< 1.0 %
GERANIAL	141-27-5	< 1.0 %
NERAL	106-26-3	< 1.0 %
CITRONELLOL	106-229	< 1.0 %
CITRUS AURANTIUM AMARA FLOWER OIL	72968-50-4	< 1.0 %
CITRUS AURANTIUM DULCIS FLOWER OIL	8028-48-6	< 1.0 %
	8016-38-4	
	8007-75-8	< 1.0 %
CITRUS AURANTIUM BERGAMIA PEEL OIL	89957-91-5	< 1.0 %
	68648-33-9	
GERANIOL	106-24-1	< 1.0 %
GERANYL ACETATE	105-87-3	< 1.0 %

HEXYL CINNAMAL	101-86-0	< 1.0 %
ISOEUGENOL	97-54-1	< 1.0 %
JUNIPERUS VIRGINIANA OIL; JUNIPERUS VIRGINIANA WOOD OIL,	8000-27-9 85085-41-2	< 1.0 % < 1.0 %
LINALOOL,	78-70-6	< 1.0 %
LINALYL ACETATE,	115-95-7	< 1.0 %
TETRAMETHYL ACETYLOCTAHYDRO- NAPHTHALENES,	54464-57-2 54464-59-4	< 1.0 %
VANILLIN	121-33-5	< 1.0 %
YLANG YLANG OIL	8006-81-3	10-15%
TRIETHYLCITRATE	77-93-0	10-25%
GLYCOL ETHER DPM	34590-94-8	25-50%

Version : 1
Revision Date : 2024.09.02

深圳市璐琥实业发展有限公司

Lulus Import and Export Co,Ltd

SAFETY DATA SHEET
FLAVORS & FRAGRANCES

Product LH208806

Print Date 2024/09/02

Page 3 (6)

4. FIRST AID MEASURES

- | | |
|--------------|---|
| Inhalation | : Remove from exposure site to fresh air and keep at rest. If victim is unconscious, remove foreign bodies from the mouth. If victim has stopped breathing, give artificial respiration. Obtain medical advice. |
| Skin contact | : Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist. |
| Eye contact | : Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist. |
| Ingestion | : Rinse mouth with water and obtain medical advice. |

5. FIREFIGHTING MEASURES

- | | |
|------------------------------|--------------------------------------|
| Suitable extinguishing media | : Carbondioxide, dry chemical, foam. |
|------------------------------|--------------------------------------|

6. ACCIDENTAL RELEASE MEASURES

- | | |
|---------------------------|--|
| Personal precautions | : Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill. |
| Environmental precautions | : Keep away from drains, surface- and groundwater and soil. |
| Methods for cleaning up | : Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations. |

7. HANDLING AND STORAGE

Handling

- | | |
|-------------------------|---|
| Advice on safe handling | : Avoid excessive inhalation of concentrated vapors. Follow good manufacturing practices for housekeeping and personal hygiene. Wash any exposed skin immediately after any chemical contact, before breaks and meals, and at the end of each work period.
Contaminated clothing and shoes should be thoroughly cleaned before re-use.

If appropriate, procedures used during the handling of this material should also be used when cleaning equipment or removing residual chemicals from tanks or other containers, especially when steam or hot water is used, as this may increase vapor concentrations in the workplace air. Where chemicals are openly handled, access should be restricted to properly trained employees.
Keep all heated processes at the lowest necessary temperature in order to minimize emissions of volatile chemicals into the air. |
|-------------------------|---|

- | | |
|---------------------------------------|--|
| Advice on protection against fire and | : Keep away from ignition sources and naked flame. |
|---------------------------------------|--|

Version	: 1
Revision Date	: 2024.09.02

深圳市璐琥实业发展有限公司

Lulus Import and Export Co,Ltd

SAFETY DATA SHEET
FLAVORS & FRAGRANCES

Product LH208806

Print Date 2024/09/02

Page 4 (6)

explosion

Storage

Requirements for storage areas and containers : Store in a cool, dry, ventilated area away from heat sources.
Keep containers upright and tightly closed when not in use.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Verify if the substances declared in section 3 have relevant national exposure limits.

Personal protective equipment

Respiratory protection : Use local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or reduce possible worker exposures.
No respiratory protection is required during normal operations in a workplace where engineering controls such as adequate ventilation, etc. are sufficient.

If engineering controls and safe work practices are not sufficient, an approved, properly fitted respirator with organic vapor cartridges or canisters and particulate filters should be used:

- a)while engineering controls and appropriate safe work practices and/or procedures are being implemented; or
- b)during short term maintenance procedures when engineering controls are not in normal operation or are not sufficient; or
- c)if normal operational workplace vapor concentration in the air is increased due to heat ;
- d)during emergencies; or
- e)if engineering controls and operational practices are not sufficient to reduce airborne concentrations below an established occupational exposure limit.

Hygiene measures : To the extent deemed appropriate, implement pre-placement and regularly scheduled ascertainment of symptoms and spirometry testing of lung function for workers who are regularly exposed to this material.
To the extent deemed appropriate, use an experienced air sampling expert to identify and measure volatile chemicals that could be present in the workplace air to determine potential exposures and to ensure the continuing effectiveness of engineering controls and operational practices to minimize exposure.

Protective measures : In December 2003, the National Institute for Occupational Safety and Health ("NIOSH") published an Alert on preventing lung disease in workers who use or make flavorings [NIOSH Publication

Version : 1
Revision Date : 2024.09.02

深圳市璐琥实业发展有限公司

Lulus Import and Export Co,Ltd

SAFETY DATA SHEET
FLAVORS & FRAGRANCES

Product LH208806

Print Date 2024/09/02

Page 5 (6)

Number 2004-110].

In August 2004, the United States Flavor and Extract Manufacturers Association (FEMA) issued a report entitled "Respiratory Safety in the Flavor Manufacturing Workplace".

Both of these reports provide recommendations for reducing employee exposure and for medical surveillance in the workplace. The recommendations in these reports are generally applicable to the use of any chemical in the workplace and you are strongly urged to review both of these reports.

The report published by FEMA also contains a list of "high priority" chemicals. If any of these chemicals are present in this product at a concentration $\geq 1.0\%$ due to an intentional addition by K.D, the chemical(s) will be identified in this safety data sheet.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Physical state : liquid
Colour : Pale yellow

Odour : conforms to standard

Safety data

Flash point : $\geq 85^{\circ}\text{C}$

Vapour pressure : 0.13 hPa
Note: Calculated

10. STABILITY AND REACTIVITY

Conditions to avoid : Remarks: Direct sources of heat.

Hazardous decomposition products : Note: Carbon monoxide and unidentified organic compounds may be formed during combustion.

Hazardous reactions : Presents no significant reactivity hazard, by itself or in contact with water. Avoid contact with strong acids, alkali or oxidizing agents.

11. TOXICOLOGICAL INFORMATION

There is no data available for this product. The health hazards are assessed based on the ingredients in this preparation and their concentrations.

12. ECOLOGICAL INFORMATION

Avoid contamination of soil, ground and surface water.

13. DISPOSAL CONSIDERATIONS

Product : Disposal together with normal waste is not allowed. Special disposal

Version : 1
Revision Date : 2024.09.02

深圳市璐琥实业发展有限公司

Lulus Import and Export Co,Ltd

SAFETY DATA SHEET
FLAVORS & FRAGRANCES

Product LH208806

Print Date 2024/09/02

Page 6 (6)

required according to local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. TRANSPORT INFORMATION

IATA

UN number : 3082
Description of the goods : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
N.O.S.
(DIPENTENE)
Labels : 9
Packing group : III

IMDG

UN number : 3082
Description of the goods : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
N.O.S.
(DIPENTENE)
Labels : 9
Packing group : III
Marine pollutant : yes (DIPENTENE)

15. REGULATORY INFORMATION

HMIS Classification : Health hazard: 2
Chronic Health Hazard: /
Flammability: 2
Physical and chemical hazards: 0

16. OTHER INFORMATION

Further information

The information in this safety data sheet is based on the properties of the material known to KD at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances under which it is packaged, stored or applied in the workplace. For such a safety assessment K.D Flavors & Fragrances holds no responsibility. This document is not intended for quality assurance purposes.

Version : 1
Revision Date : 2024.09.02