# SAFETY DATA SHEET



Version #: 02

Issue date: 23-February-2023 Revision date: 14-March-2023 Supersedes date: 23-February-2023

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation

YC BAYSIDE CEDAR PAPER CAR JAR 1633296E

of the mixture

Registration number

**Synonyms** None. 1633296E **Product code** 

1.2. Relevant identified uses of the substance or mixture and uses advised against

General Public Use **Identified uses** None known. Uses advised against 1.3. Details of the supplier of the safety data sheet

Supplier

Company name Yankee Candle s.r.o. **Address** Prumyslová zóna Joseph

Havran u Mostu

435 01, Czech Republic

Division

**Telephone** 

e-mail nhfregulatory@newellco.com

Not available. **Contact person** 

1.4. Emergency telephone

number

1.4. Emergency telephone number

General in EU 112 (Available 24 hours a day. SDS/Product information may not be available for

the Emergency Service.)

**National Poison Control** 

Centre

01 809 2166 General public, 8am - 10pm, 7 days a week

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

#### Classification according to Regulation (EC) No 1272/2008 as amended

**Health hazards** 

Skin sensitisation Category 1B H317 - May cause an allergic skin

reaction.

**Environmental hazards** 

Hazardous to the aquatic environment, H411 - Toxic to aquatic life with Category 2

long-term aquatic hazard long lasting effects.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

4593-FR6Q-QA35-E113 UFI:

Alpha-isomethyl ionone, Benzyl salicylate, beta-Pinene, Butyl cyclohexyl acetate, Coumarin, Contains:

Dihydro pentamethylindanone, Hexyl Cinnamal, Isocyclemone E, Linalool, Linalyl acetate,

Methylenedioxyphenyl methylpropanal, Terpenes and terpenoids, lemon-oil, Terpenes, orange oil

Hazard pictograms



Signal word Warning

Material name: YC BAYSIDE CEDAR PAPER CAR JAR 1633296E

**Hazard statements** 

SDS IRELAND

May cause an allergic skin reaction. H317 Toxic to aquatic life with long lasting effects. H411

**Precautionary statements** 

Prevention

Keep out of reach of children. P102

Response

Not applicable. If on skin: Wash with plenty of water/. P302 + P350

If skin irritation or rash occurs: Get medical advice/attention. P333 + P313

Not applicable. Storage

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations. P501

Supplemental label information

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation 2.3. Other hazards

(EC) No 1907/2006, Annex XIII. The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or

Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

#### **General information**

Chemical name	%	CAS-No. / EC No.	REACH Registration N	o. Index No. Notes
Benzyl benzoate	10 - 20	120-51-4 204-402-9	-	607-085-00-9
Classification	n: Acute Tox Chronic 2;	. 4;H302;(ATE: 500 n H411	ng/kg), Aquatic Acute 1;H	400, Aquatic
Cyclohexanol, 2-(1,1-dimethylethyl)-1-acetate	, 1 - 3	88-41-5 201-828-7	-	-
Classification	n: Aquatic Cl	ronic 2;H411		
Galaxolide	1 - 3	1222-05-5 214-946-9	-	603-212-00-7
Classification	n: Aquatic Ad	cute 1;H400, Aquatic	Chronic 1;H410	
Hexyl Cinnamal	1 - 3	101-86-0 202-983-3	-	-
Classification	n: Skin Sens	. 1B;H317, Aquatic A	cute 1;H400, Aquatic Chi	ronic 2;H411
Linalool	1 - 3	78-70-6 201-134-4	-	603-235-00-2
Classification	n: Skin Irrit. 2	2;H315, Eye Irrit. 2;H3	319, Skin Sens. 1B;H317	
1,4-Dioxacyclohexadecane-5,16-dio e	n ≤1	54982-83-1 259-423-6	-	-
Classification	n: Aquatic Ad	cute 1;H400, Aquatic	Chronic 3;H412	
2,4-Decadienoic acid, ethyl ester, (2E,4Z)-	≤ 1	3025-30-7 221-178-8	-	-
Classification	n: Skin Irrit. 2	2;H315, Aquatic Acut	e 1;H400, Aquatic Chroni	c 2;H411
3-Cyclohexene-1-carboxaldehyde, 1-methyl-4-(4-methyl-3-penten-1-yl)-	≤ 1	52475-86-2 257-942-2	-	-
Classification	n: Aquatic Ad	cute 1;H400, Aquatic	Chronic 1;H410	
Benzoic acid, 2-hydroxy-, (3Z)-3-hexen-1-yl ester	≤ 1	65405-77-8 265-745-8	-	-
Classification	n: Aquatic Ad	cute 1;H400, Aquatic	Chronic 2;H411	
Butyl cyclohexyl acetate	≤ 1	32210-23-4 250-954-9	-	-
Classification	n: Skin Sens	. 1B;H317		
Coumarin	≤ 1	91-64-5 202-086-7	-	-
Classification	n: Acute Tox	4;H302;(ATE: 500 m	ıg/kg), Skin Sens. 1B;H3	17
Isocyclemone E	≤ 1	54464-57-2 259-174-3	-	-

Classification: Skin Irrit. 2;H315, Skin Sens. 1B;H317, Aquatic Chronic 1;H410

Material name: YC BAYSIDE CEDAR PAPER CAR JAR 1633296E

SDS IRELAND

1633296E Version #: 02 Revision date: 14-March-2023 Issue date: 23-February-2023

Chemical name		%		. REACH Registration	n No. Index No.	Note
Linalyl acetate		≤ 1	115-95-7 204-116-4	-	-	
	Classification:	Skin Irrit.	2;H315, Eye Irrit. 2;H	319, Skin Sens. 1B;H3	17	
Methyl non-2-enoate		≤ 1	111-79-5 203-908-7	-	-	
	Classification:	Aquatic A	cute 1;H400, Aquatio	Chronic 2;H411		
Oxacyclohexadec-12-(12E)-	en-2-one,	≤ 1	111879-80-2 422-320-3	-	-	
	Classification:	Aquatic A	cute 1;H400, Aquatio	Chronic 2;H411		
Phenol, 2,6-bis(1,1-dimethylet	hyl)-4-methyl-	≤ 1	128-37-0 204-881-4	-	-	
	Classification:	Aquatic A	cute 1;H400, Aquatio	Chronic 1;H410		
Terpenes and terpeno	ids, lemon-oil	≤ 1	68917-33-9 614-796-8	-	-	
	Classification:		3;H226, Skin Irrit. 2; 1;H304, Aquatic Chr	H315, Skin Sens. 1;H3 onic 2;H411	17, Repr. 2;H361,	
Terpenes, orange oil		≤ 1	68647-72-3 614-678-6	-	-	
	Classification:	Flam. Liq. 1;H304, A	3;H226, Skin Irrit. 2 quatic Chronic 2;H4	H315, Skin Sens. 1;H3 11	317, Asp. Tox.	
Alpha-isomethyl ionon	е	≤ 0.2	127-51-5 204-846-3	-	-	
	Classification:	Skin Sens	s. 1B;H317, Aquatic (	Chronic 2;H411		
Benzyl salicylate		≤ 0.2	118-58-1 204-262-9	-	607-754-00-5	
	Classification:	Eye Irrit. 2	2;H319, Skin Sens. 1	B;H317, Aquatic Chron	ic 3;H412	
beta-Pinene		≤ 0.2	127-91-3 204-872-5	-	-	
	Classification:			H315, Skin Sens. 1B;F , Aquatic Chronic 1;H4		
Dihydro pentamethylir	ndanone	≤ 0.2	33704-61-9 251-649-3	-	-	
	Classification:	Skin Irrit. 2 Chronic 2		l319, Skin Sens. 1B;H3	17, Aquatic	
Methylenedioxyphenyl methylpropanal		≤ 0.2	1205-17-0 214-881-6	-	-	
	Classification:	Skin Sens	s. 1B;H317, Repr. 2;H	H361, Aquatic Chronic	2;H411	
delta-Damascone		≤ 0.1	57378-68-4 260-709-8	-	-	
	Classification:			mg/kg), Skin Irrit. 2;H31 0, Aquatic Chronic 1;H		
Methyl 2-nonynoate		≤ 0.1	111-80-8 203-909-2	-	-	
	Classification:			mg/kg), Skin Irrit. 2;H31 0, Aquatic Chronic 3;H		

## List of abbreviations and symbols that may be used above

ATE: Acute toxicity estimate.

M: M-factor

levels

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume. #: This substance has been assigned Union workplace exposure limit(s).

#### Composition comments

The full text for all H-statements is displayed in section 16.

#### **SECTION 4: First aid measures**

**General information** 

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.

#### 4.1. Description of first aid measures

Move to fresh air. Call a physician if symptoms develop or persist. Inhalation

Skin contact Remove contaminated clothing immediately and wash skin with soap and water. In case of

eczema or other skin disorders: Seek medical attention and take along these instructions.

Eve contact Rinse with water. Get medical attention if irritation develops and persists.

4.2. Most important symptoms

and effects, both acute and delayed

Ingestion

4.3. Indication of any immediate medical attention and special treatment needed

Rinse mouth. Get medical attention if symptoms occur. May cause an allergic skin reaction. Dermatitis. Rash.

Provide general supportive measures and treat symptomatically. Keep victim under observation.

Symptoms may be delayed.

### **SECTION 5: Firefighting measures**

General fire hazards No unusual fire or explosion hazards noted.

5.1. Extinguishing media

Suitable extinguishing

media

Unsuitable extinguishing

media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Special protective

equipment for firefighters

Special fire fighting procedures

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Move containers from fire area if you can do so without risk.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

## **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.

For emergency responders

Keep unnecessary personnel away. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

6.2. Environmental precautions

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up

Prevent entry into waterways, sewer, basements or confined areas. Stop the flow of material, if this is without risk. Following product recovery, flush area with water.

6.4. Reference to other sections

For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

# **SECTION 7: Handling and storage**

7.1. Precautions for safe handling

Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed container. Store away from incompatible materials (see Section 10 of the

SDS).

7.3. Specific end use(s) Not available.

### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

## Occupational exposure limits

Ireland.	Occupationa	I Exposure	Limits
----------	-------------	------------	--------

Components	Туре	Value
Phenol,	TWA	2 mg/m3
2 6-his(1 1-dimethylethyl)-4-		

methyl- (CAS 128-37-0)

No biological exposure limits noted for the ingredient(s).

Recommended monitoring

**Biological limit values** 

Follow standard monitoring procedures.

procedures

Material name: YC BAYSIDE CEDAR PAPER CAR JAR 1633296E 1633296E Version #: 02 Revision date: 14-March-2023 Issue date: 23-February-2023 Derived no effect levels

(DNELs)

Not available.

Predicted no effect concentrations (PNECs) Not available.

8.2. Exposure controls

Appropriate engineering

controls

Good general ventilation should be used. Ventilation rates should be matched to conditions, If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

**General information** 

Personal protection equipment should be chosen according to the CEN standards and in

discussion with the supplier of the personal protective equipment.

Eve/face protection

Wear safety glasses with side shields (or googles). Face shield is recommended.

Skin protection

- Hand protection

Wear appropriate chemical resistant gloves.

- Other

Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

Respiratory protection

In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards

Wear appropriate thermal protective clothing, when necessary.

Hygiene measures

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

**Environmental exposure** 

controls

Inform appropriate managerial or supervisory personnel of all environmental releases. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to acceptable levels

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state Solid. Solid. **Form** 

Not available. Colour Odour Not available.

Melting point/freezing point Boiling point or initial boiling

point and boiling range

3 °C (37.4 °F) estimated 323 °C (613.4 °F) estimated

Flammability (solid, gas) Not available.

95 °C (203 °F) estimated Flash point 480 °C (896 °F) estimated Auto-ignition temperature

**Decomposition temperature** Not available. Not available. Ha

Solubility(ies)

Solubility (water) Not available. Partition coefficient Not available.

(n-octanol/water)

0.181705 hPa estimated Vapour pressure

Not available. Vapour density Not available. Relative density Not available **Particle characteristics** 

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No relevant additional information available.

9.2.2. Other safety characteristics

Density 0.956 g/cm3 estimated

**Explosive properties** Not explosive. Oxidising properties Not oxidising. 0.95638 estimated Specific gravity

1633296E Version #: 02 Revision date: 14-March-2023 Issue date: 23-February-2023

SDS IRELAND

#### **SECTION 10: Stability and reactivity**

10.1. Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability Material is stable under normal conditions.

10.3. Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Avoid temperatures exceeding the flash point. Contact with incompatible materials. 10.4. Conditions to avoid

10.5. Incompatible materials Strong oxidising agents.

10.6. Hazardous No hazardous decomposition products are known.

decomposition products

### **SECTION 11: Toxicological information**

General information Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful. Skin contact May cause an allergic skin reaction.

Eve contact Direct contact with eyes may cause temporary irritation.

May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of Ingestion

occupational exposure.

**Symptoms** May cause an allergic skin reaction. Dermatitis. Rash.

#### 11.1. Information on toxicological effects

**Acute toxicity** Not known.

Due to partial or complete lack of data the classification is not possible. Skin corrosion/irritation

Serious eye damage/eye

irritation

Based on available data, the classification criteria are not met.

Due to partial or complete lack of data the classification is not possible. Respiratory sensitisation Skin sensitisation May cause an allergic skin reaction.

Germ cell mutagenicity Due to partial or complete lack of data the classification is not possible. Carcinogenicity Due to partial or complete lack of data the classification is not possible.

#### IARC Monographs. Overall Evaluation of Carcinogenicity

Coumarin (CAS 91-64-5) 3 Not classifiable as to carcinogenicity to humans.

Phenol, 2,6-bis(1,1-dimethylethyl)-4-methyl-

(CAS 128-37-0)

3 Not classifiable as to carcinogenicity to humans.

Reproductive toxicity Due to partial or complete lack of data the classification is not possible. Specific target organ toxicity -

single exposure

Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity -

repeated exposure

Due to partial or complete lack of data the classification is not possible.

**Aspiration hazard** Due to partial or complete lack of data the classification is not possible.

Mixture versus substance

information

No information available.

#### 11.2. Information on other hazards

**Endocrine disrupting** 

properties

The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU)

2018/605 at levels of 0.1% or higher.

Other information Not available.

## **SECTION 12: Ecological information**

12.1. Toxicity Toxic to aquatic life with long lasting effects. Based on available data, the classification criteria are

not met for hazardous to the aquatic environment, acute hazard.

Components **Species Test Results** 

Coumarin (CAS 91-64-5)

**Aquatic** 

Acute

LC50 Guppy (Poecilia reticulata) >= 32 - <= 100 mg/l, 96 hours Fish

Phenol, 2,6-bis(1,1-dimethylethyl)-4-methyl- (CAS 128-37-0)

1633296E Version #: 02 Revision date: 14-March-2023 Issue date: 23-February-2023

Aquatic

Acute

Crustacea EC50 Water flea (Daphnia pulex) 1.44 mg/l, 48 hours

Material name: YC BAYSIDE CEDAR PAPER CAR JAR 1633296E

SDS IRELAND

12.2. Persistence and No data is available on the degradability of any ingredients in the mixture. degradability

#### 12.3. Bioaccumulative potential

Partition coefficient

n-octanol/water (log Kow)

1,4-Dioxacyclohexadecane-5,16-dione	3.65
3-Cyclohexene-1-carboxaldehyde,	4.013
1-methyl-4-(4-methyl-3-penten-1-yl)-	
Alpha-isomethyl ionone	4.288
Benzoic acid, 2-hydroxy-, (3Z)-3-hexen-1-yl ester	4.8
Benzyl benzoate	3.97
Benzyl salicylate	4
beta-Pinene	4.16
Butyl cyclohexyl acetate	4.8
Coumarin	1.39
Cyclohexanol, 2-(1,1-dimethylethyl)-, 1-acetate	4.23
delta-Damascone	3.4
	4.2
Dihydro pentamethylindanone	4.2
Galaxolide	5.3
Hexyl Cinnamal	4.686
Linalool	2.97
Linalyl acetate	3.9
	3.93
Methyl 2-nonynoate	3.4
Methylenedioxyphenyl methylpropanal	2.4
Oxacyclohexadec-12-en-2-one, (12E)-	5.45
Phenol, 2,6-bis(1,1-dimethylethyl)-4-methyl-	5.1
	5.2

**Bioconcentration factor (BCF)** Not available. 12.4. Mobility in soil No data available.

12.5. Results of PBT and vPvB

assessment

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation

(EC) No 1907/2006, Annex XIII.

12.6. Endocrine disrupting

properties

The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7. Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Residual waste Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Since emptied containers may retain product residue, follow label warnings even after container is Contaminated packaging

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

EU waste code The Waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow Disposal methods/information

this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches

with chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Special precautions Dispose in accordance with all applicable regulations.

#### **SECTION 14: Transport information**

#### **ADR**

name

14.1. UN number

14.2. UN proper shipping

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl benzoate)

14.3. Transport hazard class(es)

9 Class Subsidiary risk Label(s) 9 Hazard No. (ADR) 90 **Tunnel restriction code** Ε Ш 14.4. Packing group

14.5. Environmental hazards Yes

Material name: YC BAYSIDE CEDAR PAPER CAR JAR 1633296E

SDS IRELAND 1633296E Version #: 02 Revision date: 14-March-2023 Issue date: 23-February-2023

Read safety instructions, SDS and emergency procedures before handling. 14.6. Special precautions

for user

RID

UN3077 14.1. UN number

14.2. UN proper shipping ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Benzyl benzoate)

name

14.3. Transport hazard class(es)

Class 9 Subsidiary risk Label(s) 9 Ш 14.4. Packing group 14.5. Environmental hazards Yes

14.6. Special precautions

for user

Read safety instructions, SDS and emergency procedures before handling.

ADN

14.1. UN number UN3082

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl benzoate) 14.2. UN proper shipping

name

14.3. Transport hazard class(es)

9 **Class** Subsidiary risk 9 Label(s) 14.4. Packing group Ш 14.5. Environmental hazards Yes

14.6. Special precautions Read safety instructions, SDS and emergency procedures before handling.

for user

IATA

UN3082 14.1. UN number

14.2. UN proper shipping Environmentally hazardous substance, liquid, n.o.s. (Benzyl benzoate)

name

14.3. Transport hazard class(es)

Class 9 Subsidiary risk 14.4. Packing group Ш 14.5. Environmental hazards Yes **ERG Code** 

14.6. Special precautions

for user

Read safety instructions, SDS and emergency procedures before handling.

Other information

Allowed with restrictions. Passenger and cargo

aircraft

Allowed with restrictions. Cargo aircraft only

**IMDG** 

14.1. UN number UN3082

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl benzoate), MARINE 14.2. UN proper shipping

**POLLUTANT** name

14.3. Transport hazard class(es)

Class 9 Subsidiary risk Ш 14.4. Packing group 14.5. Environmental hazards Marine pollutant Yes F-A. S-F **EmS** 


Read safety instructions, SDS and emergency procedures before handling. 14.6. Special precautions

for user alpha-Pinene p-cymene

14.7. Maritime transport in bulk Not applicable.

according to IMO instruments

ADN; ADR; IATA; IMDG; RID



#### Marine pollutant



**General information** 

IMDG Regulated Marine Pollutant.

## **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### **EU** regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended Not listed.

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Not listed

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

UFI:

4593-FR6Q-QA35-E113

#### **Authorisations**

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

#### Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended Linalool (CAS 78-70-6)

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed.

### Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Benzyl benzoate (CAS 120-51-4) Galaxolide (CAS 1222-05-5)

Other regulations The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP

Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation

(EC) No 1907/2006, as amended.

National regulations Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as

amended.

15.2. Chemical safety

assessment

No Chemical Safety Assessment has been carried out.

Material name: YC BAYSIDE CEDAR PAPER CAR JAR 1633296E

1633296E Version #: 02 Revision date: 14-March-2023 Issue date: 23-February-2023

9 / 10

#### **SECTION 16: Other information**

#### List of abbreviations

ADN: European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways.

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

CAS: Chemical Abstract Service.

CEN: European Committee for Standardization. IATA: International Air Transport Association.

IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous

Chemicals in Bulk.

IMDG: International Maritime Dangerous Goods.

MARPOL: International Convention for the Prevention of Pollution from Ships.

PBT: Persistent, bioaccumulative and toxic.

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.

STEL: Short term exposure limit. TWA: Time Weighted Average.

vPvB: Very persistent and very bioaccumulative.

#### References

Information on evaluation method leading to the classification of mixture

Full text of any H-statements not written out in full under Sections 2 to 15

Not available.

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H319 Causes serious eye irritation.

H361 Suspected of damaging fertility or the unborn child.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

**Revision information** 

**Training information** 

Disclaimer

Follow training instructions when handling this material.

SECTION 2: Hazards identification: Response

Yankee Candle s.r.o. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in

the sheet was written based on the best knowledge and experience currently available.

Material name: YC BAYSIDE CEDAR PAPER CAR JAR 1633296E

SDS IRELAND 1633296E Version #: 02 Revision date: 14-March-2023 Issue date: 23-February-2023