home fragrance

SAFETY DATA SHEET

Version #: 03

Issue date: 28-June-2023 Revision date: 19-December-2023

Supersedes date: 12-July-2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation

YC BAYSIDE CEDAR REED DIFFUSER 1745755E

of the mixture

Registration number

UFI: TW7C-894U-4E4X-YAVY

Synonyms None. **Product code** 1745755E

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Air Care Products Uses advised against None known. 1.3. Details of the supplier of the safety data sheet

Supplier

Yankee Candle s.r.o. Company name Prumyslová zóna Joseph **Address**

Havran u Mostu

435 01, Czech Republic

Division Telephone

nhfregulatory@newellco.com e-mail

Contact person Not available.

1.4. Emergency telephone

number

1.4. Emergency telephone number

Newell - Republic of 1800 812 073

Ireland (Emergency Health

Response)

General in EU 112 (Available 24 hours a day. SDS/Product information may not be available for

the Emergency Service.)

National Poison Control

Centre

01 809 2166 General public, 8am - 10pm, 7 days a week

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

Physical hazards

Flammable liquids Category 2 H225 - Highly flammable liquid and

vapour.

Health hazards

Serious eye damage/eye irritation H319 - Causes serious eye Category 2

irritation.

Environmental hazards

Hazardous to the aquatic environment, H412 - Harmful to aquatic life with Category 3

long-term aquatic hazard long lasting effects.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

UFI: TW7C-894U-4E4X-YAVY

Material name: YC BAYSIDE CEDAR REED DIFFUSER 1745755E SDS IRELAND 1745755E Version #: 03 Revision date: 19-December-2023 Issue date: 28-June-2023

Hazard pictograms



Signal word Danger

Hazard statements

H225 Highly flammable liquid and vapour. H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

Prevention

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P273 Avoid release to the environment.

Response

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/attention.

Storage Not applicable.

Disposal

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Supplemental label information EUH208 - Contains Linalool, Isocyclemone E, Linalyl acetate, Terpenes and terpenoids,

lemon-oil, Coumarin. May produce an allergic reaction.

2.3. Other hazards This mixture does not contain substances assessed to be vPvB / PBT according to Regulation

(EC) No 1907/2006, Annex XIII. The mixture does not contain any substances included in the list established in accordance with REACH Article 59(1) for having endocrine disrupting properties at a

concentration equal to or greater than 0.1% by weight.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

Chemical name		%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Ethanol	6	80 - 70	64-17-5 200-578-6	-	603-002-00-5	
	Classification: Fla	m. Liq. 2	;H225, Eye Irrit. 2;H	319		
Galaxolide		≤ 1	1222-05-5 214-946-9	01-2119488227-29	603-212-00-7	
	Classification: Aq	uatic Acu	te 1;H400, Aquatic (Chronic 1;H410		
Linalool		≤ 1	78-70-6 201-134-4	01-2119474016-42	603-235-00-2	
	Classification: Sk	in Irrit. 2;I	H315, Eye Irrit. 2;H3	19, Skin Sens. 1B;H317		
Isocyclemone E		≤ 0.3	54464-57-2 259-174-3	-	-	
	Classification: Sk	in Irrit. 2;I	H315, Skin Sens. 1E	3;H317, Aquatic Chronic 1;I	H410	
benzyl benzoate		≤ 0.2	120-51-4 204-402-9	01-2119976371-33	607-085-00-9	
		ute Tox. 4 ronic 2;H		g/kg bw), Aquatic Acute 1;	H400, Aquatic	
Coumarin		≤ 0.2	91-64-5 202-086-7	01-2119949300-45	-	
	Classification: Ac	ute Tox. 4	;H302;(ATE: 500 m	g/kg bw), Skin Sens. 1B;H	317	
Linalyl acetate		≤ 0.2	115-95-7 204-116-4	-	-	
	Classification: Sk	in Irrit. 2;I	H315, Eye Irrit. 2;H3	19, Skin Sens. 1B;H317		
Phenol, 2,6-bis(1,1-dimethylet		≤ 0.2	128-37-0 204-881-4	-	-	
	Classification: Aq	uatic Acu	te 1;H400(M=1), Aq	uatic Chronic 1;H410(M=1))	

Chemical name % CAS-No. / EC No. REACH Registration No. Index No. **Notes**

Terpenes and terpenoids, lemon-oil

68917-33-9 614-796-8

Classification: Flam. Lig. 3;H226, Skin Irrit. 2;H315, Skin Sens. 1;H317, Repr. 2;H361,

Asp. Tox. 1;H304, Aquatic Chronic 2;H411

Other components below reportable

levels

List of abbreviations and symbols that may be used above

ATE: Acute toxicity estimate.

M: M-factor

vPvB: very persistent and very bioaccumulative substance.

PBT: persistent, bioaccumulative and toxic substance.

#: This substance has been assigned Union workplace exposure limit(s).

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

The full text for all H-statements is displayed in section 16. **Composition comments**

≤ 0.2

30.67

SECTION 4: First aid measures

Take off all contaminated clothing immediately. Ensure that medical personnel are aware of the **General information**

material(s) involved, and take precautions to protect themselves. Wash contaminated clothing

before reuse.

4.1. Description of first aid measures

Move to fresh air. Call a physician if symptoms develop or persist. Inhalation

Take off immediately all contaminated clothing. Rinse skin with water/shower. Get medical Skin contact

attention if irritation develops and persists.

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if Eye contact

present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. Get medical attention if symptoms occur.

4.2. Most important symptoms and effects, both acute and

delayed

Headache. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Coughing.

4.3. Indication of any immediate medical attention and special treatment needed Provide general supportive measures and treat symptomatically. Thermal burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim under observation. Symptoms may be delayed.

SECTION 5: Firefighting measures

General fire hazards Highly flammable liquid and vapour.

5.1. Extinguishing media

Suitable extinguishing

media

Water fog. Alcohol resistant foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing

media

Specific methods

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture Vapours may form explosive mixtures with air. Vapours may travel considerable distance to a source of ignition and flash back. During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Special protective equipment for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do

Special fire fighting

so without risk.

procedures

Use standard firefighting procedures and consider the hazards of other involved materials.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Do not touch damaged containers or spilled material unless wearing appropriate protective clothina.

For emergency responders

Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during clean-up. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. Use personal protection recommended in Section 8 of the SDS.

6.2. Environmental precautions

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into

drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up

Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil etc) away from spilled material. Take precautionary measures against static discharge. Use only non-sparking tools. Prevent entry into waterways, sewer, basements or confined areas.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.

Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use.

6.4. Reference to other sections

For personal protection, see section 8 of the SDS, For waste disposal, see section 13 of the SDS.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. When using do not smoke, Explosion-proof general and local exhaust ventilation. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Use non-sparking tools and explosion-proof equipment. Avoid contact with eyes. Avoid prolonged exposure. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities

Keep away from heat, sparks and open flame. Prevent electrostatic charge build-up by using common bonding and grounding techniques. Store in a cool, dry place out of direct sunlight. Store in tightly closed container. Store in a well-ventilated place. Keep in an area equipped with sprinklers. Store away from incompatible materials (see Section 10 of the SDS).

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

ANNEX 1, PART 1 Categories of dangerous substances

Hazard categories in accordance with Regulation (EC) No 1272/2008

- P5a, b or c FLAMMABLE LIQUIDS (Lower-tier requirements = 50 tonnes; Upper-tier requirements = 200 tonnes)

7.3. Specific end use(s)

Observe industrial sector guidance on best practices.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Ireland. OELVs, Schedules Components	1 & 2, Code of Practice for Chemica Type	I Agents and Carcinogens Regulations Value			
Ethanol (CAS 64-17-5)	STEL	1000 ppm			
Phenol, 2,6-bis(1,1-dimethylethyl)-4- methyl- (CAS 128-37-0)	TWA	2 mg/m3			
logical limit values	No biological exposure limits noted for the ingredient(s).				
commended monitoring	Follow standard monitoring procedures.				

procedures

Not available

Derived no effect levels (DNELs)

Not available.

Predicted no effect concentrations (PNECs)

8.2. Exposure controls

Appropriate engineering controls

Explosion-proof general and local exhaust ventilation. Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station and safety shower.

Individual protection measures, such as personal protective equipment

Use personal protective equipment as required. Personal protection equipment should be chosen **General information**

according to the CEN standards and in discussion with the supplier of the personal protective

equipment.

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

- Hand protection Wear appropriate chemical resistant gloves.

- Other Wear suitable protective clothing.

Material name: YC BAYSIDE CEDAR REED DIFFUSER 1745755E 1745755E Version #: 03 Revision date: 19-December-2023 Issue date: 28-June-2023

If engineering controls do not maintain airborne concentrations below recommended exposure Respiratory protection

limits (where applicable) or to an acceptable level (in countries where exposure limits have not

been established), an approved respirator must be worn.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

Hygiene measures When using do not smoke. Always observe good personal hygiene measures, such as washing

after handling the material and before eating, drinking, and/or smoking. Routinely wash work

clothing and protective equipment to remove contaminants.

Environmental exposure

controls

Inform appropriate managerial or supervisory personnel of all environmental releases. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to acceptable

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Liquid. Liquid. **Form** Colour Not available. Odour Not available.

Melting point/freezing point Boiling point or initial boiling point and boiling range

-114 °C (-173.2 °F) estimated 78.4 °C (173.12 °F) estimated

Not applicable. **Flammability**

Upper/lower flammability or explosive limits Explosive limit - lower (%) Not available. Explosive limit - upper Not available.

(%)

Flash point 13 °C (55.4 °F) estimated 365 °C (689 °F) estimated **Auto-ignition temperature**

Decomposition temperature Not available. pН Not available. Kinematic viscosity Not available.

Solubility

Solubility (water) Not available. **Partition coefficient** Not available.

(n-octanol/water) (log value)

31.291647 hPa estimated Vapour pressure

Density and/or relative density

0.85 g/cm3 estimated Density

Not available. Vapour density **Particle characteristics** Not available.

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No relevant additional information available.

9.2.2. Other safety characteristics

Percent volatile 93.84 % estimated 0.8498 estimated Specific gravity 68.02 % estimated

SECTION 10: Stability and reactivity

10.1. Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability Material is stable under normal conditions.

10.3. Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

10.4. Conditions to avoid Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the

flash point. Contact with incompatible materials.

10.5. Incompatible materials

Strong oxidising agents.

10.6. Hazardous decomposition products No hazardous decomposition products are known.

Material name: YC BAYSIDE CEDAR REED DIFFUSER 1745755E

SDS IRELAND 1745755E Version #: 03 Revision date: 19-December-2023 Issue date: 28-June-2023

SECTION 11: Toxicological information

General information Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

Inhalation May cause allergy or asthma symptoms or breathing difficulties if inhaled. Prolonged inhalation

may be harmful.

Skin contact May cause an allergic skin reaction.

Causes serious eve irritation. Eye contact

Ingestion May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of

occupational exposure.

Headache, Severe eve irritation, Symptoms may include stinging, tearing, redness, swelling, and **Symptoms**

blurred vision. Coughing.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Not known.

Skin corrosion/irritation Due to partial or complete lack of data the classification is not possible.

Serious eye damage/eye

irritation

Causes serious eye irritation.

Respiratory sensitisation Due to partial or complete lack of data the classification is not possible. Skin sensitisation Due to partial or complete lack of data the classification is not possible. Germ cell mutagenicity Due to partial or complete lack of data the classification is not possible. Carcinogenicity Due to partial or complete lack of data the classification is not possible.

IARC Monographs. Overall Evaluation of Carcinogenicity

Coumarin (CAS 91-64-5) 3 Not classifiable as to carcinogenicity to humans. 3 Not classifiable as to carcinogenicity to humans.

Phenol, 2,6-bis(1,1-dimethylethyl)-4-methyl-

(CAS 128-37-0)

Reproductive toxicity Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity -

single exposure

Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity -

repeated exposure

Due to partial or complete lack of data the classification is not possible.

Due to partial or complete lack of data the classification is not possible. **Aspiration hazard**

Mixture versus substance

information

No information available.

11.2. Information on other hazards

Endocrine disrupting

Crustacea

properties

This mixture does not contain any substances having endocrine disrupting properties with respect to human health as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or greater than

0.1% by weight.

Other information May cause allergic respiratory and skin reactions.

SECTION 12: Ecological information

Harmful to aquatic life with long lasting effects. Based on available data, the classification criteria 12.1. Toxicity

are not met for hazardous to the aquatic environment, acute hazard.

Species Components **Test Results** Coumarin (CAS 91-64-5) Aquatic Acute LC50 Fish Guppy (Poecilia reticulata) 32 - 100 mg/l, 96 hours Ethanol (CAS 64-17-5) Aquatic Acute EC50 Crustacea Water flea (Daphnia magna) 7.7 - 11.2 mg/l, 48 hours Fish LC50 Rainbow trout, donaldson trout 42 mg/l, 4 days (Oncorhynchus mykiss) Phenol, 2,6-bis(1,1-dimethylethyl)-4-methyl- (CAS 128-37-0) Aquatic Acute

Water flea (Daphnia pulex)

Material name: YC BAYSIDE CEDAR REED DIFFUSER 1745755E

SDS IRELAND

1.44 mg/l, 48 hours

1745755E Version #: 03 Revision date: 19-December-2023 Issue date: 28-June-2023

EC50

12.2. Persistence and degradability

No data is available on the degradability of any ingredients in the mixture.

12.3. Bioaccumulative potential

Partition coefficient

n-octanol/water (log Kow)

benzyl benzoate 3.97 Coumarin 1.39 Ethanol -0.31Galaxolide 5.3 Linalool 2.97 Linalyl acetate 3.9 3.93 Phenol, 2,6-bis(1,1-dimethylethyl)-4-methyl-5.1 5.2

Bioconcentration factor (BCF) Not available. 12.4. Mobility in soil No data available.

12.5. Results of PBT and vPvB

assessment

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation

(EC) No 1907/2006, Annex XIII.

12.6. Endocrine disrupting

properties

This mixture does not contain any substances having endocrine disrupting properties with respect to the environment as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or greater than 0.1% by weight.

12.7. Other adverse effects

The product contains volatile organic compounds which have a photochemical ozone creation

potential.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Since emptied containers may retain product residue, follow label warnings even after container is Contaminated packaging

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

EU waste code The Waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow Disposal methods/information

this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches

with chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Special precautions Dispose in accordance with all applicable regulations.

SECTION 14: Transport information

ADR

14.1. UN number UN1170

ETHANOL (ETHYL ALCOHOL) or ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION) 14.2. UN proper shipping

(Ethanol) name

14.3. Transport hazard class(es)

3 Class Subsidiary hazard 3 Label(s) Hazard No. (ADR) 33 Tunnel restriction code D/E 14.4. Packing group Ш 14.5. Environmental hazards No.

14.6. Special precautions

for user

Read safety instructions, SDS and emergency procedures before handling.

RID

14.1. UN number UN1170

ETHANOL (ETHYL ALCOHOL) or ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION) 14.2. UN proper shipping

(Ethanol) name

14.3. Transport hazard class(es)

Class 3 **Subsidiary hazard** 3 Label(s) Ш 14.4. Packing group 14.5. Environmental hazards No.

Material name: YC BAYSIDE CEDAR REED DIFFUSER 1745755E

SDS IRELAND

14.6. Special precautions Read safety instructions, SDS and emergency procedures before handling.

for user

ADN

UN1170 14.1. UN number

ETHANOL (ETHYL ALCOHOL) or ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION) 14.2. UN proper shipping

(Ethanol) name

14.3. Transport hazard class(es)

Class 3 Subsidiary hazard Label(s) 3 Ш 14.4. Packing group 14.5. Environmental hazards No.

14.6. Special precautions Read safety instructions, SDS and emergency procedures before handling.

for user

IATA

UN1170 14.1. UN number

14.2. UN proper shipping Ethanol solution (Ethanol)

name

14.3. Transport hazard class(es)

Class 3 Subsidiary hazard Ш 14.4. Packing group 14.5. Environmental hazards Yes **ERG Code** 31

14.6. Special precautions

for user

Read safety instructions, SDS and emergency procedures before handling.

Other information

Passenger and cargo

Allowed with restrictions.

aircraft

Cargo aircraft only Allowed with restrictions.

IMDG

14.1. UN number UN1170

ETHANOL (ETHYL ALCOHOL) or ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION) 14.2. UN proper shipping

(Ethanol), MARINE POLLUTANT name

14.3. Transport hazard class(es)

Class 3 Subsidiary hazard 14.4. Packing group Ш 14.5. Environmental hazards Marine pollutant Yes

EmS

14.6. Special precautions

for user

Read safety instructions, SDS and emergency procedures before handling.

14.7. Maritime transport in bulk according to IMO instruments

Not established.



Marine pollutant



General information IMDG Regulated Marine Pollutant.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA

Not listed.

UFI: TW7C-894U-4E4X-YAVY

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use, as amended - Conditions of restriction given for the associated entry number should be considered

benzyl benzoate (CAS 120-51-4) 3 Ethanol (CAS 64-17-5) 40 Galaxolide (CAS 1222-05-5) 3

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed.

Regulation 2019/1148 on Marketing and Use of Explosive Precursors, Annex I, as amended

Regulation 2019/1148 on Marketing and Use of Explosive Precursors, Annex II, as amended

Not listed.

Other EU regulations Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

ANNEX 1, PART 1 Categories of dangerous substances

Hazard categories in accordance with Regulation (EC) No 1272/2008

- P5a, b or c FLAMMABLE LIQUIDS

The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP Other regulations

Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation

(EC) No 1907/2006, as amended.

Young people under 18 years old are not allowed to work with this product according to EU **National regulations**

Directive 94/33/EC on the protection of young people at work, as amended Use of this product by young persons under the age of 18 is not allowed in accordance with the Management of Health and Safety at Work Regulations 1999 [SI 1999/3242], as amended. Follow national regulation for

work with chemical agents in accordance with Directive 98/24/EC, as amended.

15.2. Chemical safety

assessment

No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

List of abbreviations

ADN: European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways.

ADR: Agreement concerning the International Carriage of Dangerous Goods by Road.

CAS: Chemical Abstract Service.

CEN: European Committee for Standardization. IATA: International Air Transport Association.

IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous

Chemicals in Bulk.

Not available.

IMDG: International Maritime Dangerous Goods.

MARPOL: International Convention for the Prevention of Pollution from Ships.

PBT: Persistent, bioaccumulative and toxic.

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.

STEL: Short term exposure limit. TWA: Time Weighted Average.

vPvB: Very persistent and very bioaccumulative.

References

Information on evaluation method leading to the classification of mixture

metnod

The classification for health and environmental hazards is derived by a combination of calculation methods and test data. if available.

Full text of any statements, which are not written out in full under sections 2 to 15

H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H319 Causes serious eye irritation.

H361 Suspected of damaging fertility or the unborn child.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.
H411 Toxic to aquatic life with long lasting effects.

Revision information

Product and Company Identification: EU Poison Centre

SECTION 2: Hazards identification: Prevention

SECTION 6: Accidental release measures: For emergency responders

SECTION 7: Handling and storage: 7.2. Conditions for safe storage, including any incompatibilities

SECTION 8: Exposure controls/personal protection: Eye/face protection SECTION 8: Exposure controls/personal protection: PPE Symbols SECTION 15: Regulatory information: Other EU regulations

Training information

Disclaimer

Follow training instructions when handling this material.

Yankee Candle s.r.o. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in

the sheet was written based on the best knowledge and experience currently available.