



Version: 1 (11/09/2025)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: TALL WF FREEDOM SC1202

Version: 1

Section 1. Identification of the substance or the mixture and of the supplier

1.1 Product Identifier

Product identifier: TALL WF FREEDOM SC1202

Other identifiers: None

1.2 Relevant identified uses of the substance of mixture and uses advised against

Product uses: Home fragrance

1.3 Details of the supplier of the safety data sheet

Company name: Colony Deutschland GmbH

Company address: Karlsplatz 3

80335 München

Germany

Contact: Colony Deutschland GmbH -Ireland

E-Mail address:

Company phone: 0049 89 23035342 / +447921970488

1.4 Emergency telephone number

Emergency phone: +353 (1) 809 2166 (parents and those caring for young children)

+353 (1) 837 9964 or +353 (1) 809 2566 (Healthcare Professionals)

Section 2. Hazards identification

2.1 Classification of the substance or mixture

Classification under Regulation (EC) No 1272/2008

Class and category of Hazardous to the Aquatic Environment - Long-term Hazard Category 3

danger: H412, Harmful to aquatic life with long lasting effects.

2.2 Label elements

Classification under Regulation (EC) No 1272/2008

Signal word: None

Hazard statements: H412, Harmful to aquatic life with long lasting effects.

Supplemental EUH208, Contains 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone,

Information: Isoeugenol, Linalool, Linalyl acetate, d-Limonene. May produce an allergic reaction.

Precautionary P273, Avoid release to the environment.

statements: P501, Dispose of contents/container to approved disposal site, in accordance with local

regulations.





Version: 1 (11/09/2025)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: TALL WF FREEDOM SC1202

Version: 1

Pictograms: None

2.3 Other hazards

Other hazards: Sensitisers declared on a CLP 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-

Hazard Label: naphthalenyl)ethanone, Isoeugenol, Linalool, Linalyl acetate,

d-Limonene

Hydrocarbon Concentration %: 0.0000%

Section 3. Composition / information on ingredients

3.2 Mixtures

Contains:

| Name | CAS | EC | REACH Registration No. | % | Classification for (CLP) 1272/2008 | Specific Conc. Limits, M-factors and ATEs |
|--|------------|-----------|---------------------------|---------|---|---|
| 1-(1,2,3,4,5,6,7,8- Octahydro-2,3,8,8- tetramethyl-2- naphthalenyl)ethanone | 54464-57-2 | 915-730-3 | | 0.1-<1% | Skin Irrit. 2-Skin Sens. 1B-Aquatic Chronic 1; H315-H317-H410,- | |
| d-Limonene | 5989-27-5 | 227-813-5 | | 0.1-<1% | Flam. Liq. 3-Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1-Aquatic Acute 1- Aquatic Chronic 3; H226-H304-H315- H317-H400-H412,- | M = 1 |
| Linalool | 78-70-6 | 201-134-4 | | 0.1-<1% | ISkin Sens 18:H315 | oral: ATE = 2790 mg/kg bw |
| Linalyl acetate | 115-95-7 | 204-116-4 | | 0.1-<1% | Skin Irrit. 2-Skin Sens. 1B;H315-H317,- | |
| Isoeugenol | 97-54-1 | 202-590-7 | | <0.1% | Skin Irrit. 2-Eye Irrit. 2-Skin Sens. 1A-STOT | Skin Sens. 1; H317; C ≥ 0.01%-inhalation: ATE = 1.5 mg/l (dusts or mists)-dermal: ATE = 1912 mg/kg bw-oral: ATE = 542 mg/kg bw |

Substances with Community workplace exposure limits:

Not Applicable

Substances that are endocrine disruptors according to Regulation (EU) 2017/2100 or Regulation (EU) 2018/605, greater than 0.1%:

Not Applicable

Substances that are persistent, bioaccumulative and toxic or very persistent and very bioaccumulative, greater than 0.1%:

Not Applicable



WAX LYRICAL ENGLAND

Issue date: 11/09/2025

Version: 1 (11/09/2025)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: TALL WF FREEDOM SC1202

Version: 1

Section 4. First-aid measures

4.1 Description of first aid measures

Inhalation: Remove from exposure site to fresh air, keep at rest, and obtain medical attention.

Eye exposure: Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist. **Skin exposure:** Remove contaminated clothes. Wash thoroughly with soap and water. Contact physician if

irritation persists.

Ingestion: Rinse mouth with water and obtain medical attention.

4.2 Most important symptoms and effects, both acute and delayed

None expected, see Section 4.1 for further information.

4.3 Indication of any immediate medical attention and special treatment needed

None expected, see Section 4.1 for further information.

Section 5: Firefighting measures

5.1 Extinguishing media

Suitable media: Alcohol resistant foam,carbon dioxide,dry powder or water fog

5.2 Special hazards arising from the substance or mixture

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

5.3 Advice for fire fighters:

In case of insufficient ventilation, wear suitable respiratory equipment.

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

6.2 Environmental precautions:

Keep away from drains, surface and ground water, and soil.

6.3 Methods and material for containment and cleaning up:

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

6.4 Reference to other sections:

Also refer to sections 8 and 13.





Version: 1 (11/09/2025)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: TALL WF FREEDOM SC1202

Version: 1

Section 7. Handling and storage

7.1 Precautions for safe handling:

Keep away from heat, sparks, open flames and hot surfaces. - No smoking. Use personal protective equipment as required. Use in accordance with good manufacturing and industrial hygiene practices. Use in areas with adequate ventilation Do not eat, drink or smoke when using this product.

7.2 Conditions for safe storage, including any incompatibilities:

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

7.3 Specific end use(s):

Home fragrance: Use in accordance with good manufacturing and industrial hygiene practices.

Section 8. Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits: Not Applicable

8.2 Exposure Controls

Eye / Skin Protection

Wear protective gloves/eye protection/face protection

Respiratory Protection

Under normal conditions of use and where adequate ventilation is available to prevent build up of excessive vapour, this material should not require special engineering controls. However, in conditions of high or prolonged use, or high temperature or other conditions which increase exposure, the following engineering controls can be used to minimise exposure to personnel: a) Increase ventilation of the area with local exhaust ventilation. b) Personnel can use an approved, appropriately fitted respirator with organic vapour cartridge or canisters and particulate filters. c) Use closed systems for transferring and processing this material.

Also refer to Sections 2 and 7.

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical State/Colour:

Odour:

Not determined

range:

Flammability: Not determined

Lower and upper explosion limit: Not determined

Flash point: > 100 °C





Version: 1 (11/09/2025)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: TALL WF FREEDOM SC1202

Version: 1

Auto-ignition temperature:

Decomposition temperature:

PH:

Not determined

value):

Vapour pressure:Not determinedDensity and/or relative density:Not determinedRelative vapour density:Not determinedParticle characteristics:Not determined

9.2 Other information: None available

Section 10. Stability and reactivity

10.1 Reactivity:

Presents no significant reactivity hazard, by itself or in contact with water.

10.2 Chemical stability:

Good stability under normal storage conditions.

10.3 Possibility of hazardous reactions:

Not expected under normal conditions of use.

10.4 Conditions to avoid:

Avoid extreme heat.

10.5 Incompatible materials:

Avoid contact with strong acids, alkalis or oxidising agents.

10.6 Hazardous decomposition products:

Not expected.

Section 11. Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP).

This material does not meet the criteria for classification for health hazards under Regulation (EC) No 1272/2008.

Acute Toxicity: Based on available data the classification criteria are not met.

Acute Toxicity Oral Not Applicable
Acute Toxicity Dermal Not Applicable
Acute Toxicity Inhalation Not Available

Skin corrosion/irritation: Based on available data the classification criteria are not met.





Version: 1 (11/09/2025)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: TALL WF FREEDOM SC1202

Version: 1

Serious eye damage/irritation: Based on available data the classification criteria are not met. Based on available data the classification criteria are not met. Respiratory or skin sensitisation: Germ cell mutagenicity: Based on available data the classification criteria are not met. Carcinogenicity: Based on available data the classification criteria are not met. Based on available data the classification criteria are not met. Reproductive toxicity: STOT-single exposure: Based on available data the classification criteria are not met. Based on available data the classification criteria are not met. STOT-repeated exposure: Based on available data the classification criteria are not met. **Aspiration hazard:**

Information about hazardous ingredients in the mixture

Not Applicable

Refer to Sections 2 and 3 for additional information.

11.2 Information on other hazards

Not Applicable

Section 12. Ecological information

12.1 Toxicity:

Harmful to aquatic life with long lasting effects.

12.2 Persistence and degradability:Not available12.3 Bioaccumulative potential:Not available12.4 Mobility in soil:Not available

12.5 Results of PBT and vPvB assessment:

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

12.6 Endocrine disrupting properties: Not Applicable **12.7 Other adverse effects:** Not available

Section 13. Disposal considerations

13.1 Waste treatment methods:

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

Section 14. Transport information

| | 14.1 UN number: | 14.2 UN Proper Shipping Name: | 14.3 Transport hazard class (es): | | 14.4 Packing Group: |
|-------------------------|--------------------|-------------------------------|--|---|------------------------|
| UN Model Regulations | Not classified | - | - | - | - |
| IMDG | Not classified | - | - | - | - |





Version: 1 (11/09/2025)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: TALL WF FREEDOM SC1202

Version: 1

| Not classified | - | - | - | - |
|-------------------|---|---|---|---|
| Not classified | - | - | - | - |

14.5 Environmental hazards: Not environmentally hazardous for transport

14.6 Special precautions for user: None additional

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:

Not classified

Section 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Water Hazard Class (WGK):

15.2 Chemical Safety Assessment

A Chemical Safety Assessment has not been carried out for this product.

Section 16. Other information

Concentration % Limits: EH C3=48.36%

Total Fractional Values: EH C3=2.07

Key to revisions:

Not applicable

Key to abbreviations:

| Abbreviation | Meaning | | |
|-------------------|--|--|--|
| Acute Tox. 4 | Acute Toxicity - Oral Category 4 | | |
| Acute Tox. 4 | Acute Toxicity - Dermal Category 4 | | |
| Acute Tox. 4 | Acute Toxicity - Inhalation Category 4 | | |
| Aquatic Acute 1 | Hazardous to the Aquatic Environment - Acute Hazard Category 1 | | |
| Aquatic Chronic 1 | Hazardous to the Aquatic Environment - Long-term Hazard Category 1 | | |
| Aquatic Chronic 3 | Hazardous to the Aquatic Environment - Long-term Hazard Category 3 | | |
| Asp. Tox 1 | Aspiration Hazard Category 1 | | |
| Eye Irrit. 2 | Eye Damage / Irritation Category 2 | | |
| Flam. Liq. 3 | Flammable Liquid, Hazard Category 3 | | |
| H226 | Flammable liquid and vapour. | | |
| H302 | Harmful if swallowed. | | |
| H304 | May be fatal if swallowed and enters airways. | | |
| H312 | Harmful in contact with skin. | | |
| H315 | Causes skin irritation. | | |
| H317 | May cause an allergic skin reaction. | | |
| H319 | Causes serious eye irritation. | | |





Version: 1 (11/09/2025)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: TALL WF FREEDOM SC1202

Version: 1

| H332 | Harmful if inhaled. | |
|---------------|--|--|
| H335 | May cause respiratory irritation. | |
| H400 | Very toxic to aquatic life. | |
| H410 | Very toxic to aquatic life with long lasting effects. | |
| H412 | Harmful to aquatic life with long lasting effects. | |
| P210 | Keep away from heat, sparks, open flames and hot surfaces No smoking. | |
| P233 | Keep container tightly closed. | |
| P240 | Ground/bond container and receiving equipment. | |
| P241 | Use explosion-proof electrical, ventilating and lighting equipment. | |
| P242 | Use only non-sparking tools. | |
| P243 | Take precautionary measures against static discharge. | |
| P261 | Avoid breathing vapour or dust. | |
| P264 | Wash hands and other contacted skin thoroughly after handling. | |
| P270 | Do not eat, drink or smoke when using this product. | |
| P271 | Use only outdoors or in a well-ventilated area. | |
| P272 | Contaminated work clothing should not be allowed out of the workplace. | |
| P273 | Avoid release to the environment. | |
| P280 | Wear protective gloves/eye protection/face protection. | |
| P301/310 | IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. | |
| P301/312 | IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell. | |
| P302/352 | IF ON SKIN: Wash with plenty of soap and water. | |
| P303/361/353 | IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower. | |
| P304/340 | IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. | |
| P305/351/338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. | |
| P312 | Call a POISON CENTRE or doctor/physician if you feel unwell. | |
| P330 | Rinse mouth. | |
| P331 | Do not induce vomiting. | |
| P333/313 | If skin irritation or rash occurs: Get medical advice/attention. | |
| P337/313 | If eye irritation persists: Get medical advice/attention. | |
| P362 | Take off contaminated clothing and wash before reuse. | |
| P370/378 | In case of fire: Use carbon dioxide, dry chemical, foam for extinction. | |
| P391 | Collect spillage. | |
| P403/233 | Store in a well-ventilated place. Keep container tightly closed. | |
| P403/235 | Store in a well-ventilated place. Keep cool. | |
| P405 | Store locked up. | |
| P501 | Dispose of contents/container to approved disposal site, in accordance with local regulations. | |
| STOT SE 3 | Specific Target Organ Toxicity (Single Exposure) Category 3 | |
| Skin Irrit. 2 | Skin Corrosion / Irritation Category 2 | |
| Skin Sens. 1A | Sensitization - Skin Category 1A | |
| <u> </u> | | |



Page 9 (9)

Issue date: 11/09/2025

Version: 1 (11/09/2025)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: TALL WF FREEDOM SC1202

Version: 1

The information in this safety data sheet is to the best of our knowledge true and accurate but all data, instructions, recommendations and/or suggestions are made without guarantee.