



Version: 2 (11/09/2025)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: R/D Refill 200ml Balance SC1404

Version: 2

Section 1. Identification of the substance or the mixture and of the supplier

1.1 Product Identifier

Product identifier: R/D Refill 200ml Balance SC1404

Other identifiers: None

Unique Formula 6JD1-S0

Identifier (UFI):

6JD1-S0QJ-V006-6F3G

1.2 Relevant identified uses of the substance of mixture and uses advised against

Product uses: Home fragrance

1.3 Details of the supplier of the safety data sheet

Company name: Colony Deutschland GmbH

Company address: Karlsplatz 3

80335 München

Germany

Contact: Colony Deutschland GmbH -Ireland

E-Mail address:

Company phone: 0049 89 23035342 / +447921970488

1.4 Emergency telephone number

Emergency phone: +353 (1) 809 2166 (parents and those caring for young children)

+353 (1) 837 9964 or +353 (1) 809 2566 (Healthcare Professionals)

Section 2. Hazards identification

2.1 Classification of the substance or mixture

Classification under Regulation (EC) No 1272/2008

Class and category of Flammable Liquid, Hazard Category 2

danger:

Eye Damage / Irritation Category 2

Hazardous to the Aquatic Environment - Long-term Hazard Category 3

H225, Highly flammable liquid and vapour.

H319, Causes serious eye irritation.

H412, Harmful to aquatic life with long lasting effects.

2.2 Label elements

Classification under Regulation (EC) No 1272/2008

Signal word: Danger

Hazard statements: H225, Highly flammable liquid and vapour.

H319, Causes serious eye irritation.

H412, Harmful to aquatic life with long lasting effects.

Wax Lyrical Ltd, Lindal in Furness, Ulverston, Cumbria, LA12 0LD



Version: 2 (11/09/2025)



SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: R/D Refill 200ml Balance SC1404

Version: 2

Supplemental Information:

EUH208, Contains Ethyl linalool, Geraniol, Hexyl salicylate, Isoeugenol, Linalool, Linalyl

acetate, alpha-Amylcinnamaldehyde, delta-Damascone, dl-Citronellol. May produce an allergic

reaction.

Precautionary statements:

P210, Keep away from heat, sparks, open flames and hot surfaces. - No smoking.

P233, Keep container tightly closed.

P240, Ground/bond container and receiving equipment.

P241, Use explosion-proof electrical, ventilating and lighting equipment.

P242, Use only non-sparking tools.

P243, Take precautionary measures against static discharge.

P264, Wash hands and other contacted skin thoroughly after handling.

P273, Avoid release to the environment.

P280, Wear protective gloves/eye protection/face protection.

P303/361/353, IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing.

Rinse skin with water/shower.

P305/351/338, IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P337/313, If eye irritation persists: Get medical advice/attention.

P370/378, In case of fire: Use carbon dioxide, dry chemical, foam for extinction.

P403/235, Store in a well-ventilated place. Keep cool.

P501, Dispose of contents/container to approved disposal site, in accordance with local

regulations.





2.3 Other hazards

Other hazards: Sensitisers declared on a CLP Hazard Label:

Ethyl linalool, Geraniol, Hexyl salicylate, Isoeugenol, Linalool,

Linalyl acetate, alpha-Amylcinnamaldehyde, delta-

Damascone, dl-Citronellol

0.0000% Hydrocarbon Concentration %:

Unique Formula Identifier: 6JD1-S0QJ-V006-6F3G

Section 3. Composition / information on ingredients

3.2 Mixtures

Contains:

| Name | CAS | EC | REACH Registration No. | % | Classification for (CLP) 1272/2008 | Specific Conc. Limits, M-factors and ATEs |
|------|-----|----|------------------------|---|------------------------------------|---|
|------|-----|----|------------------------|---|------------------------------------|---|





Version: 2 (11/09/2025)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: R/D Refill 200ml Balance SC1404

Version: 2

| Ethyl alcohol | 64-17-5 | 200-578-6 | 50-100% | Flam. Liq. 2-Eye Irrit. 2; H225-H319,- | |
|------------------------------|------------|-----------|---------|---|---|
| Isopropyl alcohol | 67-63-0 | 200-661-7 | 10-<20% | Flam. Liq. 2-Eye Irrit. 2- STOT SE 3;H225- H319-H336,- | |
| Phenethyl alcohol | 60-12-8 | 200-456-2 | 5-<10% | Acute Tox. 4-Eye Irrit. 2;H302-H319,- | dermal: ATE = 2500 mg/kg bw-oral: ATE = 1610 mg/kg bw |
| Linalool | 78-70-6 | 201-134-4 | 0.1-<1% | Skin Irrit. 2-Eye Irrit. 2- Skin Sens. 1B;H315- H317-H319,- | oral: ATE = 2790 mg/kg bw |
| alpha- Amylcinnamaldehyde | 122-40-7 | 204-541-5 | 0.1-<1% | Skin Sens. 1B-Aquatic Chronic 2;H317-H411,- | oral: ATE = 3730 mg/kg bw |
| Linalyl acetate | 115-95-7 | 204-116-4 | 0.1-<1% | Skin Irrit. 2-Skin Sens. 1B;H315-H317,- | |
| Hexyl salicylate | 6259-76-3 | 228-408-6 | 0.1-<1% | Skin Sens. 1B-Aquatic Acute 1-Aquatic Chronic 1;H317-H410,- | M = 1 |
| Ethyl linalool | 10339-55-6 | 233-732-6 | 0.1-<1% | Eye Irrit. 2-Skin Sens. 1B;H317-H319,- | oral: ATE = 5000 mg/kg bw |
| dl-Citronellol | 106-22-9 | 203-375-0 | 0.1-<1% | Skin Irrit. 2-Eye Irrit. 2- Skin Sens. 1B;H315- H317-H319,- | dermal: ATE = 2650 mg/kg bw-oral: ATE = 3450 mg/kg bw |
| Geraniol | 106-24-1 | 203-377-1 | 0.1-<1% | Skin Irrit. 2-Eye Dam. 1-Skin Sens. 1;H315- H317-H318,- | oral: ATE = 3600 mg/kg bw |
| delta-Damascone | 57378-68-4 | 260-709-8 | <0.1% | Acute Tox. 4-Skin Irrit. 2-Skin Sens. 1A- Aquatic Acute 1- Aquatic Chronic 1; H302-H315-H317- H410,- | oral: ATE = 1400 mg/kg bw |
| Isoeugenol | 97-54-1 | 202-590-7 | <0.1% | Skin Irrit. 2-Eye Irrit. 2- Skin Sens. 1A-STOT SE 3;H302-H312- H315-H317-H310- | Skin Sens. 1; H317; C ≥ 0.01%-inhalation: ATE = 1.5 mg/l (dusts or mists)-dermal: ATE = 1912 mg/kg bw-oral: ATE = 542 mg/kg bw |

Substances with Community workplace exposure limits:

| Name | CAS | EC | REACH Registration No. | % | Classification for (CLP) 1272/2008 | Specific Conc. Limits, M-factors and ATEs |
|-------------------------------------|------------|-----------|---------------------------|---------|--|---|
| Dipropylene glycol monomethyl ether | 34590-94-8 | 252-104-2 | | 1-<5% | -;-,- | |
| Ethyl alcohol | 64-17-5 | 200-578-6 | | 50-100% | Flam. Liq. 2-Eye Irrit. 2; H225-H319,- | |
| Isopropyl alcohol | 67-63-0 | 200-661-7 | | 10-<20% | Flam. Liq. 2-Eye Irrit. 2- STOT SE 3;H225- H319-H336 | |

Substances that are endocrine disruptors according to Regulation (EU) 2017/2100 or Regulation (EU) 2018/605, greater than 0.1%:

Not Applicable

Substances that are persistent, bioaccumulative and toxic or very persistent and very bioaccumulative, greater than 0.1%:

Not Applicable





Version: 2 (11/09/2025)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: R/D Refill 200ml Balance SC1404

Version: 2

Section 4. First-aid measures

4.1 Description of first aid measures

Inhalation: Remove from exposure site to fresh air, keep at rest, and obtain medical attention.

Eye exposure: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

Skin exposure: IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with

water/shower.

Ingestion: Rinse mouth with water and obtain medical attention.

4.2 Most important symptoms and effects, both acute and delayed

Causes serious eye irritation.

4.3 Indication of any immediate medical attention and special treatment needed

None expected, see Section 4.1 for further information.

Section 5: Firefighting measures

5.1 Extinguishing media

Suitable media: Alcohol resistant foam,carbon dioxide,dry powder or water fog

5.2 Special hazards arising from the substance or mixture

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

5.3 Advice for fire fighters:

In case of insufficient ventilation, wear suitable respiratory equipment.

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

6.2 Environmental precautions:

Keep away from drains, surface and ground water, and soil.

6.3 Methods and material for containment and cleaning up:

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

6.4 Reference to other sections:

Also refer to sections 8 and 13.





Version: 2 (11/09/2025)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: R/D Refill 200ml Balance SC1404

Version: 2

Section 7. Handling and storage

7.1 Precautions for safe handling:

Keep away from heat, sparks, open flames and hot surfaces. - No smoking.

7.2 Conditions for safe storage, including any incompatibilities:

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

7.3 Specific end use(s):

Home fragrance: Use in accordance with good manufacturing and industrial hygiene practices.

Section 8. Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits:

| Ingredient | CAS | EC | Description | Value |
|-------------------------------|------------|-----------|------------------------|-------|
| Dipropylene glycol monomethyl | 34590-94-8 | 252-104-2 | UK WEL Long term ppm | 50 |
| ether | | | UK WEL Long term mgm3 | 308 |
| Ethyl alcohol | 64-17-5 | 200-578-6 | UK WEL Long term ppm | 1000 |
| | | | UK WEL Long term mgm3 | 1920 |
| | 67-63-0 | 200-661-7 | UK WEL Long term ppm | 400 |
| la amazand alaah al | | | UK WEL Long term mgm3 | 999 |
| Isopropyl alcohol | | | UK WEL Short term ppm | 500 |
| | | | UK WEL Short term mgm3 | 1250 |

8.2 Exposure Controls

Eye / Skin Protection

Wear protective gloves/eye protection/face protection

Respiratory Protection

Ensure adequate and ongoing ventilation is maintained in order to prevent build up of excessive vapour and to ensure occupational exposure limits are adhered to. If appropriate, and depending on your patterns and volumes of use, the





Version: 2 (11/09/2025)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: R/D Refill 200ml Balance SC1404

Version: 2

following engineering controls may be required as additional protective measures: a) Isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant. b) Employ the use of Personal protective equipment - an approved, properly fitted respirator with organic vapour cartridges or canisters and particulate filters. c) Use local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or reduce possible worker exposures. d) Use closed systems for transferring and processing this material.

Also refer to Sections 2 and 7.

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical State/Colour:

Odour:

Not determined

range:

Flammability: Not determined Lower and upper explosion limit: Not determined

Flash point: 22 °C

Auto-ignition temperature:

Decomposition temperature:

Not relevant

Not determined

Not determined

Kinematic viscosity:

Not determined

Solubility:

Not determined

Not determined

Not determined

Not determined

value):

Vapour pressure:

Density and/or relative density:

Not determined

Not determined

Not determined

Not determined

Not determined

Not determined

9.2 Other information: None available

Section 10. Stability and reactivity

10.1 Reactivity:

Presents no significant reactivity hazard, by itself or in contact with water.

10.2 Chemical stability:

Good stability under normal storage conditions.



Page 7 (10)

Issue date: 11/09/2025

Version: 2 (11/09/2025)



SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: R/D Refill 200ml Balance SC1404

Version: 2

10.3 Possibility of hazardous reactions:

Not expected under normal conditions of use.

10.4 Conditions to avoid:

Avoid extreme heat.

10.5 Incompatible materials:

Avoid contact with strong acids, alkalis or oxidising agents.

10.6 Hazardous decomposition products:

Not expected.

Section 11. Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP).

Acute Toxicity: Based on available data the classification criteria are not met.

>5000 **Acute Toxicity Oral** >5000 **Acute Toxicity Dermal**

Acute Toxicity Inhalation Not Available

Skin corrosion/irritation: Based on available data the classification criteria are not met.

Eye Damage / Irritation Category 2 Serious eye damage/irritation:

Respiratory or skin sensitisation: Based on available data the classification criteria are not met. Germ cell mutagenicity: Based on available data the classification criteria are not met. Carcinogenicity: Based on available data the classification criteria are not met. Reproductive toxicity: Based on available data the classification criteria are not met. STOT-single exposure: Based on available data the classification criteria are not met. STOT-repeated exposure: Based on available data the classification criteria are not met. **Aspiration hazard:** Based on available data the classification criteria are not met.

Information about hazardous ingredients in the mixture

| Ingredient | CAS | EC | LD50/ATE Oral | LD50/ATE Dermal | LC50/ATE Inhalation | LC50 Route |
|-------------------|---------|-----------|---------------|--------------------|------------------------|------------------|
| Phenethyl alcohol | 60-12-8 | 200-456-2 | 1610 | 2500 | Not available | Not available |

Refer to Sections 2 and 3 for additional information.

11.2 Information on other hazards

Not Applicable

Section 12. Ecological information

12.1 Toxicity:



Page 8 (10)

Issue date: 11/09/2025

Version: 2 (11/09/2025)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: R/D Refill 200ml Balance SC1404

Version: 2

Harmful to aquatic life with long lasting effects.

12.2 Persistence and degradability:Not available12.3 Bioaccumulative potential:Not available12.4 Mobility in soil:Not available

12.5 Results of PBT and vPvB assessment:

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

12.6 Endocrine disrupting properties: Not Applicable **12.7 Other adverse effects:** Not available

Section 13. Disposal considerations

13.1 Waste treatment methods:

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

Section 14. Transport information

| | 14.1 UN number: | 14.2 UN Proper Shipping Name: | 14.3 Transport hazard class (es): | Sub Risk: | 14.4 Packing Group: |
|-------------------------|--------------------|---|--|-----------|------------------------|
| UN Model Regulations | UN1993 | FLAMMABLE LIQUID, N.O.S. (Ethyl alcohol, Isopropyl alcohol) | 3 | - | II |
| IMDG | UN1993 | FLAMMABLE LIQUID, N.O.S. (Ethyl alcohol, Isopropyl alcohol) | 3 | - | II |
| ADR,RID,ADN | UN1993 | FLAMMABLE LIQUID, N.O.S. (Ethyl alcohol, Isopropyl alcohol) | 3 | - | II |
| ICAO TI | UN1993 | FLAMMABLE LIQUID, N.O.S. (Ethyl alcohol, Isopropyl alcohol) | 3 | - | II |

14.5 Environmental hazards: Not environmentally hazardous for transport

14.6 Special precautions for user: None additional

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:

Not applicable

Section 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Water Hazard Class (WGK):

15.2 Chemical Safety Assessment

A Chemical Safety Assessment has not been carried out for this product.

Section 16. Other information

Concentration % Limits: EDI 2=14.04% EH C3=46.82%



WAX LYRICAL ENGLAND

Issue date: 11/09/2025

Version: 2 (11/09/2025)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: R/D Refill 200ml Balance SC1404

Version: 2

Total Fractional Values: EDI 2=7.12 EH C3=2.14

Key to revisions:

SECTION 3: Composition/information on ingredients

Key to abbreviations:

| Abbreviation | Meaning |
|-------------------|--|
| Acute Tox. 4 | Acute Toxicity - Oral Category 4 |
| Acute Tox. 4 | Acute Toxicity - Dermal Category 4 |
| Acute Tox. 4 | Acute Toxicity - Inhalation Category 4 |
| Aquatic Acute 1 | Hazardous to the Aquatic Environment - Acute Hazard Category 1 |
| Aquatic Chronic 1 | Hazardous to the Aquatic Environment - Long-term Hazard Category 1 |
| Aquatic Chronic 2 | Hazardous to the Aquatic Environment - Long-term Hazard Category 2 |
| Eye Dam. 1 | Eye Damage / Irritation Category 1 |
| Eye Irrit. 2 | Eye Damage / Irritation Category 2 |
| Flam. Liq. 2 | Flammable Liquid, Hazard Category 2 |
| H225 | Highly flammable liquid and vapour. |
| H302 | Harmful if swallowed. |
| H312 | Harmful in contact with skin. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H318 | Causes serious eye damage. |
| H319 | Causes serious eye irritation. |
| H332 | Harmful if inhaled. |
| H335 | May cause respiratory irritation. |
| H336 | May cause drowsiness or dizziness. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| H411 | Toxic to aquatic life with long lasting effects. |
| P210 | Keep away from heat, sparks, open flames and hot surfaces No smoking. |
| P233 | Keep container tightly closed. |
| P240 | Ground/bond container and receiving equipment. |
| P241 | Use explosion-proof electrical, ventilating and lighting equipment. |
| P242 | Use only non-sparking tools. |
| P243 | Take precautionary measures against static discharge. |
| P261 | Avoid breathing vapour or dust. |
| P264 | Wash hands and other contacted skin thoroughly after handling. |
| P270 | Do not eat, drink or smoke when using this product. |
| P271 | Use only outdoors or in a well-ventilated area. |
| P272 | Contaminated work clothing should not be allowed out of the workplace. |
| P273 | Avoid release to the environment. |
| P280 | Wear protective gloves/eye protection/face protection. |
| P301/312 | IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell. |



Page 10 (10)

Issue date: 11/09/2025

Version: 2 (11/09/2025)



SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: R/D Refill 200ml Balance SC1404

Version: 2

| P302/352 | IF ON SKIN: Wash with plenty of soap and water. |
|---------------|--|
| P303/361/353 | IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower. |
| P304/340 | IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. |
| P305/351/338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P310 | Immediately call a POISON CENTER or doctor/physician. |
| P312 | Call a POISON CENTRE or doctor/physician if you feel unwell. |
| P330 | Rinse mouth. |
| P333/313 | If skin irritation or rash occurs: Get medical advice/attention. |
| P337/313 | If eye irritation persists: Get medical advice/attention. |
| P362 | Take off contaminated clothing and wash before reuse. |
| P363 | Wash contaminated clothing before reuse. |
| P370/378 | In case of fire: Use carbon dioxide, dry chemical, foam for extinction. |
| P391 | Collect spillage. |
| P403/233 | Store in a well-ventilated place. Keep container tightly closed. |
| P403/233/235 | Store in a well-ventilated place. Keep container tightly closed. Keep cool. |
| P403/235 | Store in a well-ventilated place. Keep cool. |
| P405 | Store locked up. |
| P501 | Dispose of contents/container to approved disposal site, in accordance with local regulations. |
| STOT SE 3 | Specific Target Organ Toxicity (Single Exposure) Category 3 |
| STOT SE 3 | Specific Target Organ Toxicity (Single Exposure) Category 3 |
| Skin Irrit. 2 | Skin Corrosion / Irritation Category 2 |
| Skin Sens. 1 | Sensitization - Skin Category 1 |
| Skin Sens. 1A | Sensitization - Skin Category 1A |
| Skin Sens. 1B | Sensitization - Skin Category 1B |
| | |

The information in this safety data sheet is to the best of our knowledge true and accurate but all data, instructions, recommendations and/or suggestions are made without guarantee.