Printing Date: March 19, 2025 Version No.: 1.0 Revision: March 19, 2025

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name:

Scented Wax - Spiced Winter Berries

· Other means of identification:

UFI code: No available data.

- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Relevant identified uses:

Consumer uses, refreshing air.

· Uses advised against:

No available data.

· Reason why uses advised against:

No available data.

- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

HANGZHOU EDAR INTERNATIONAL CO., LTD.

A-601, HUAHONG CENTER, NO. 238 TIANMUSHAN ROAD, HANGZHOU, CHINA

· 1.4 Emergency telephone number

+86-0571-56837011

# SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · 2.1.1 Classification according to regulation (EC) 1272/2008:

Regulation (EC) No 1272/2008 [CLP]	Classification procedure
Skin Sens. 1, H317	Cut-off values/concentration limits approach
Eye Irrit. 2, H319	Additivity approach

· 2.1.2 Additional information:

For full text of Hazard- and EU Hazard-statements: see SECTION 16.

- · 2.2 Label elements
- · Labeling according to Regulation (EC) No 1272/2008:

The product is labelled according to CLP Regulation.

· Hazard pictograms:



GHS07

· Signal word:

Printing Date: March 19, 2025 Version No.: 1.0 Revision: March 19, 2025

Trade Name: Scented wax

Warning

#### · Hazard-determining components of labelling:

Methyl salicylate

Cinnamaldehyde

#### · Hazard statements:

H317 May cause an allergic skin reactionH319 Causes serious eye irritation

#### · Precautionary statement:

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children

P103 Read carefully and follow all instructions

*P264* Wash hands and face thoroughly after handling.

P280 Wear protective gloves/eye protection/face protection. P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.

P501 Dispose of contents/container in accordance with official regulation.

#### · Supplemental label elements:

EUH208, Contains (-)-pin-2(10)-ene, (R)-p-mentha-1,8-diene, 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one, 2,4-2-Dimethylcyclohex-3-ene-1-carbaldehyde,

#### · 2.3 Other hazards

None of the ingredients ( $\geq 0.1\%$ ) meets the criteria for PBT/vPvB in accordance with Annex XIII. None of the ingredients ( $\geq 0.1\%$ ) are identified as having endocrine disrupting properties according to Regulation (EU) 2017/2100.

## SECTION 3: Composition/information on ingredients

#### · 3.2 Mixtures

### · Description of the mixture:

Scented wax.

Ingredients:						
Substance	CAS No.	Index No.	EC No.	w/w, %	CLP Classification	SCL/M-factor/ATE
Paraffin	8002-74-2	-	232-315-6	93.9	None	-
Benzyl benzoate	120-51-4	-	204-402-9	>0.5-≤1	Acute Tox.4-Aquatic Acute 1-Aquatic Chronic 2;H302- H400-H411,	-
Cinnamaldehyde	104-55-2	-	203-213-9	>0.5-≤1	Acute Tox.4-Skin Irrit.2-Skin Sens.1A-Aquatic Chronic 3; H312- H315-H317-H319	ATE (dermal)=1260 mg/kg Skin Sens. 1A, H317: C≥0.01 %
2-tert-butylcyclohexyl acetate	88-41-5	-	201-8	>0.4- <0.8	Aquatic Chronic 2;H411,-	-
2-Methoxy-4-(prop-2-en- 1-yl)phenol	97-53-0	-	202-589-1	>0.4-\le 0.8	Eye Irrit.2-Skin Sens.1B;H317-H319	-
4-(4-Hydroxyphenyl) butan-2-one	5471-51-2	-	226-806-4	>0.2-< 0.4	Acute Tox. 4;H302,-	-

Printing Date: March 19, 2025 Version No.: 1.0 Revision: March 19, 2025

Trade Name: Scented wax

Ethyl 2,3-epoxy-3- phenylbutyrate	77-83-8	-	201-061-8	>0.2-< 0.4	Skin Sens.1B-Aquatic Chronic 2;H317- H411,-	-
Benzyl acetate	140-11-4	-	205-399-7	>0.2-≤ 0.4	Aquatic Chronic 3;H412	-
p-menth-1-en-8-yl acetate	8007-35-0	-	232-357-5	>0.1-≤ 0.4	Aquatic Chronic 2; H411,-	-
2-ethyl-3-hydroxy-4- pyrone	4940-11-8	-	225-582-5	0.2	Acute Tox. 4;H302,-	
Pigment Green 7	1328-53-6	-	215-524-7	0.1	None	-
Pigment Red 53	5160-02-1	-	225-935-3	1	None	-
Pigment Yellow I	2512-29-0	-	219-730-8	1	None	-
Pigment Red 48:2	7023-61-2	-	230-303-5	1	None	-
1-(1,2,3,4,5,6,7,8- octahydro-2,3,8,8- tetramethyl-2-naphthyl) ethan-1-one	5446-57-2	-	259-174-3, 915-730-3	≤0.1	Skin Irrit. 2-Skin Sens.1B-Aquatic Chronic 1;H315- H317-H410,-	-
Cinnamyl alcohol	104-51-1	-	203-212-3	≤0.1	Acute Tox. 4-Skin Sens. 1B;H302-H317,	-
Coumarin	91-64-5	-	202-086-7	≤0.1	Acute Tox. 4-Skin Sens. 1B;H302- H317,-	-
4-tert-Butylcyclohexyl acetate	32210-23-4	-	250-954-9	≥0.04-≤ 0.1	Skin Sens. 1B;H317,-	-
Citral	5392-40-5	-	226-394-6	≥0.04-≤ 0.1	Skin Irrit. 2-Eye Irrit. 2- Skin Sens. 1;H315- H317-H319,-	-
Cineole	470-82-6	-	207-431-5	≥0.004-< 0.04	Flam. Liq. 3-Skin Sens. 1B;H226-H317,-	-
Linalyl acetate	115-95-7	-	204-116-4	≥0.004-< 0.04	Skin Irrit. 2-Eye Irrit. 2-Skin Sens. 1;H315- H317-H319,-	-
Nerol	106-25-2	-	203-378-7	≥0.004-< 0.04	Skin Irrit. 2-Eye Irrit. 2-Skin Sens. 1;H315- H317-H319,-	-
Citronellol	106-22-9	-	203-375-0	≥0.004-< 0.04	Skin Irrit. 2-Eye Irrit. 2-Skin Sens. 1;H315- H317-H319,-	-

Additional information:

Full text of H- and EUH-statements, see SECTION 16.

Printing Date: March 19, 2025 Version No.: 1.0 Revision: March 19, 2025

Trade Name: Scented wax

## SECTION 4: First aid measures

· 4.1 Description of first aid measures

· General notes:

Get medical attention if you feel unwell.

· Following inhalation:

Supply with fresh air.

Get medical attention if you feel unwell.

· Following skin contact:

Wash with water and soap.

If skin irritation or rash occurs: Get medical advice/attention.

· Following eye contact:

Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do.

Continue rinsing.

If eye irritation occurs: Get medical advice/attention.

· Following ingestion:

Rinse mouth.

Call a POISON CENTER/doctor if you feel unwell.

· Self-protection of the first aider:

Wear disposable, latex free gloves.

· 4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are as indicated in sections 2 and 11.

· 4.3 Indication of any immediate medical attention and special treatment needed:

Treat according to symptom, there is not known specific medicine.

# SECTION 5: Fire-fighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

Use CO<sub>2</sub>, chemical powder, water spray or alcohol resistant foam to extinguish.

· Unsuitable extinguishing media:

Water with full jet.

- · 5.2 Special hazards arising from the substance or mixture
- · Hazardous combustion products:

May form irritant/ allergic vapor/mist in air under fire.

- · 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained breathing apparatus for firefighting.

## SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Printing Date: March 19, 2025 Version No.: 1.0 Revision: March 19, 2025

Trade Name: Scented wax

#### · 6.1.1 For non-emergency personnel

· Protective equipment:

Protective gloves/ eye protection/ face protection.

· Emergency procedures:

Ensure adequate ventilation.

Avoid breathing vapor/mist.

Avoid contact with eyes and skin.

- · 6.1.2 For emergency responders
- · Personal protective equipment:

Protective gloves/ eye protection/ face protection.

· 6.2 Environmental precautions:

Prevent further leakage or spillage if safe to do so.

Prevent spillage from entering drains, sewer, basement or confined areas.

If the spillage contaminates rivers, lakes or drains inform respective authorities.

- · 6.3 Methods and material for containment and cleaning up
- · 6.3.1 For containment:

Bunding, covering of drains.

· 6.3.2 For cleaning up:

Pick up mechanically.

· 6.3.3 Other information:

Dispose contaminated material as waste according to section 13.

· 6.4 Reference to other sections:

See section 7 for information on safe handling.

See section 8 for information on personal protection equipment.

See section 13 for disposal information.

## SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling:
- · Protective measures:

Read carefully and follow all instructions

Prevent contact with eyes and skin.

· Measures to prevent fire:

Normal measures for preventive fire protection.

· Measures to prevent aerosol and dust generation:

Ensure well ventilation at workplace.

· Measures to protect the environment:

Avoiding spills or keeping away from drains.

· Advice on general occupational hygiene:

Wear protective gloves/ eye protection/ face protection.

- · 7.2 Conditions for safe storage, including any non-compatibility
- · Technical measures and storage conditions:

Store in a cool and well-ventilated place.

Printing Date: March 19, 2025 Version No.: 1.0 Revision: March 19, 2025

Trade Name: Scented wax

Keep out of reach of children.

· Packaging materials:

No special requirement.

· Requirements for storage rooms and vessels:

Keep in cool room.

· Storage class:

11.

 $\cdot \textit{Further information on storage conditions:}$ 

Store locked up.

- · 7.3 Specific end use(s)
- · Recommendations:

See section 1.2.

· Industrial sector specific solutions:

No further information.

# SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

Country	Limit value - Eight hours	Limit value - Short term		
8002-74-2 Paraffin				
Belgium	$2mg/m^3$	-		
Denmark	$2mg/m^3$	$4mg/m^3$		
Finland	$lmg/m^3$	-		
France	$2mg/m^3$	-		
Ireland	$2mg/m^3$	6mg/m³ 15 minutes reference period		
Poland	$2mg/m^3$	-		
Spain	$2mg/m^3$	-		
United Kingdom	$2mg/m^3$	6mg/m³		
123-92-2 Isopent	yl acetate			
Belgium	$50ppm;270mg/m^3$	$100ppm;540mg/m^3$		
Denmark	$50ppm;266mg/m^3$	$100ppm;532mg/m^3$		
European Union	$50ppm;270mg/m^3$	100ppm;540mg/m³ 15 minutes average value		
Finland	$50ppm;270mg/m^3$	100ppm;540mg/m³ 15 minutes average value		
France	$50ppm;270mg/m^3$	$100ppm;540mg/m^3$		
Germany (AGS)	$50ppm;270mg/m^3$	50ppm;270mg/m³15 minutes average value		
Germany (DFG)	$50ppm;270mg/m^3$	50ppm;270mg/m³ STV 15 minutes average value		
Hungary	$270mg/m^3$	$540mg/m^3$		
Ireland	50ppm;260mg/m <sup>3</sup>	100ppm;520mg/m³15 minutes reference period		
Latvia	50ppm;270mg/m³	100ppm;540mg/m³15 minutes average value		
Poland	$250mg/m^3$	$500mg/m^3$		
Romania	50ppm;270mg/m <sup>3</sup>	100ppm;540mg/m³ 15 minutes average value		
Spain	50ppm;270mg/m <sup>3</sup>	$100ppm;540mg/m^3$		

Printing Date: March 19, 2025 Version No.: 1.0 Revision: March 19, 2025

Trade Name: Scented wax

Sweden	100ppm;500mg/m <sup>3</sup>	150ppm;800mg/m <sup>3</sup>		
The Netherlands -		$530mg/m^3$		
United Kingdom	50ppm;270mg/m <sup>3</sup>	100ppm;541mg/m³		
5989-27-5 D-Lim	onene			
Finland	25ppm;140mg/m³	50ppm;280mg/m³ 15 minutes average value		
Germany (AGS)	5ppm;28mg/m <sup>3</sup>	20ppm;110mg/m³ 15 minutes reference period		
Germany (DFG)	5ppm;28mg/m <sup>3</sup>	20ppm;112mg/m³ 15 minutes average value		
128-37-0 BHT				
Austria	$10 \text{ mg/m}^3$	-		
Belgium	$2 \text{ mg/m}^3$	-		
Denmark	$10 \text{ mg/m}^3$	$20 \text{ mg/m}^3$		
Finland 10 mg/m <sup>3</sup>		20 mg/m³15 minutes average value		
France	$10 \text{ mg/m}^3$	-		
Commann (ACS)	10 mg/m³ Inhalahlo aguagal and nangun	40 mg/m³ Inhalable aerosol and vapour;		
Germany (AGS)	10 mg/m³ Inhalable aerosol and vapour	15 minutes reference period		
Germany (DFG)	10 mg/m³ Inhalable fraction and vapour	40 mg/m³ Inhalable fraction and vapour;		
Germany (DFG)	10 mg/m - innaiable fraction and vapour	15 minutes reference period		
Ireland	$10 \text{ mg/m}^3$	-		
United Kingdom	$10 \text{ mg/m}^3$	-		

## · DNELs:

DNEL type		DNEL worker value	DNEL consumer value	
119-36-8 Methy	l salicylate			
Systemic effects Long-term, inhalation exposure		$9.87 \text{ mg/m}^3$	$1.74 \text{ mg/m}^3$	
	Long-term, dermal exposure	2.8 mg/kg bw/day	1 mg/kg bw/day	
Long-term, oral exposure		-	500 μg/kg bw/day	
5989-27-5 D-Limonene				
Systemic effects Long-term, inhalation exposure		$66.7 \text{ mg/m}^3$	$16.6 \text{ mg/m}^3$	
	Long-term, dermal exposure	9.5 mg/kg bw/day	4.8 mg/kg bw/day	
	Long-term, oral exposure	-	4.8 mg/kg bw/day	

# · PNECs:

PNEC type	Value
119-36-8 Methyl salicylate	
Freshwater	$1.6~\mu\mathrm{g/L}$
Intermittent releases (freshwater)	16 μg/L
Marine water	160 ng/L
Sewage treatment plant (STP)	140 mg/L
Sediment (freshwater)	41 μg/kg sediment dw
Sediment (marine water)	4.1 μg/kg sediment dw
Soil	7 μg/kg soil dw
5989-27-5 D-Limonene	
Freshwater	14 μg/L
Marine water	$1.4 \mu g/L$
Sewage treatment plant (STP)	1.8 mg/L

Printing Date: March 19, 2025 Version No.: 1.0 Revision: March 19, 2025

Trade Name: Scented wax

Sediment (freshwater)	3.85 mg/kg sediment dw
Sediment (marine water)	385 μg/kg sediment dw
Soil	763 μg/kg soil dw
Secondary poisoning	133 mg/kg food

### · Additional information:

The lists valid during the marking were used as basis.

#### · 8.2 Exposure controls

- · Based on the composition shown in section 3, the following measures are suggested for occupational safety measure.
- · 8.2.1 Appropriate engineering controls:

Handle in accordance with good industrial hygiene and safety practice.

Wash hands and face before breaks and at the end of work.

See section 7 for information about design of technical facilities.

### · 8.2.2. Personal protection equipment

### · Eye/face protection:

Not required under normal conditions of use.

For industrial applications, following protection required:



## Safety glasses

Protective goggles with side-shields.

### · Skin protection

## · Hand protection:

Not required under normal conditions of use.

For industrial applications, following protection required:



### Protective gloves

Gloves made from butyl rubber Neoprene  $^{TM}$  rubber, nitrile rubber (thickness > 0.11mm; breakthrough times up to 480 minutes).

## · Other skin protection:

Not required under normal conditions of use.

For industrial applications, following protection required:











Safety overalls

Face shield, gauntlets, boots, bodysuit are recommended.

## · Respiration protection:

Not required under normal conditions of use.

For industrial applications, following protection required:



## Respiratory equipment

Use positive pressure breathing mask if concentrations in air could exceed occupational exposure standard.

· Thermal hazards:

Printing Date: March 19, 2025 Version No.: 1.0 Revision: March 19, 2025

Trade Name: Scented wax

Not required under normal conditions of use.

For industrial applications, following protection required:

The gauntlets, boots, bodysuit and other personal protective equipment must be flame retardant and no heat-conducting.

· 8.2.3 Environmental exposure controls:

Control measures must be made in accordance with Community environmental protection legislation.

SECTION 0. Physical and showing I proporties		
SECTION 9: Physical and chemical properties		
<ul> <li>9.1 Information on basic physical and chemical properties</li> <li>Physical state</li> </ul>	Solid	
· Color	Red	
· Odor & Odor threshold	Characteristic odor	
· Melting point/freezing point (or softening point/range)	Not determined	
· Boiling point or initial boiling point and boiling range	341°C (Paraffin)	
· Flammability	Not flammable solid	
· Lower and upper explosion limit	Not applicable	
· Flash point	Not applicable	
· Auto-ignition temperature	>200°C (Paraffin)	
· Decomposition temperature	Not determined	
· pH	Not determined	
· Kinematic viscosity (mm2/s)	Not applicable	
· Solubility	Insoluble in water	
· Partition coefficient n-octanol/water (log value)	Not applicable	
· Vapor pressure	Not determined	
· Density and/or relative density	Not determined	
· Relative vapor density	Not determined	
· Particle characteristics	Not determined	
· 9.2 Other information		
• 9.2.1 Information with regard to physical hazard classes:		
·Explosives	Not applicable	
· Flammable gases	Not applicable	
· Aerosols	Not applicable	
· Oxidising gases	Not applicable	
· Gases under pressure	Not applicable	
· Flammable liquids	Not applicable	
· Flammable solids	Not applicable	
· Self-reactive substances and mixtures	Not applicable	
· Pyrophoric liquids	Not applicable	
· Pyrophoric solids	Not applicable	
· Self-heating substances and mixtures	Not applicable	
· Substances and mixtures, which emit flammable gases	Not applicable	
in contact with water		
· Oxidizing liquids	Not applicable	

Printing Date: March 19, 2025 Version No.: 1.0 Revision: March 19, 2025

Trade Name: Scented wax		
· Oxidizing solids	Not applicable	
· Organic peroxides	Not applicable	
· Corrosive to metals	Not applicable	
· Desensitised explosives	Not applicable	
· 9.2.2 Other safety characteristics		
· Mechanical sensitivity	Not applicable	
· Self-accelerating polymerisation temperature	Not applicable	
· Formation of explosible dust/air mixtures	Not applicable	
· Acid/alkaline reserve	Not applicable	
· Evaporation rate	Not applicable	
· Miscibility	Not applicable	
· Conductivity	Not applicable	
· Corrosiveness	Not applicable	
· Gas group	Not applicable	
· Redox potential	Not applicable	
· Radical formation potential	Not applicable	
· Photocatalytic properties	Not applicable	

Not determined

# SECTION 10: Stability and reactivity

· Other physical and chemical parameters

· 10.1 Reactivity:

The product is non-reactive under normal conditions of use, storage and transport.

· 10.2 Chemical stability:

Under storage at normal ambient temperatures, the product is stable.

· 10.3 Possibility of hazardous reactions:

No known hazardous reaction.

· 10.4 Conditions to avoid:

High temperature.

· 10.5 Incompatible materials:

Strong oxidizing agent and acids.

· 10.6 Hazardous decomposition products:

Does not decompose when used for intended uses.

## SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity:

Based on available data, the classification criteria are not met.

Species	Effective Dose	Results	Method/Source
119-36-8 M	ethyl salicylate		

Printing Date: March 19, 2025 Version No.: 1.0 Revision: March 19, 2025

Trade Name: Scented wax

Rat	LD50-oral	887 mg/kg	Toxicological Data, compiled by the National Institute of Health (NIH),
			USA, selected and distributed by Technical Database Services (TDS),
			New York, 2009.
Guinea pig	LD50-dermal	700 mg/kg	ECHA registered dossier.
Mouse	LD50-oral	1110 mg/kg	Journal of Pharmacology and Experimental Therapeutics., 132(207),
			1961 [PMID:13720266].
Dog	LD50-oral	2100 mg/kg	Food and Cosmetics Toxicology., 16(821), 1978.
Rabbit	LD50-oral	1300 mg/kg	Food and Cosmetics Toxicology., 16(821), 1978.
5989-27-5	D-Limonene	·	
Rat	LD50-oral	4400 mg/kg	Oyo Yakuri. Pharmacometrics. Vol. 9, Pg. 387, 1975.
Rabbit	LD50-dermal	>5000 mg/kg	Toxicological Data, compiled by the National Institute of Health (NIH),
			USA, selected and distributed by Technical Database Services (TDS),
			New York, 2009.
Mouse	LD50-oral	5600 mg/kg	Oyo Yakuri. Pharmacometrics., 9(387), 1975.

#### · Skin corrosion/irritation:

Based on available data, the classification criteria are not met.

#### · Serious eyes damage/irritation:

Causes serious eye irritation.

## · Respiratory or skin sensitization:

May cause an allergic skin reaction.

#### · Germ cell mutagenicity:

Based on available data, the classification criteria are not met.

### · Carcinogenicity:

Based on available data, the classification criteria are not met.

### · Reproductive toxicity:

Based on available data, the classification criteria are not met.

## · STOT-single exposure:

Based on available data, the classification criteria are not met.

## · STOT-repeated exposure:

Based on available data, the classification criteria are not met.

#### · Aspiration hazard:

Based on available data, the classification criteria are not met.

#### · 11.2 Information on other hazards

#### · 11.2.1 Endocrine disrupting properties:

None of the ingredients ( $\geq 0.1\%$ ) are considered to have endocrine-disrupting properties with respect to humans, as none of them meet the criteria set out in section A of Regulation (EU) No 2017/2100.

### · 11.2.2 Other information:

No known other relevant information on adverse health effects.

Printing Date: March 19, 2025 Version No.: 1.0 Revision: March 19, 2025

Trade Name: Scented wax

# SECTION 12: Ecological information

#### · 12.1 Toxicity:

Species	Effect dose	Test duration	Value	
119-36-8 Methyl salicylate				
Pimephales promelas	LC50	96h	19.8 mg/L	
Daphnia	EC50	48h	28 mg/L	
Freshwater algae	EC50	72h	1.6 mg/L	
Freshwater algae	NOEC	72h	0.79 mg/L	
5989-27-5 D-Limonene				
Pimephales promelas	LC50	96h	720 μg/L	
Daphnia magna	EC50	48h	0.307 mg/L	
Daphnia magna	NOEC	21d	0.153 mg/L	
Freshwater algae	EC50	72h	0.32 mg/L	
Freshwater algae	NOEC	72h	0.174 mg/L	

### · 12.2 Persistence and degradability:

CAS	Substance	Biodegradation	Hydrolysis
119-36-8	Methyl salicylate	98.4 %(28d)	-
5989-27-5	D-Limonene	71.4%(28d)	-

#### · 12.3 Bio-accumulative potential:

CAS	Substance	Log Pow	BCF
119-36-8	Methyl salicylate	2.55	-
5989-27-5	D-Limonene	4.38	690.1

#### · 12.4 Mobility in soil:

CAS	Substance	Surface tension (mN/m)	Log Koc
119-36-8	Methyl salicylate	38.82 (30°C)	2.346
5989-27-5	D-Limonene	-	3.383

## · 12.5 Results of PBT and vPvB assessment:

This mixture does not contain any substances ( $\geq 0.1\%$ ) that are assessed to be a PBT or a vPvB.

## · 12.6 Endocrine disrupting properties:

None of the ingredients ( $\geq 0.1\%$ ) are considered to have endocrine-disrupting properties with respect to non-target organisms, as none of them meet the criteria set out in section B of Regulation (EU) No 2017/2100.

### · 12.7 Other adverse effects:

No known other adverse effects.

### · 12.8 Additional ecological information

## · General notes:

WGK1 (German Regulation) (self-assessment): slightly hazardous to water.

Do not allow large quantities of the product to reach ground water, water course or sewage system.

Printing Date: March 19, 2025 Version No.: 1.0 Revision: March 19, 2025

Trade Name: Scented wax

# SECTION 13: Disposal consideration

- · 13.1 Waste treatment methods
- · Recommendation:

Must not be disposed together with household garbage.

- · 13.2 Un-cleaned packaging
- · Recommendation:

Dispose of contents/container in according to the local/regional/national/ international regulation.

SECTION 14: Transport information				
· 14.1 UN number or ID number				
· ADR/ADN/RID (2025 Edition)	Not applicable/Not regulated, this product is not subject to ADR/ADN/RID.			
· IMO/IMDG (41-22)	Not applicable/Not regulated, this product is not subject to IMO/IMDG code.			
· IATA-DGR (66th)	Not applicable/Not regulated, this product is not subject to IATA-DGR.			
· 14.2 UN proper shipping name				
· ADR/ADN/RID (2025Edition)	Not applicable/Not regulated			
· IMO/IMDG (41-22)	Not applicable/Not regulated			
· IATA-DGR (66th)	Not applicable/Not regulated			
· 14.3 Transport hazard class (es)				
· ADR/ADN/RID (2025Edition)	Not applicable/Not regulated			
· IMO/IMDG (41-22)	Not applicable/Not regulated			
· IATA-DGR (66th)	Not applicable/Not regulated			
· 14.4 Packing group				
· ADR/ADN/RID (2025Edition)	Not applicable/N	Not regulated		
· IMO/IMDG (41-22)	Not applicable/Not regulated			
· IATA-DGR (66th)	Not applicable/Not regulated			
· 14.5 Environmental hazards				
· Environmentally hazardous (ADR/ADN/RID)	No			
· Marine Pollutants (Yes/No)	No			
· Special mark (ADR/ADN/RID)	No			
· 14.6 Special precautions for user	Not applicable/Not regulated			
· Danger code (Kemler)	Not applicable/Not regulated			
EMS number Not applicable/Not regulated				
· 14.7 Maritime transport in bulk according to IM	Not applicable/Not regulated			

# SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · MAK (German Maximum Workplace Concentration):

128-37-0 BHT 4

- · Directive 2012/18/EU
- · Named dangerous substances-ANNEX I:

Printing Date: March 19, 2025 Version No.: 1.0 Revision: March 19, 2025

Trade Name: Scented wax

None of the ingredients are listed.

· Seveso category:

Not applicable

· Qualifying quantity (tonnes) for the application of lower-tier requirements:

Not applicable

· Qualifying quantity (tonnes) for the application of upper-tier requirements:

Not applicable

- · National regulations.
- · Water hazard class:

WGK1 (German Regulation) (self-assessment): slightly hazardous to water.

- · Other regulations, limitations and prohibitive regulations
- · SVHC Candidate list of REACH Regulation Annex XIV Authorization:

None of the ingredients are listed.

· REACH Regulation Annex XVII Restriction:

None of the ingredients are listed.

· REACH Regulation Annex XIV Authorization List:

None of the ingredients are listed.

· 15.2 Chemical safety assessment:

A Chemical Safe Assessment has not been carried out.

## SECTION 16: Other information

· 16.1 Indication of changes:

None.

· 16.2 Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road).

IMDG: International Maritime Code for Dangerous Goods.

IATA: International Air Transport Association.

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

PBT: Persistent, Bio accumulative and Toxic

vPvB: very persistent and very bio accumulative

SVHC: Substance of Very High Concern

LD50: Lethal dose, 50 percent

LC50: Lethal concentration, 50 percent

EC50: Concentration of maximal effect, 50 percent

NOEC: No observed effect concentration

Flam. Liq. 3: Flammable liquids, hazard category 3

Acute Tox. 4: Acute toxicity, hazard category 4

Asp. Tox. 1: Aspiration toxicity, hazard category 1

Skin Irrit. 2: Skin corrosion/irritation, hazard category 2

Skin Sens. 1A: Skin sensitization, hazard category 1A

Printing Date: March 19, 2025 Version No.: 1.0 Revision: March 19, 2025

Trade Name: Scented wax

Skin Sens. 1: Skin sensitization, hazard category 1

Skin Sens. 1B: Skin sensitization, hazard category 1B

Eye Dam. 1: Eye damage/irritation, hazard category 1

Eye Irrit. 2: Eye damage/irritation, hazard category 2

Repr. 2: Reproductive toxicity, hazard category 2

Aquatic Acute 1: Short-term (acute) aquatic hazard, hazard category 1

Aquatic Chronic 1: Long-term (chronic) aquatic hazard, hazard category 1

Aquatic Chronic 2: Long-term (chronic) aquatic hazard, hazard category 2

Aquatic Chronic 3: Long-term (chronic) aquatic hazard, hazard category 3

## · 16.3 Key literature references and sources for data:

https://echa.europa.eu/

https://chem.nlm.nih.gov/

https://www.osha.gov/

http://www.unece.org/

http://www.imo.org/

https://www.dguv.de/

https://epa.govt.nz/

http://www.ilo.org/

https://www.phmsa.dot.gov/

### · 16.4 Classification for mixtures and used evaluation method according to regulation (EC) 1272/2008 [CLP]:

See section 2.1 (classification).

#### · 16.5 Relevant H- and EUH-phrases (number and full text):

H226 Flammable liquid and vapour

H302 Harmful if swallowed

H304 May be fatal if swallowed and enters airways

H312 Harmful in contact with skin

H315 Causes skin irritation

H317 May cause an allergic skin reaction

H318 Causes serious eye damage

H319 Causes serious eye irritation

H361d Suspected of damaging the unborn child

H400 Very toxic to aquatic life

H410 Very toxic to aquatic life with long lasting effects

H411 Toxic to aquatic life with long lasting effects

H412 Harmful to aquatic life with long lasting effects

EUH066 Repeated exposure may cause skin dryness or cracking

## · 16.6 Training advice:

Workers must be trained in general and specific aspects of safe work procedures for this chemical. Workers need easy to understand guidelines and instructions for safe working with this chemical. Instructions, guidelines and legally required documents need to be available for workers in easy to understand language.

#### · 16.7 Further information:

The contents and format of this SDS are in accordance with Regulation (EC) No 1907/2006, its amendment Regulation (EU) No

Printing Date: March 19, 2025 Version No.: 1.0 Revision: March 19, 2025

Trade Name: Scented wax

2020/878 and (EC) No 1272/2008.

DISCLAIMER OF LIABILITY:

The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

\*

End of safety data sheet