

Safety Data Sheet

Regulation (EC) No. 1907/2006 and 1272/2008

Printing Date: March 19, 2025

Version No.: 1.0

Revision: March 19, 2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier**Trade name:**Scented wax - Frosted Snowflakes**Other means of identification:**

UFI code: No available data.

1.2 Relevant identified uses of the substance or mixture and uses advised against**Relevant identified uses:**

Consumer uses, refreshing air.

Uses advised against:

No available data.

Reason why uses advised against:

No available data.

1.3 Details of the supplier of the safety data sheet**Manufacturer/Supplier:**HANGZHOU EDAR INTERNATIONAL CO., LTD.A-601,HUAHONG
CENTER,NO.238 TIANMUSHAN ROAD,HANGZHOU,CHINA**1.4 Emergency telephone number**

+86-0571-56837011

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture**2.1.1 Classification according to regulation (EC) 1272/2008:**

The product is not classified according to CLP Regulation.

Regulation (EC) No 1272/2008 [CLP]	Classification procedure
Not applicable	Not applicable

2.2 Label elements**Labeling according to Regulation (EC) No 1272/2008:**

The product is not labelled according to CLP Regulation.

Hazard pictograms:

Not applicable

Signal word:

Not applicable

Hazard-determining components of labelling:

Not applicable

Hazard statements:

Not applicable

Safety Data Sheet

Regulation (EC) No. 1907/2006 and 1272/2008

Printing Date: March 19, 2025

Version No.: 1.0

Revision: March 19, 2025

Trade Name: Scented wax**• Precautionary statement:**

Not applicable

• Supplemental label elements:

EUH208, Contains 2-Methylundecanal, Cineole, Methyl-2,4-dihydroxy-3,6-dimethylbenzoate. May produce an allergic reaction.

• 2.3 Other hazardsNone of the ingredients ($\geq 0.1\%$) meets the criteria for PBT/vPvB in accordance with Annex XIII.None of the ingredients ($\geq 0.1\%$) are identified as having endocrine disrupting properties according to Regulation (EU) 2017/2100.**SECTION 3: Composition/information on ingredients****• 3.2 Mixtures****• Description of the mixture:**

Scented wax.

Ingredients:						
Substance	CAS No.	Index No.	EC No.	w/w, %	CLP Classification	SCL/M-factor/ATE
Paraffin	8002-74-2	-	232-315-6	93.9	None	-
Reaction mass of 3a,4,5,6,7,7a-hexahydro-4,7-methanoinden-5-ylacetate and 3a,4,5,6,7,7a-hexahydro-4,7-methanoindolen-6-ylacetate	54830-99-8, 2500-83-6, 5413-60-5	-	911-369-0	0.6-<1	Aquatic Chronic 3; H412,-	-
Benzyl benzoate	120-51-4	607-085-00-9	204-402-9	0.6-<1	Acute Tox. 4,- Aquatic Acute 1 - Aquatic Chronic 2, H302-H400-H411	ATE (oral)=1900 mg/kg M=1
Reaction mass of Benzenepropanal,4-ethyl-a,a-dimethyl-and 3-(2-ethylphenyl)-2,2-dimethylpropanal	67634-15-5 67634-14-4	-	916-329-6, 266-819-2, 266-818-7	0.4-<1	Skin Irrit.2-Skin Sens.1B-Aquatic Acute 1 -Aquatic Chronic 2;H315- H317-H400-H411,-	-
Isocyclocitral	1335-66-6	605-043-00-4	215-638-7	0.4-< 0.8	Skin Irrit. 2, H315 Skin Sens. 1B, H317 Eye Irrit. 2, H319	-
2-sec-butylcyclohexan-1-one	14765-30-1	-	238-830-2	0.8	Skin Irrit.2;H315,-	-
Trans-menthone	89-80-5	-	201-941-1	0.2-< 0.4	Acute Tox.4-Skin Irrit. 2-Skin Sens.1B- Aquatic Chronic 3; H315-H317-H332-	-
2-ethyl-3-hydroxy-4-pyrone	4940-11-8	-	225-582-5	0.4	Acute Tox.4-; H302,-	-
L-MENTHOL	2216-51-5	-	218-690-9	0.4	Skin Irrit.2-Eye Irrit. 2;H315-H319,-	-
4-(4-Hydroxyphenyl)butan-2-one	5471-51-2	-	226-806-4	0.04-< 0.1	Acute Tox. 4, H302	ATE (oral)=1320 mg/kg
Pigment Green 7	1328-53-6	-	215-524-7	0.1	None	-

Safety Data Sheet

Regulation (EC) No. 1907/2006 and 1272/2008

Printing Date: March 19, 2025

Version No.: 1.0

Revision: March 19, 2025

Trade Name: Scented wax

Pigment Red 53	5160-02-1	-	225-935-3		None	-
Pigment Yellow 1	2512-29-0	-	219-730-8		None	-
Pigment Red 48:2	7023-61-2	-	230-303-5		None	-
Methyl-2,-4-dihydroxy-3,6-dimethylbenzoate	4707-47-5	-	225-193-0	0.004-<0.04	Skin Sens. 1B, H317	-
Cineole	470-82-6	-	207-431-5	0.004-<0.04	Flam.Liq.3-Skin Sens.1B;H226-H317,-	-
Pin-2(3)-ene	80-56-8	-	201-291-9	0.004-<0.04	Flam.Liq.3-Acute Tox.4 Skin Irrit.2- Skin Sens.1B- Asp.Tox 1 -Aquatic Acute 1- Aquatic Chronic 1;H226-H302-H304-	-
2-Methylundecanal	110-41-8	-	203-765-0	0.004-<0.04	Skin Irrit. 2, Skin Sens. 1B-Aquatic Acute 1-Aquatic Chronic 1;H315-H317-H410,-	-

Additional information:

Full text of H- and EUH-statements, see SECTION 16.

SECTION 4: First aid measures**• 4.1 Description of first aid measures****• General notes:**

Get medical attention if you feel unwell.

• Following inhalation:

Supply with fresh air.

Get medical attention if you feel unwell.

• Following skin contact:

Wash with water.

If there are signs of irritation or other symptoms, seek medical attention.

• Following eye contact:

Rinse cautiously with water for several minutes.

If eye irritation occurs: Get medical advice/attention.

• Following ingestion:

Rinse mouth.

Call a POISON CENTER/doctor if you feel unwell.

• Self-protection of the first aider:

Wear disposable, latex free gloves.

• 4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are as indicated in sections 2 and 11.

• 4.3 Indication of any immediate medical attention and special treatment needed:

Safety Data Sheet

Regulation (EC) No. 1907/2006 and 1272/2008

Printing Date: March 19, 2025

Version No.: 1.0

Revision: March 19, 2025

Trade Name: Scented wax

Treat according to symptom, there is not known specific medicine.

SECTION 5: Fire-fighting measures

• 5.1 Extinguishing media**• Suitable extinguishing agents:**Use CO₂, chemical powder, water spray or alcohol resistant foam to extinguish.**• Unsuitable extinguishing media:**

Water with full jet.

• 5.2 Special hazards arising from the substance or mixture**• Hazardous combustion products:**

No special hazards arising from the mixture.

• 5.3 Advice for firefighters**• Protective equipment:**

Wear self-contained breathing apparatus for firefighting.

SECTION 6: Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures**• 6.1.1 For non-emergency personnel****• Protective equipment:**

Respiration protection.

• Emergency procedures:

Avoid breathing vapor/mist.

• 6.1.2 For emergency responders**• Personal protective equipment:**

Respiration protection.

• 6.2 Environmental precautions:

Prevent further leakage or spillage if safe to do so.

Prevent spillage from entering drains, sewer, basement or confined areas.

If the spillage contaminates rivers, lakes or drains inform respective authorities.

• 6.3 Methods and material for containment and cleaning up**• 6.3.1 For containment:**

Bunding, covering of drains.

• 6.3.2 For cleaning up:

Pick up mechanically.

• 6.3.3 Other information:

Dispose contaminated material as waste according to section 13.

• 6.4 Reference to other sections:

See section 7 for information on safe handling.

See section 8 for information on personal protection equipment.

See section 13 for disposal information.

Safety Data Sheet

Regulation (EC) No. 1907/2006 and 1272/2008

Printing Date: March 19, 2025

Version No.: 1.0

Revision: March 19, 2025

Trade Name: Scented wax

SECTION 7: Handling and storage

• **7.1 Precautions for safe handling:**

• **Protective measures:**

No special precautions for safe handling are normally required.

• **Measures to prevent fire:**

Normal measures for preventive fire protection.

• **Measures to prevent aerosol and dust generation:**

Ensure well ventilation at workplace.

• **Measures to protect the environment:**

Avoiding spills or keeping away from drains.

• **Advice on general occupational hygiene:**

Wear respiration protection.

• **7.2 Conditions for safe storage, including any non-compatibility**

• **Technical measures and storage conditions:**

Store in a cool and well-ventilated place.

• **Packaging materials:**

No special requirement.

• **Requirements for storage rooms and vessels:**

Keep in cool room.

• **Storage class:**

11.

• **Further information on storage conditions:**

No further requirements.

• **7.3 Specific end use(s)**

• **Recommendations:**

See section 1.2.

• **Industrial sector specific solutions:**

No further information.

SECTION 8: Exposure controls/personal protection

• **8.1 Control parameters**

• **Ingredients with limit values that require monitoring at the workplace:**

Country	Limit value - Eight hours	Limit value - Short term
8002-74-2 Paraffin		
Belgium	2mg/m ³	-
Denmark	2mg/m ³	4mg/m ³
Finland	1mg/m ³	-
France	2mg/m ³	-
Ireland	2mg/m ³	6mg/m ³ 15 minutes reference period
Poland	2mg/m ³	-

Safety Data Sheet

Regulation (EC) No. 1907/2006 and 1272/2008

Printing Date: March 19, 2025

Version No.: 1.0

Revision: March 19, 2025

Trade Name: Scented wax

Spain	2mg/m ³	-
United Kingdom	2mg/m ³	6mg/m ³
123-92-2 Isopentyl acetate		
Belgium	50ppm;270mg/m ³	100ppm;540mg/m ³
Denmark	50ppm;266mg/m ³	100ppm;532mg/m ³
European Union	50ppm;270mg/m ³	100ppm;540mg/m ³ 15 minutes average value
Finland	50ppm;270mg/m ³	100ppm;540mg/m ³ 15 minutes average value
France	50ppm;270mg/m ³	100ppm;540mg/m ³
Germany (AGS)	50ppm;270mg/m ³	50ppm;270mg/m ³ 15 minutes average value
Germany (DFG)	50ppm;270mg/m ³	50ppm;270mg/m ³ STV 15 minutes average value
Hungary	270mg/m ³	540mg/m ³
Ireland	50ppm;260mg/m ³	100ppm;520mg/m ³ 15 minutes reference period
Latvia	50ppm;270mg/m ³	100ppm;540mg/m ³ 15 minutes average value
Poland	250mg/m ³	500mg/m ³
Romania	50ppm;270mg/m ³	100ppm;540mg/m ³ 15 minutes average value
Spain	50ppm;270mg/m ³	100ppm;540mg/m ³
Sweden	100ppm;500mg/m ³	150ppm;800mg/m ³
The Netherlands	-	530mg/m ³
United Kingdom	50ppm;270mg/m ³	100ppm;541mg/m ³

• DNELs:

DNEL type		DNEL worker value	DNEL consumer value
120-51-4 Benzyl benzoate			
Systemic effects	Long-term, inhalation exposure	14.1 mg/m ³	2.48 mg/m ³
	Acute /short term, inhalation exposure	70.5 mg/m ³	12.4 mg/m ³
	Long-term, dermal exposure	4 mg/kg bw/day	1.42 mg/kg bw/day
	Long-term, oral exposure	-	1.42 mg/kg bw/day
5471-51-2 4-(4-Hydroxyphenyl)butan-2-one			
Systemic effects	Long-term, inhalation exposure	114.24 mg/m ³	59.5 mg/m ³
	Acute /short term, inhalation exposure	114.24 mg/m ³	59.5 mg/m ³
	Long-term, dermal exposure	170 mg/kg bw/day	170 mg/kg bw/day
	Acute /short term, dermal exposure	170 mg/kg bw/day	170 mg/kg bw/day
	Long-term, oral exposure	-	17 mg/kg bw/day
	Acute /short term, oral exposure	-	17 mg/kg bw/day

• PNECs:

PNEC type	Value
120-51-4 Benzyl benzoate	
Freshwater	3.22 µg/L
Marine water	322 ng/L
Sewage treatment plant (STP)	100 mg/L
Sediment (freshwater)	2.043 mg/kg sediment dw
Sediment (marine water)	204 µg/kg sediment dw
Soil	405.6 µg/kg soil dw

Safety Data Sheet

Regulation (EC) No. 1907/2006 and 1272/2008

Printing Date: March 19, 2025

Version No.: 1.0

Revision: March 19, 2025

Trade Name: Scented wax

5471-51-2 4-(4-Hydroxyphenyl)butan-2-one

Freshwater	100 µg/L
Marine water	10 µg/L
Sediment (freshwater)	307 µg/kg sediment dw
Sediment (marine water)	30.7 µg/kg sediment dw
Soil	198 µg/kg soil dw

• Additional information:

The lists valid during the marking were used as basis.

• 8.2 Exposure controls

• Based on the composition shown in section 3, the following measures are suggested for occupational safety measure.

• 8.2.1 Appropriate engineering controls:

Handle in accordance with good industrial hygiene and safety practice.

Wash hands and face before breaks and at the end of work.

See section 7 for information about design of technical facilities.

• 8.2.2. Personal protection equipment**• Eye/face protection:**

Not required under normal conditions of use.

For industrial applications, following protection required:

**Safety glasses**

Protective goggles with side-shields.

• Skin protection**• Hand protection:**

Not required under normal conditions of use.

For industrial applications, following protection required:

**Protective gloves**

Gloves made from butyl rubber Neoprene™ rubber, nitrile rubber (thickness > 0.11mm; breakthrough times up to 480 minutes).

• Other skin protection:

Not required under normal conditions of use.

For industrial applications, following protection required:

**Face protection****Safety boots****Safety overalls**

Face shield, gauntlets, boots, bodysuit are recommended.

• Respiration protection:

Not required under normal conditions of use.

For industrial applications, following protection required:

**Respiratory equipment**

Safety Data Sheet

Regulation (EC) No. 1907/2006 and 1272/2008

Printing Date: March 19, 2025

Version No.: 1.0

Revision: March 19, 2025

Trade Name: Scented wax

Use positive pressure breathing mask if concentrations in air could exceed occupational exposure standard.

• **Thermal hazards:**

Not required under normal conditions of use.

For industrial applications, following protection required:

The gauntlets, boots, bodysuit and other personal protective equipment must be flame retardant and no heat-conducting.

• **8.2.3 Environmental exposure controls:**

Control measures must be made in accordance with Community environmental protection legislation.

SECTION 9: Physical and chemical properties

• **9.1 Information on basic physical and chemical properties**

• Physical state	Solid
• Color	White
• Odor & Odor threshold	Characteristic odor
• Melting point/freezing point (or softening point/range)	Not determined
• Boiling point or initial boiling point and boiling range	341°C (Paraffin)
• Flammability	Not flammable solid
• Lower and upper explosion limit	Not applicable
• Flash point	Not applicable
• Auto-ignition temperature	>200°C (Paraffin)
• Decomposition temperature	Not determined
• pH	Not determined
• Kinematic viscosity (mm ² /s)	Not applicable
• Solubility	Insoluble in water
• Partition coefficient n-octanol/water (log value)	Not applicable
• Vapor pressure	Not determined
• Density and/or relative density	Not determined
• Relative vapor density	Not determined
• Particle characteristics	Not determined

• **9.2 Other information**

• **9.2.1 Information with regard to physical hazard classes:**

• Explosives	Not applicable
• Flammable gases	Not applicable
• Aerosols	Not applicable
• Oxidising gases	Not applicable
• Gases under pressure	Not applicable
• Flammable liquids	Not applicable
• Flammable solids	Not applicable
• Self-reactive substances and mixtures	Not applicable
• Pyrophoric liquids	Not applicable
• Pyrophoric solids	Not applicable
• Self-heating substances and mixtures	Not applicable

Safety Data Sheet

Regulation (EC) No. 1907/2006 and 1272/2008

Printing Date: March 19, 2025

Version No.: 1.0

Revision: March 19, 2025

Trade Name: Scented wax

• Substances and mixtures, which emit flammable gases in contact with water	Not applicable
• Oxidizing liquids	Not applicable
• Oxidizing solids	Not applicable
• Organic peroxides	Not applicable
• Corrosive to metals	Not applicable
• Desensitised explosives	Not applicable
• 9.2.2 Other safety characteristics	
• Mechanical sensitivity	Not applicable
• Self-accelerating polymerisation temperature	Not applicable
• Formation of explosible dust/air mixtures	Not applicable
• Acid/alkaline reserve	Not applicable
• Evaporation rate	Not applicable
• Miscibility	Not applicable
• Conductivity	Not applicable
• Corrosiveness	Not applicable
• Gas group	Not applicable
• Redox potential	Not applicable
• Radical formation potential	Not applicable
• Photocatalytic properties	Not applicable
• Other physical and chemical parameters	Not determined

SECTION 10: Stability and reactivity

• 10.1 Reactivity:

The product is non-reactive under normal conditions of use, storage and transport.

• 10.2 Chemical stability:

Under storage at normal ambient temperatures, the product is stable.

• 10.3 Possibility of hazardous reactions:

No known hazardous reaction.

• 10.4 Conditions to avoid:

High temperature.

• 10.5 Incompatible materials:

Strong oxidizing agent and acids.

• 10.6 Hazardous decomposition products:

Does not decompose when used for intended uses.

SECTION 11: Toxicological information

• 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity:

Safety Data Sheet

Regulation (EC) No. 1907/2006 and 1272/2008

Printing Date: March 19, 2025

Version No.: 1.0

Revision: March 19, 2025

Trade Name: Scented wax*Based on available data, the classification criteria are not met.*

Species	Effective Dose	Results	Method/Source
120-51-4 Benzyl benzoate			
Rat	LD50-oral	1900 mg/kg	Journal of Pharmacology and Experimental Therapeutics. Vol.93, Pg. 26, 1948.
Rabbit	LD50-dermal	4000 mg/kg	Toxicological Data, compiled by the National Institute of Health (NIH), USA, selected and distributed by Technical Database Services (TDS), New York, 2009.
Mouse	LD50-oral	1400 uL/kg	Journal of Pharmacology and Experimental Therapeutics., 93(26), 1948.
Dog	LD50-oral	>22440 mg/kg	Journal of Pharmacology and Experimental Therapeutics., 84(358), 1945.
Cat	LD50-oral	2240 mg/kg	Journal of Pharmacology and Experimental Therapeutics., 84(358), 1945.
Rabbit	LD50-oral	1680 mg/kg	Food and Cosmetics Toxicology., 11(1015), 1973.
Guinea pig	LD50-oral	1 mL/kg	Journal of Pharmacology and Experimental Therapeutics., 93(26), 1948.
5471-51-2 4-(4-Hydroxyphenyl)butan-2-one			
Rat	LD50-oral	1320 mg/kg	Toxicological Data, compiled by the National Institute of Health (NIH), USA, selected and distributed by Technical Database Services (TDS), New York, 2009.
Rat	LD50-dermal	>2000 mg/kg	ECHA registered dossier.

• Skin corrosion/irritation:*Based on available data, the classification criteria are not met.***• Serious eyes damage/ irritation:***Based on available data, the classification criteria are not met.***• Respiratory or skin sensitization:***Based on available data, the classification criteria are not met.***• Germ cell mutagenicity:***Based on available data, the classification criteria are not met.***• Carcinogenicity:***Based on available data, the classification criteria are not met.***• Reproductive toxicity:***Based on available data, the classification criteria are not met.***• STOT-single exposure:***Based on available data, the classification criteria are not met.***• STOT-repeated exposure:***Based on available data, the classification criteria are not met.***• Aspiration hazard:***Based on available data, the classification criteria are not met.***• 11.2 Information on other hazards****• 11.2.1 Endocrine disrupting properties:**

Safety Data Sheet

Regulation (EC) No. 1907/2006 and 1272/2008

Printing Date: March 19, 2025

Version No.: 1.0

Revision: March 19, 2025

Trade Name: Scented wax

None of the ingredients ($\geq 0.1\%$) are considered to have endocrine-disrupting properties with respect to humans, as none of them meet the criteria set out in section A of Regulation (EU) No 2017/2100.

• 11.2.2 Other information:

No known other relevant information on adverse health effects.

SECTION 12: Ecological information**• 12.1 Toxicity:**

Species	Effect dose	Test duration	Value
120-51-4 Benzyl benzoate			
Danio rerio	LC50	96h	2.32mg/L
Daphnia magna	NOEC	48h	1.73 mg/L
Daphnia magna	EC50	48h	3.09 mg/L
Freshwater algae	EC50	72h	0.475 mg/L
Freshwater algae	NOEC	72h	0.247 mg/L
106-27-4 3-Methylbutyl butyrate			
Danio rerio	LC50	96h	3.19 mg/L
Daphnia magna	EC50	48h	8.12 mg/L
Raphidocelis subcapitata	NOEC	72h	3.13 mg/L
Raphidocelis subcapitata	EC50	72h	4.68 mg/L

• 12.2 Persistence and degradability:

CAS	Substance	Biodegradation	Hydrolysis
120-51-4	Benzyl benzoate	94%(28d)	-
106-27-4	3-Methylbutyl butyrate	63%(28d)	DT50=4.13yr

• 12.3 Bio-accumulative potential:

CAS	Substance	Log Pow	BCF
120-51-4	Benzyl benzoate	4	193.4
106-27-4	3-Methylbutyl butyrate	3.99	-

• 12.4 Mobility in soil:

CAS	Substance	Surface tension (mN/m)	Log Koc
120-51-4	Benzyl benzoate	-	3.8
106-27-4	3-Methylbutyl butyrate	-	2.44

• 12.5 Results of PBT and vPvB assessment:

This mixture does not contain any substances ($\geq 0.1\%$) that are assessed to be a PBT or a vPvB.

• 12.6 Endocrine disrupting properties:

None of the ingredients ($\geq 0.1\%$) are considered to have endocrine-disrupting properties with respect to non-target organisms, as none of them meet the criteria set out in section B of Regulation (EU) No 2017/2100.

• 12.7 Other adverse effects:

No known other adverse effects.

• 12.8 Additional ecological information

Safety Data Sheet

Regulation (EC) No. 1907/2006 and 1272/2008

Printing Date: March 19, 2025

Version No.: 1.0

Revision: March 19, 2025

Trade Name: Scented wax**• General notes:**

WGK1 (German Regulation) (self-assessment): slightly hazardous to water.

Do not allow large quantities of the product to reach ground water, water course or sewage system.

SECTION 13: Disposal consideration**• 13.1 Waste treatment methods****• Recommendation:**

Small quantities can be disposed together with household garbage.

Large quantities disposed must be in according to the local/regional/national/ international regulation.

• 13.2 Un-cleaned packaging**• Recommendation:**

Dispose of contents/container in according to the local/regional/national/ international regulation.

SECTION 14: Transport information**• 14.1 UN number or ID number**

• ADR/ADN/RID (2025 Edition)	Not applicable/Not regulated, this product is not subject to ADR/ADN/RID.
• IMO/IMDG (41-22)	Not applicable/Not regulated, this product is not subject to IMO/IMDG code.
• IATA-DGR (66th)	Not applicable/Not regulated, this product is not subject to IATA-DGR.

• 14.2 UN proper shipping name

• ADR/ADN/RID (2025Edition)	Not applicable/Not regulated
• IMO/IMDG (41-22)	Not applicable/Not regulated
• IATA-DGR (66th)	Not applicable/Not regulated

• 14.3 Transport hazard class (es)

• ADR/ADN/RID (2025Edition)	Not applicable/Not regulated
• IMO/IMDG (41-22)	Not applicable/Not regulated
• IATA-DGR (66th)	Not applicable/Not regulated

• 14.4 Packing group

• ADR/ADN/RID (2025Edition)	Not applicable/Not regulated
• IMO/IMDG (41-22)	Not applicable/Not regulated
• IATA-DGR (66th)	Not applicable/Not regulated

• 14.5 Environmental hazards

• Environmentally hazardous (ADR/ADN/RID)	No
• Marine Pollutants (Yes/No)	No
• Special mark (ADR/ADN/RID)	No

• 14.6 Special precautions for user

• Danger code (Kemler)	Not applicable/Not regulated
• EMS number	Not applicable/Not regulated

• 14.7 Maritime transport in bulk according to IMO instruments	Not applicable/Not regulated
--	------------------------------

SECTION 15: Regulatory information

Safety Data Sheet

Regulation (EC) No. 1907/2006 and 1272/2008

Printing Date: March 19, 2025

Version No.: 1.0

Revision: March 19, 2025

Trade Name: Scented wax

• **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

• **MAK (German Maximum Workplace Concentration):**

None of the ingredients are listed.

• **Directive 2012/18/EU**

• **Named dangerous substances-ANNEX I:**

None of the ingredients are listed.

• **Seveso category:**

Not applicable

• **Qualifying quantity (tonnes) for the application of lower-tier requirements:**

Not applicable

• **Qualifying quantity (tonnes) for the application of upper-tier requirements:**

Not applicable

• **National regulations.**

• **Water hazard class:**

WGK1 (German Regulation) (self-assessment): slightly hazardous to water.

• **Other regulations, limitations and prohibitive regulations**

• **SVHC Candidate list of REACH Regulation Annex XIV Authorization:**

None of the ingredients are listed.

• **REACH Regulation Annex XVII Restriction:**

None of the ingredients are listed.

• **REACH Regulation Annex XIV Authorization List:**

None of the ingredients are listed.

• **15.2 Chemical safety assessment:**

A Chemical Safe Assessment has not been carried out.

SECTION 16: Other information

• **16.1 Indication of changes:**

None.

• **16.2 Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road).

IMDG: International Maritime Code for Dangerous Goods.

IATA: International Air Transport Association.

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

PBT: Persistent, Bio accumulative and Toxic

vPvB: very persistent and very bio accumulative

SVHC: Substance of Very High Concern

LD50: Lethal dose, 50 percent

LC50: Lethal concentration, 50 percent

EC50: Concentration of maximal effect, 50 percent

NOEC: No observed effect concentration

Safety Data Sheet

Regulation (EC) No. 1907/2006 and 1272/2008

Printing Date: March 19, 2025

Version No.: 1.0

Revision: March 19, 2025

Trade Name: Scented wax*Flam. Liq. 3: Flammable liquids, hazard category 3**Acute Tox. 4: Acute toxicity, hazard category 4**Skin Irrit. 2: Skin corrosion/irritation, hazard category 2**Skin Sens. 1: Skin sensitization, hazard category 1**Skin Sens. 1B: Skin sensitization, hazard category 1B**Eye Irrit. 2: Eye damage/irritation, hazard category 2**Aquatic Acute 1: Short-term (acute) aquatic hazard, hazard category 1**Aquatic Chronic 1: Long-term (chronic) aquatic hazard, hazard category 1**Aquatic Chronic 2: Long-term (chronic) aquatic hazard, hazard category 2**Aquatic Chronic 3: Long-term (chronic) aquatic hazard, hazard category 3***• 16.3 Key literature references and sources for data:**<https://echa.europa.eu/><https://chem.nlm.nih.gov/><https://www.osha.gov/><http://www.unece.org/><http://www.imo.org/><https://www.dguv.de/><https://epa.govt.nz/><http://www.ilo.org/><https://www.phmsa.dot.gov/>**• 16.4 Classification for mixtures and used evaluation method according to regulation (EC) 1272/2008 [CLP]:**

See section 2.1 (classification).

• 16.5 Relevant H- and EUH-phrases (number and full text):*H226 Flammable liquid and vapour**H302 Harmful if swallowed**H315 Causes skin irritation**H317 May cause an allergic skin reaction**H319 Causes serious eye irritation**H400 Very toxic to aquatic life**H410 Very toxic to aquatic life with long lasting effects**H411 Toxic to aquatic life with long lasting effects**H412 Harmful to aquatic life with long lasting effects**EUH066 Repeated exposure may cause skin dryness or cracking***• 16.6 Training advice:**

Workers must be trained in general and specific aspects of safe work procedures for this chemical. Workers need easy to understand guidelines and instructions for safe working with this chemical. Instructions, guidelines and legally required documents need to be available for workers in easy to understand language.

• 16.7 Further information:

The contents and format of this SDS are in accordance with Regulation (EC) No 1907/2006, its amendment Regulation (EU) No 2020/878 and (EC) No 1272/2008.

DISCLAIMER OF LIABILITY:

The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without

Safety Data Sheet
Regulation (EC) No. 1907/2006 and 1272/2008

Printing Date: March 19, 2025**Version No.: 1.0****Revision: March 19, 2025****Trade Name:** Scented wax

any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

End of safety data sheet