SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier Trade name or designation of the mixture	Yankee Candle Clean Cotton Reed Diffuser - 1745742E
Registration number	-
Synonyms	None.
Product code	1745742E
Issue date	20-December-2023
Version number	01
1.2. Relevant identified uses of t	the substance or mixture and uses advised against
Identified uses	Air Care Products
Uses advised against	None known.
1.3. Details of the supplier of the	e safety data sheet
Company name	Yankee Candle Company (Europe) Limited
Company Address	Poplar Way East, Cabot Park
	Avonmouth
	Bristol
	United Kingdom
	BS11 0YH
1.4. Emergency telephone numb	Der
Newell - UK (Emergency Health Response)	0800 234 6169

Health Response)	
Europe - Newell	008 008 658 8466
NHS	111

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

Physical hazards Flammable liquids	Category 2	H225 - Highly flammable liquid and vapour.
Health hazards		
Serious eye damage/eye irritation	Category 2	H319 - Causes serious eye irritation.
Skin sensitisation	Category 1	H317 - May cause an allergic skin reaction.
Environmental hazards		
Hazardous to the aquatic environment, long-term aquatic hazard	Category 3	H412 - Harmful to aquatic life with long lasting effects.

2.2. Label elements

Contains:

Label according to Regulation (EC) No. 1272/2008 as amended

10-Undecenal, Benzoic acid, 2-hydroxy-, hexyl ester, Butyl cyclohexyl acetate, d-Limonene, Ethyl 2,2-dimethylhydrocinnamal, g-Methoxycedrane, Hexyl Cinnamal, Isocyclemone E, Linalyl acetate, Lyral, Oils, orange, sweet

Hazard pictograms

Signal word Hazard statements H225



Highly flammable liquid and vapour.

H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H412	Harmful to aquatic life with long lasting effects.
Precautionary statements	
Prevention	
P102	Keep out of reach of children.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P273	Avoid release to the environment.
Response	
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P333 + P313	If skin irritation or rash occurs: Get medical advice/attention.
P302 + P350	If on skin: Wash with plenty of water/.
P337 + P313	If eye irritation persists: Get medical advice/attention.
Storage	Not applicable.
Disposal	
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
Supplemental label information	None.
2.3. Other hazards	This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII. The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. The mixture does not contain any substances included in the list established in accordance with REACH Article 59(1) for having endocrine disrupting properties at a concentration equal to or greater than 0.1% by weight.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

Chemical name		%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Ethanol		70 - 80	64-17-5 200-578-6	-	603-002-00-5	#
	Classification:	Flam. Liq.	2;H225, Eye Irrit. 2;H	319		
Butyl cyclohexyl aceta	ate	1 - 3	32210-23-4 250-954-9	-	-	
	Classification:	Skin Sens.	1B;H317			
Galaxolide		1 - 3	1222-05-5 214-946-9	01-2119488227-29	603-212-00-7	
	Classification:	Aquatic Ac	ute 1;H400, Aquatic	Chronic 1;H410		
Hexyl Cinnamal		1 - 3	101-86-0 202-983-3	01-2119533092-50	-	
	Classification:	Skin Sens. Chronic 2;		cute 1;H400(M=1), Aquatic		
lonone, methyl-		1 - 3	1335-46-2 215-635-0	-	-	
	Classification:	Skin Irrit. 2	;H315, Eye Irrit. 2;H3	19, Aquatic Chronic 2;H41	1	
Benzoic acid, 2-hydro	xy-, hexyl ester	≤ 1	6259-76-3 228-408-6	01-2119638275-36	-	
	Classification:		1B;H317, Aquatic Ao H410(M=1)	cute 1;H400(M=1), Aquatic		
Isocyclemone E		≤1	54464-57-2 259-174-3	-	-	
	Classification:	Skin Irrit. 2	;H315, Skin Sens. 1E	3;H317, Aquatic Chronic 1;I	H410	
Oils, orange, sweet		≤ 1	8008-57-9 616-926-9	-	-	
	Classification:			H226, Skin Irrit. 2;H315, Ey H304, Aquatic Chronic 2;H		
g-Methoxycedrane		≤ 0.3	19870-74-7 243-384-7	-	-	
	Classification:	Skin Sens. Chronic 1;	1B;H317, Aquatic Ad	cute 1;H400(M=1), Aquatic		

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
10-Undecenal	≤ 0.2	112-45-8 203-973-1	-	-	
Class	ification: Skin Sens	. 1B;H317, Aquatic C	Chronic 3;H412		
AHTN	≤ 0.2	21145-77-7 244-240-6	-	-	
Class		4;H302, Aquatic Ac H410(M=1)	ute 1;H400(M=1), Aquatic		
Benzoic acid, 2-hydroxy-,	≤ 0.2	65405-77-8	-	-	
(3Z)-3-hexen-1-yl ester	ification. Aquatia Ar	265-745-8	nuntia Obrania 0.11444		
d-Limonene	≤ 0.2	5989-27-5	quatic Chronic 2;H411	601-096-00-2	
		227-813-5			0
Class			H315, Skin Sens. 1;H317, A , Aquatic Chronic 1;H410	Asp. Iox.	С
Ethyl 2,2-dimethylhydrocinna	amal ≤ 0.2	67634-15-5 266-819-2	-	-	
Class	ification: Skin Irrit. 2 Aquatic Cl	;H315, Skin Sens. 1 hronic 2;H411	B;H317, Aquatic Acute 1;H4	400(M=1),	
Linalyl acetate	≤ 0.2	115-95-7 204-116-4	-	-	
Class	ification: Skin Irrit. 2	;H315, Eye Irrit. 2;H	319, Skin Sens. 1B;H317		
Lyral	≤ 0.2	31906-04-4 250-863-4	-	605-040-00-8	
Class	ification: Skin Sens	1A;H317			
List of abbreviations and symbols ATE: Acute toxicity estimate M: M-factor vPvB: very persistent and very PBT: persistent, bioaccumul #: This substance has been All concentrations are in per Composition comments	ry bioaccumulative s ative and toxic substa assigned Union work cent by weight unless	ubstance. ance. place exposure limit s ingredient is a gas.	(s). Gas concentrations are in p played in section 16.	percent by volume	
SECTION 4: First aid mea	Isures				
General information			nediately. Ensure that medic ions to protect themselves.		
4.1. Description of first aid mea	asures				
Inhalation			ymptoms develop or persist		
Skin contact			diately and wash skin with s medical attention and take		
Eye contact	Immediately flush present and easy	eyes with plenty of to do. Continue rins	water for at least 15 minutes ing. Get medical attention if	s. Remove contact irritation develops	lenses, if and persists.
Ingestion	Rinse mouth. Get	medical attention if	symptoms occur.		
4.2. Most important symptoms and effects, both acute and delayed			ptoms may include stinging, an allergic skin reaction. De		swelling, and
I.3. Indication of any mmediate medical attention and special treatment needed	immediately. Whil	e flushing, remove on nue flushing during flushing during flushing during flushing during flushing flushing flushing during flushing during flushing flushing during during flushing during flushing during fl	and treat symptomatically. ⁻ lothes which do not adhere transport to hospital. Keep v	to affected area. C	Call an
SECTION 5: Firefighting	measures				
General fire hazards	Highly flammable	liquid and vapour.			
5.1. Extinguishing media Suitable extinguishing	Water fog Alcoho	l resistant foam. Dr	, chemical powder. Carbon (dioxide (CO2)	

5.2. Special hazards arising from the substance or mixture	Vapours may form explosive mixtures with air. Vapours may travel considerable distance to a source of ignition and flash back. During fire, gases hazardous to health may be formed.
5.3. Advice for firefighters	
Special protective equipment for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Special fire fighting procedures	In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1. Personal precautions, protec	cuve equipment and emergency procedures
For non-emergency personnel	Avoid breathing mist/vapours. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.
For emergency responders	Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during clean-up. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Ventilate closed spaces before entering them. Avoid breathing mist/vapours. Local authorities should be advised if significant spillages cannot be contained. Use personal protection recommended in Section 8 of the SDS.
6.2. Environmental precautions	Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.
6.3. Methods and material for containment and cleaning up	Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil etc) away from spilled material. Take precautionary measures against static discharge. Use only non-sparking tools. Prevent entry into waterways, sewer, basements or confined areas.
	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.
	Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
	Never return spills to original containers for re-use.
6.4. Reference to other	For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

sections

SECTION 7: Handling and storage

7.1. Precautions for safe handling	Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. When using do not smoke. Explosion-proof general and local exhaust ventilation. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Use non-sparking tools and explosion-proof equipment. Avoid breathing mist/vapours. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.
7.2. Conditions for safe storage, including any incompatibilities	Keep away from heat, sparks and open flame. Prevent electrostatic charge build-up by using common bonding and grounding techniques. Store in a cool, dry place out of direct sunlight. Store in tightly closed container. Store in a well-ventilated place. Keep in an area equipped with sprinklers. Store away from incompatible materials (see Section 10 of the SDS).
	Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended
	ANNEX 1, PART 1 Categories of dangerous substances Hazard categories in accordance with Regulation (EC) No 1272/2008 - P5a, b or c FLAMMABLE LIQUIDS (Lower-tier requirements = 50 tonnes; Upper-tier requirements = 200 tonnes)
7.3. Specific end use(s)	Observe industrial sector guidance on best practices.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

UK. OELs. Workplace Exposure Limits (WELs) (EH40/2005 (Fourth Edition 2020)), Table 1			
Components	Туре	Value	
Ethanol (CAS 64-17-5)	TWA	1920 mg/m3	
		1000 ppm	

Biological limit values

No biological exposure limits noted for the ingredient(s).

Recommended monitoring procedures	Follow standard monitoring procedures.
Derived no effect levels (DNELs)	Not available.
Predicted no effect concentrations (PNECs)	Not available.
8.2. Exposure controls	
Appropriate engineering controls	Explosion-proof general and local exhaust ventilation. Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station and safety shower.
Individual protection measures,	such as personal protective equipment
General information	Use personal protective equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.
Eye/face protection	Wear safety glasses with side shields (or goggles). Face shield is recommended.
Skin protection	
- Hand protection	Wear appropriate chemical resistant gloves.
- Other	Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.
Respiratory protection	If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
Hygiene measures	When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.
Environmental exposure controls	Inform appropriate managerial or supervisory personnel of all environmental releases. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

	• •
Appearance	
Physical state	Liquid.
Form	Liquid.
Colour	Not available.
Odour	Not available.
Odour threshold	Not available.
рН	Not available.
Melting point/freezing point	-114 °C (-173.2 °F) estimated
Initial boiling point and boiling range	78.4 °C (173.12 °F) estimated
Flash point	13 °C (55.4 °F) estimated
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or expl	osive limits
Explosive limit - lower (%)	Not available.
Explosive limit – upper (%)	Not available.
Vapour pressure	38.742455 hPa estimated
Vapour density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.

365 °C (689 °F) estimated
Not available.
Not available.
Not explosive.
Not oxidising.
0.828 g/cm3 estimated
87.49 % estimated
0.82797 estimated
74.9 % estimated

SECTION 10: Stability and reactivity

10.1. Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
10.2. Chemical stability	Material is stable under normal conditions.
10.3. Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
10.4. Conditions to avoid	Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials.
10.5. Incompatible materials	Strong oxidising agents.
10.6. Hazardous decomposition products	No hazardous decomposition products are known.

SECTION 11: Toxicological information

Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

General information

Inhalation	Prolonged inhalation may be harmful.				
Skin contact	May cause an allergic skin reaction.				
Eye contact	Causes serious eye irritation.				
Ingestion	May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of occupational exposure.				
Symptoms	Headache. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Coughing. May cause an allergic skin reaction. Dermatitis. Rash.				
11.1. Information on toxicological effects					
Acute toxicity	No data available.				
Skin corrosion/irritation	Due to partial or complete lack of data the classification is not possible.				
Serious eye damage/eye irritation	Causes serious eye irritation.				
Respiratory sensitisation	Due to partial or complete lack of data the classification is not possible.				
Skin sensitisation	May cause an allergic skin reaction.				
Germ cell mutagenicity	Due to partial or complete lack of data the classification is not possible.				
Carcinogenicity	Due to partial or complete lack of data the classification is not possible.				
IARC Monographs. Overall E	valuation of Carcinogenicity				
d-Limonene (CAS 5989-2	7-5) 3 Not classifiable as to carcinogenicity to humans.				
Reproductive toxicity	Due to partial or complete lack of data the classification is not possible.				
Specific target organ toxicity - single exposure	Due to partial or complete lack of data the classification is not possible.				
Specific target organ toxicity - repeated exposure	Due to partial or complete lack of data the classification is not possible.				
Aspiration hazard	Due to partial or complete lack of data the classification is not possible.				
Mixture versus substance information	No information available.				

SECTION 12: Ecological information

12.1. Toxicity

Harmful to aquatic life with long lasting effects.

Components		Species		Test Results
d-Limonene (CAS 5989-27-5)			
Aquatic				
Acute				
Crustacea	EC50	Water flea (Daphnia	,	69.6 mg/l, 48 hours
Fish	LC50	Fathead minnow (Pir	nephales promelas)	0.619 - 0.796 mg/l, 96 hours
Ethanol (CAS 64-17-5)				
Aquatic Acute				
Crustacea	EC50	Water flea (Daphnia	magna)	7.7 - 11.2 mg/l, 48 hours
Fish	LC50	Rainbow trout,donald	- /	42 mg/l, 4 days
	2000	(Oncorhynchus myki		+2 mg/l, + day3
12.2. Persistence and degradability	No data is	No data is available on the degradability of any ingredients in the mixture.		
12.3. Bioaccumulative pote	ntial			
Partition coefficient				
n-octanol/water (log Kow) AHTN		5.4		
Benzoic acid, 2-hydroxy-	. (3Z)-3-hexen-1			
Benzoic acid, 2-hydroxy-		5.5		
Butyl cyclohexyl acetate		4.8		
d-Limonene		4.5		
Ethanol Ethyl 2.2 dimethylbydrae	innomol	-0.3 3.6		
Ethyl 2,2-dimethylhydroc Galaxolide	lillallia	5.3		
Hexyl Cinnamal		4.6		
lonone, methyl-		4.5	- 5	
Linalyl acetate		3.9 3.9		
Bioconcentration factor (B	CF) Not availa		5	
12.4. Mobility in soil	,	No data available.		
12.5. Results of PBT and vi assessment	PvB This mixt	This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII.		
12.6. Other adverse effects	The produpotential.	The product contains volatile organic compounds which have a photochemical ozone creation		
SECTION 13: Disposa	I consideration	ons		
13.1. Waste treatment meth				
Residual waste	product re	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).		
Contaminated packaging	Since em	Since emptied containers may retain product residue, follow label warnings even after container i emptied. Empty containers should be taken to an approved waste handling site for recycling or		
EU waste code		The Waste code should be assigned in discussion between the user, the producer and the was disposal company.		
Disposal methods/informat	this mate with chen	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditche with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.		
Special precautions	-	n accordance with all appli	-	
SECTION 14: Transpo	rt informatio	n		

SECTION 14: Transport information

ADR					
14.1. UN number	UN1170				
14.2. UN proper shipping name	ETHANOL (ETHYL ALCOHOL) or ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION) (Ethanol)				
14.3. Transport hazard class(es)					
Class	3				
Subsidiary hazard	-				
Label(s)	3				
Hazard No. (ADR)	33				
Tunnel restriction code	D/E				
14.4. Packing group	II				

14.5. Environmental hazards No. 14.6. Special precautions Read safety instructions, SDS and emergency procedures before handling. for user RID 14.1. UN number UN1170 ETHANOL (ETHYL ALCOHOL) or ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION) 14.2. UN proper shipping (Ethanol) name 14.3. Transport hazard class(es) Class 3 Subsidiary hazard _ 3 Label(s) 14.4. Packing group Ш 14.5. Environmental hazards No. 14.6. Special precautions Read safety instructions, SDS and emergency procedures before handling. for user ADN 14.1. UN number UN1170 ETHANOL (ETHYL ALCOHOL) or ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION) 14.2. UN proper shipping (Ethanol) name 14.3. Transport hazard class(es) 3 Class Subsidiary hazard _ 3 Label(s) Ш 14.4. Packing group 14.5. Environmental hazards No. 14.6. Special precautions Read safety instructions, SDS and emergency procedures before handling. for user IATA 14.1. UN number UN1170 14.2. UN proper shipping Ethanol solution (Ethanol) name 14.3. Transport hazard class(es) Class 3 Subsidiary hazard _ Ш 14.4. Packing group 14.5. Environmental hazards Yes **ERG Code** 31 14.6. Special precautions Read safety instructions, SDS and emergency procedures before handling. for user Other information Passenger and cargo Allowed with restrictions. aircraft Cargo aircraft only Allowed with restrictions. IMDG 14.1. UN number UN1170 14.2. UN proper shipping ETHANOL (ETHYL ALCOHOL) or ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION) (Ethanol), MARINE POLLUTANT name 14.3. Transport hazard class(es) 3 Class Subsidiary hazard _ Ш 14.4. Packing group 14.5. Environmental hazards Marine pollutant Yes F-E. S-D EmS Read safety instructions, SDS and emergency procedures before handling. 14.6. Special precautions for user Not established. 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

ADN; ADR; IATA; IMDG; RID



Marine pollutant



General information

IMDG Regulated Marine Pollutant.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Retained direct EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended Not listed.

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use, as amended - Conditions of restriction given for the associated entry number should be considered

Ethanol (CAS 64-17-5) Galaxolide (CAS 1222-05-5)

Other EU regulations Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

ANNEX 1, PART 1 Categories of dangerous substances Hazard categories in accordance with Regulation (EC) No 1272/2008 - P5a, b or c FLAMMABLE LIQUIDS

Other regulations

This product is classified and labelled in accordance with the retained CLP Regulation (EC) No 1272/2008, as amended for Great Britain. This Safety Data Sheet is compiled in accordance with REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758.

Follow the requirements of the Control of Substances Hazardous to Health Regulations 2002 [SI 2002/2677], as amended, when using this material.

15.2.	Chemical	safety

No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

List of abbreviations ADN: European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterwavs. ADR: Agreement concerning the International Carriage of Dangerous Goods by Road. CAS: Chemical Abstract Service. CEN: European Committee for Standardization. IATA: International Air Transport Association. IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk. IMDG: International Maritime Dangerous Goods. MARPOL: International Convention for the Prevention of Pollution from Ships. PBT: Persistent, bioaccumulative and toxic. RID: Regulations concerning the International Carriage of Dangerous Goods by Rail. STEL: Short term exposure limit. TWA: Time Weighted Average. vPvB: Very persistent and very bioaccumulative. References Not available. The classification for health and environmental hazards is derived by a combination of calculation Information on evaluation methods and test data. if available. method leading to the classification of mixture Full text of any statements, which are not written out in full under sections 2 to 15 H225 Highly flammable liquid and vapour. H226 Flammable liquid and vapour. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H400 Verv toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. **Revision information** Product and Company Identification: Product Review Composition / Information on Ingredients: Ingredients **Training information** Follow training instructions when handling this material. Disclaimer Yankee Candle s.r.o. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.